

2024-25

# Rural Lifestyle Guide

PRICES EFFECTIVE FROM 1st SEPTEMBER 2024



[silvan.com.au](http://silvan.com.au)

**SELECTA**

**Silvan**



**Established in 1962. Silvan Australia is a family-owned business recognized as an industry leader in agricultural machinery and rural lifestyle.**

Silvan Australia is devoted to those connected to the land and throughout our history have always pioneered superior technology and durability via our products.

Our dedicated customer service support team are here to respond to all product enquiries and your technical service needs.

The Silvan website is at the centre of our business for all the latest news. Join our mailing list today to ensure you're kept up to date with our latest product releases and promotional activities



Like, Follow and Subscribe to Silvan's Social Media channels. Silvan's YouTube channel highlights our latest products in video form and serves as a regular step by step guide and instructional tool for operators of all levels. Silvan's Facebook page focuses on regular content features in association with news and stories provided and shared from our partners. And Silvan's Instagram is our fastest growing social media platform and includes incredible content from our growing database of Silvan followers.



**Connect  
with us**






Silvan's RED Connect is available for your registration by clicking on the dealer login on the main page at [www.silvan.com.au](http://www.silvan.com.au)

RED Connect allows you to:

- Order online
- Enquire about your order status, open orders, backorders, dispatched orders
- Enquire about your invoices & credit notes online
- Access the Silvan spare parts portal for parts identification

For more details and to receive your login details, phone Customer Service on: 1300 SILVAN (1300 745 826)

Or email Customer Service at: [info@silvanaust.com](mailto:info@silvanaust.com)



**NEW**

# PRODUCTS

**200L EASYROLL MOTORISED SLED SPRAYER**



PAGE  
**49**

**HI FLOW TOWBAR BOOM**



PAGE  
**55**

**EASYROLL 50m  
REMOTE CONTROL REEL**



PAGE  
**69**

## TERRABRIGHT RANGE OF FLASHLIGHTS

**terrabright**



PAGE  
**192**

PAGE  
**193**

**AUTO SHUT OFF GUN WITH  
ELECTRONIC METER**



PAGE  
**188**

**SOLAR POWERED  
SNAKE REPELLER**



PAGE  
**204**

**SOLAR POWERED REMOTE  
SECURITY CAMERA**



PAGE  
**197**

**NEW**

**PRODUCTS**

**UPGRADED DIESELCUBE RANGE - 180L, 250L, 450L**

**DIESELCUBE**



**PAGE 179**

**MULTI-PURPOSE JUMPSTART**



**PAGE 201**

**MULTI-PURPOSE TYRE INFLATOR**



**PAGE 202**

**CRESCO PUSH ALONG SPREADER**



**PAGE 210**

**STEEL DUMP CART**



**PAGE 217**

**67L POLY CART**



**PAGE 216**

**105L STEEL MESH GARDEN CART**



**PAGE 216**

# Contents

## Hand, Backpack & Trolley Sprayers



Portable Sprayers	12-13,16,17
Prograde Sprayers	14-22
Rechargeable Sprayers	14-21

## 12V & Motorised Sprayers



Redline Sprayers & Accessories	26-28
Spotpak Sprayers	29
Quad Bike & Rakpak Sprayers	30-31
Utepak/Trukpak Sprayers	32-35
Squatpak Sprayers	36,37,39
Lightfoot Sprayers	41-46
Traylink	47
Remote Control Sprayers	49-52

## Remote Control Sprayers



200L Easyroll Motorised Sled Sprayer	48
300L Skid Sprayer with Reel Tuff Remote Reel	49
400L Skid Sprayer with Reel Tuff Remote Reel	50
600L Skid Sprayer with Reel Tuff Remote Reel	51

## Booms & Hose Reels



Accessories Fitment Chart	54
Boomless Nozzle Kits & Booms	55-63
Hose Reels	66-71

## Guidance, Monitors & Foam Markers

GPS Guidance	77-84
Foam Markers & Accessories	74-75

## Spray Guns, Nozzles & Accessories



Spray Guns, Nozzles & Accessories	77-84
Spray Shield & T-Boom	77-78

## Safety Equipment & Chemical Transfer

Dust Masks, Respirators & Spray Helmets	87
Wind Meter	88
Gloves, Measuring Jugs	89
Chemical Transfer	83

## Nozzles & Accessories

Nozzle Selection Guide	91-97
Nozzles & Caps	98-117
Nozzle Holders & Adapters	118-121

## Fire Fighters



Firefighting Units	124-130
Trailed Firefighting Units	131
Firefighting Accessories	132-134

# Contents

## Pumps, Tanks, Controllers, Valves & Hoses



Pumps 12V	137-140
Pumps, Controllers, Valves & Service Parts	141-144
Solenoids & Regulators	145-146
Comet Pumps	148-151
Hoses	153-154
Tanks	156-158

## Plumbings, Filtration & Tank Accessories

Filtration	161-165
Tank Lids & Fitting	166-168
Hose Fittings	170-172

## Diesel Tanks & Accessories



Diesel Transfer Units	176-181
Diesel Pumps & Kits	182-184
Diesel Hose Reels, Filters, Meters & Guns	186-188

## Selecta Blue (Adblue®) Tanks & Accessories

Selecta Blue Pumps, Kits & Accessories	190
--	-----

## Lighting



Torches, Work Lights & Headlamps	192-194
Wireless Trailer Lights	194
Flashing Beacons	195

## Asset Protection & Security Cameras



Security Cameras & Accessories	197-199
--------------------------------	---------

## Workshop & Maintenance



Multi-Purpose Jump Start	201
Weather Station & Tyre Inflator	202
Grease Guns & Oil Change	203
Animal Transport & Ramps	205,208
Evaporative Cooler	207

## Garden Care



Spreaders	210-213
Carryalls	213
Wheelbarrows & Water Roller	215
Steel/Poly Dump Carts	216-217
Load Carts	216

# Hand, Backpack & Trolley Sprayers



# Hand, Backpack & Trolley Sprayers



WP1-6



WP8



382-076

WP2-T

The Silvan “Essentials” range of portable sprayers have been specifically designed for general weed management, insect and pest control around the garden, home, or small property.

## 1.5L SILVAN PRESSURE SPRAYER

- UV stabilised translucent poly tank for clear through view
- Poly pump assembly with weighted flexible dip tube and suction filter
- Pressure relief valve to depressurize the sprayer before refilling
- Maximum pressure 2 Bar/30 psi
- Ergonomic handle with lockable on/off button
- Piston type pump for smooth and easy pressurising by hand lever
- Nitrile equipped seals suitable for domestic agricultural chemicals
- Adjustable nozzle that can deliver a straight stream or conical fine mist.

## 8L PORTABLE HAND SPRAYER

- UV stabilised translucent poly tank for clear through view
- Gun holder for storage of lance when not in use
- Non-spill filling lid
- Convenient carry strap
- Piston type pump for smooth and easy pressurising by hand lever
- Chemical resistant Nitrile O-Rings and pump seal
- Maximum operating pressure: 3 Bar/45psi
- Safety pressure blow off valve
- Convenient on/off trigger lock
- 1100mm delivery hose
- 660mm fibreglass lance and poly nozzle
- Adjustable nozzle produces a course straight stream to a fine mist
- Filter inside handle to reduce nozzle blockage



WP1-6

WP8

CODE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
WP1-6	1.5L Pressure Sprayer (6 Pack only)	300mm	135mm	500g	\$81.82	<b>\$90.00</b>	C
WP8	8L Portable Hand Sprayer	525mm	195mm	1.94kg	\$40.91	<b>\$45.00</b>	C
WP8-6	8L Portable Hand Sprayer (6 Pack)				\$225.45	<b>\$248.00</b>	C
382-076	Optional Spray Shield (Suit WP8)				\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom (Suit WP8)				\$36.36	<b>\$40.00</b>	B



KN15D-2

382-076

WP2-T

## 15L BACKPACK SPRAYER

Silvan sprayers are professional quality pressure sprayers. Designed for accurate application of chemicals using either the adjustable nozzle that produces a fine mist to a coarse pencil stream and by using the flat fan nozzle you can achieve more precise spraying performance

- Large capacity 15L UV stabilised poly tank
- Translucent tank with graduated fill markings
- Large lid and strainer for quick filling with carry handle when empty
- Thick padded shoulder straps for user comfort
- Piston pump with left and right-handed operation and ergonomic hand grip
- Poly lockable trigger with 500mm stainless steel lance
- Supplied with flat fan nozzle for precision spraying applications
- Supplied with adjustable nozzle for distance spraying or cone spraying for greater coverage.
- Chemical resistant O-rings and piston diaphragm
- Minimum order qty 5 units



KN15D-2



ADJUSTABLE PADDED STRAPS  
& HANDLE STORAGE



ADJUSTABLE NOZZLE INCLUDED (FINE  
MIST TO COARSE PENCIL STREAM)

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
KN15D-2-5	Silvan 15L Backpack Sprayer (5 pack)	360mm	210mm	520mm	4kg	\$477.27	<b>\$525.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B

ADJUSTABLE HANDLE



382-076



WP2-T

TR13-1

## 13L HEAVY DUTY TROLLEY SPRAYER

Viton equipped professional quality pressure sprayer for accurate application of herbicide, pesticide, fertiliser, degreaser & cleaning products.

- Ideal for weed control around the house, nurseries, parks and gardens
- Viton equipped professional quality sprayer
- Trolley wheels for easy carting
- Large adjustable loop handle with comfort grip
- 3 Bar max pressure with release valve
- Adjustable length lance



TR13-1

## 14L BACKPACK MISTER

- 14L Translucent, UV stabilised poly tank
- 2 stroke engine, 33.5 cc, that is low noise & lower emission
- Powerful and fuel-efficient
- Recoil starter & non-contact ignition
- Highly efficient fan, large air volume and high speed, thus longer spray range
- Joystick controller that offers on/off switch & fan speed adjustment
- Anti-vibration system to reduce operator fatigue



NBB-3W650

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR13-1	13L Heavy Duty Trolley Pressure Sprayer	345mm	275mm	600mm	3.5kg	\$96.36	<b>\$106.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B
NBB-3W650	14L Backpack Mister	510mm	380mm	640mm	11kg	\$400.00	<b>\$440.00</b>	A



190713



190548

## PROGRADE HAND SPRAYERS

- Thick walled heavy duty tanks with 5 year warranty
- Sprayers can be operated up to 120psi (5L & 8L), ideal for distance spraying applications
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- Suitable for liquid and powdered agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable professional trigger
- 6 different spray nozzles, suitable for a variety of applications (5L & 8L sprayers only)
- Internal filtration to reduce clogging
- Easy to operate and maintain

### 1.5L PROGRADE HAND SPRAYER

- Poly pump assembly with weighted flexible suction filter
- Pressure relief valve to depressurize the sprayer before refilling
- Ergonomic handle with on/off button
- Adjustable nozzle that can deliver a straight stream or conical mist

### 5L & 8L PROGRADE PORTABLE SPRAYERS

- Wide base for extra stability
- Drip tray to store the spray lance and protect the nozzle
- Shoulder strap
- Pressure relief valve



190713



190548




190549



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190713-6	1.5L ProGrade Hand Sprayer (6 Pack)	120mm	120mm	305mm	600g	\$177.27	<b>\$195.00</b>	C
190548	5L ProGrade Hand Sprayer	200mm	190mm	535mm	1.5 kg	\$80.00	<b>\$88.00</b>	C
190548-5	5L ProGrade Hand Sprayer (5 Pack)					\$362.73	<b>\$399.00</b>	C
190549	8L ProGrade Hand Sprayer	220mm	225mm	570mm	1.8 kg	\$98.18	<b>\$108.00</b>	C
190549-5	8L ProGrade Hand Sprayer (5 Pack)					\$453.64	<b>\$499.00</b>	C

# Hand, Backpack & Trolley Sprayers



190550



## 15L PROGRADE BACKPACK SPRAYER.

- Thick walled heavy duty tank with 5 year warranty
- Sprayers can be operated up to 120psi, ideal for distance spraying applications
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- Suitable for liquid and powdered agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable professional trigger
- 6 different spray nozzles, suitable for a variety of applications
- Internal filtration to reduce clogging
- Easy to operate and maintain
- Ergonomic tank with padded shoulder straps
- Handle can be fitted left or right hand side and folded away for storage
- No leak seal under the lid, no chemical spilling down your back
- Additional constant pressure valve for low pressure spraying
- Internal paddle for continuous agitation

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190550	15L ProGrade Back Pack Sprayer	380mm	250mm	570mm	4.5 kg	\$195.45	<b>\$215.00</b>	C
190550-2	15L ProGrade Back Pack Sprayer (2 Pack)					\$345.45	<b>\$380.00</b>	C

## PROGRADE STORE IN STORE DISPLAY STAND

Silvan store in store concept is a proven tool to increase sales in store by showcasing key spraying products and spare parts kits in easily identifiable and neatly arranged displays.



183868



183871



183862



183859

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
183868	Service kit for 15L Prograde Backpack Sprayers	\$11.82	<b>\$13.00</b>	B
183871	Service kit for 5L & 8L Prograde Hand Sprayers	\$20.00	<b>\$22.00</b>	B
183862	Nozzle kit suits all Prograde Sprayers (Excluding 1.5L)	\$11.82	<b>\$13.00</b>	B
183859	Shut off Trigger suit all Prograde Sprayers (Excluding 1.5L)	\$24.55	<b>\$27.00</b>	B
070-SISH2200S	In store display stand 2200m x 900mm			***

### TO QUALIFY FOR A FREE STORE-IN-STORE SHELVING DISPLAY:

A minimum stock order (value dependant on display size) is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on **1300 745 826**.


# Silvan

# RECHARGEABLE SPRAYERS



Silvan's family of rechargeable range of sprayers means 'No more pumping' and an easier way of spraying. With sizes available from 8 litres to 25 litres, there's at least one in the family that can be an ideal addition to your property maintenance equipment whether you're a home gardener, small acreage owner, landscape gardener or pest control operator.

# Silvan



**UP TO  
10 TANKS  
OF SPRAYING PER  
CHARGE**

190712



## 8L PROGRADE PUMP ZERO RECHARGEABLE SPRAYER

Silvan 8L Pump Zero rechargeable sprayer has been designed for effortless “No more pumping” from a portable sprayer. Specifically designed for general weed management, insect, and pest control around the garden, home, or small property.

- Thick walled 8L translucent tank with litre graduations
- Air pump with operating pressure 1.4 Bar (Approx. 21 psi)
- 500mm stainless steel spray lance
- Spray lance clip for easy & neat storage
- Protective nozzle storage & drip tray
- Professional lockable shut-off handle with comfort grip and internal filter
- Durable reinforced hose (1200mm)
- Shoulder strap included
- Pressure relief valve for depressurising when refilling
- 240V Battery charger included
- 6 different spray nozzles, suitable for a variety of applications

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190712	8L Pump Zero Rechargeable Sprayer	220mm	220mm	590mm	2.2kg	\$213.64	<b>\$235.00</b>	A



**UP TO  
12 TANKS  
OF SPRAYING PER  
CHARGE**

190714



ADJUSTABLE  
BRASS NOZZLE

LOW VOLUME  
NARROW FAN NOZZLE

FOAMING NOZZLE

LOW VOLUME  
WIDE FAN NOZZLE

JET STREAM NOZZLE

HIGH VOLUME  
WIDE FAN NOZZLE

## 15L PROGRADE RECHARGEABLE BACKPACK SPRAYER

Silvan 15L 18V Lithium-ion power rechargeable sprayer has been designed for effortless “No more pumping” from a backpack sprayer. Specifically designed for general weed management, insect, and pest control around the garden, inside or outside the home, or small to medium rural properties.

- UV stabilised translucent poly tank, with leak prevention cap and built-in carry handle.
- Powder coated steel frame for chemical resistance with padded shoulder harness and waist belt
- Pre-set pressure spraying 40psi, 1.36 L/Min for typical landscape applications (with 8002 nozzle)
- Maximum pressure 2.69 Bar/ 40psi
- Up to 4 hours spray time on a single charge

### SPRAY GUN, LANCE & NOZZLES

- Ergonomic poly handle with on/off trigger
- 530mm stainless steel lance and lance holder

- 6 different spray nozzles, suitable for a variety of applications

### BATTERY & CHARGER

- Rechargeable 18 Volt Lithium-ion 2.1-amp battery is neatly concealed inside the unit
- Battery life indicator
- 240V 3–5-hour charger included



183411

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190714	15L Rechargeable 18V Lithium-ion Prograde Sprayer	355mm	240mm	565mm	5.48kg	\$431.82	<b>\$475.00</b>	A
183411	Optional Replacement Battery	115mm	75mm	50mm	340g	\$209.09	<b>\$230.00</b>	B



TR13-B



382-076



WP2-T

## 13L RECHARGEABLE TROLLEY SPRAYER

The Silvan 13L Rechargeable Trolley Sprayer is an effortless way of spraying, ideal to use around the garden, spraying herbicides, pesticides or fertilisers inside or outside the home.

- 13L blow moulded poly UV stabilised and impact resistant with calibrated fill mark moulded into the tank
- Relief valve for air discharge from tank when refilling
- Wide wheelbase for maximum maneuverability
- Rechargeable battery-operated air pump
- Maximum pressure 1.8 Bar/26psi
- Pump stops once the tank is compressed of air, starts up as your spraying
- Viton seals for extended life and on/off switch
- Trigger jet assembly with lockable on/off trigger
- Filter in spray lance handle
- Poly adjustable nozzle to achieve a straight stream to a conical mist
- 2.5m delivery hose

### BATTERY & CHARGER

- Rechargeable 12V Lithium-ion battery 2550mAh
- Charger input 100-240V, 50/60Hz, 0.4A Max
- 3 hour battery charge time

### SPRAY GUN & HOSE

- Telescopic aluminum spray lance 780mm to 1150mm

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR13-B	13L Rechargeable Trolley Sprayer	345mm	330mm	850mm	3.9kg	\$210.91	<b>\$232.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B



**UP TO  
6 TANKS  
OF SPRAYING PER  
CHARGE**

WP12-1



382-121



382-076



WP2-T

## 12L RECHARGEABLE BACKPACK SPRAYER

Ideal for weed control around the house or the property, fenceline spraying, nurseries, parks & gardens.

- 12L capacity UV stabilised polyethylene tank
- Contoured for comfort against your back
- Wide shoulder straps with thick fabric material
- 2 stage filtration system, one in the tank and another in the trigger
- Spraygun locks into the filling lid for storage
- Long reach spraygun with lockable trigger, extendable from 780mm to 1150mm and adjustable nozzle.
- Adjustable nozzle that allows for a conical fine mist to a pencil straight stream for distance spraying applications
- A flat fan nozzle and air induction nozzle included for drift reduction
- 3 Bar/45 psi maximum pressure
- Diaphragm pump with "on demand" pressure sensing switch that starts the pump when pressure drops below 30-35 psi and stops the pump at 40-45 psi
- Chemical resistant O-rings and seals
- Lithium-ion battery & indicator light to show how much battery life remains
- Charge time, 4 hours from flat
- 240V AC charger included
- Run time: up to 2 hours continuous

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WP12-1	12L Rechargeable Sprayer	310mm	160mm	500mm	3.1kg	\$190.91	<b>\$210.00</b>	A
382-121	Optional Replacement Battery					\$80.00	<b>\$88.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B

**UP TO  
3 TANKS  
OF SPRAYING PER  
CHARGE**



SP25-B2



382-121



382-076



WP2-T

## 25L RECHARGEABLE REDLINE SPRAYER

25L is an ideal size weed or insect control sprayer for small size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side by sides or ride-on mowers with the optional trailer kit.

- 25L impact resistant polyethylene tank
- Screw on lid with anchor strap and anti-spill breather, 25mm drain plug, M6 threaded mounting inserts in base
- 1.25 L/min open flow, Max 3 Bar (45psi) on demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi. On/Off power switch.
- 12.6V Battery Lithium-ion, 2500mAh
- 240V Charger, charging time approximately 6 hours
- Trigger jet gun assembly with 550mm long stainless-steel lance with adjustable nozzle
- 6m x 8mm ID hose



SP25-B2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-B2	25L Rechargeable Redline Sprayer	620mm	330mm	300mm	4.6kg	\$290.91	<b>\$320.00</b>	A
382-121	Optional Replacement Battery					\$80.00	<b>\$88.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B



SP25-TR3



**UP TO  
3 TANKS  
OF SPRAYING PER  
CHARGE**

Shown with optional boomless nozzle kit



382-121



TR55-14



WP2-T

## 25L RECHARGEABLE REDLINE TROLLEY SPRAYER

This trolley sprayer has been designed and manufactured primarily for applying agricultural and horticultural herbicides and insecticides to plants and weeds along driveways, around sheds and general weed control throughout the property.

- 25L impact resistant polyethylene tank
- Screw on lid with anchor strap and anti-spill breather, 25mm drain plug, M6 threaded mounting inserts in base
- Powder coated steel frame with parking stand
- 265mm poly wheels
- 1.25 L/min open flow, Max 3 Bar (45psi) on demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi. On/Off power switch.
- 12.6V Battery Lithium Ion, 2500mAh
- 240V Charger, charging time approximately 6 hours
- Trigger jet gun assembly with 550mm long stainless-steel lance with adjustable nozzle
- Supplied with spray shield
- 6m x 8mm ID hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-TR3	25L Rechargeable Trolley Sprayer	1160mm	465mm	660mm	8.6kg	\$370.00	<b>\$407.00</b>	A
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B
TR55-14	Optional Boomless Nozzle Kit					\$151.82	<b>\$167.00</b>	A
382-121	Optional Replacement Battery					\$80.00	<b>\$88.00</b>	A

**UP TO  
5 TANKS  
OF SPRAYING PER  
CHARGE**



TR25-2

## 20L RECHARGEABLE UPRIGHT TROLLEY SPRAYER

- 20L rotomolded, impact resistant poly UV stabilised tank
- Calibrated fill mark and large filling lid
- Large anti spill screw on lid
- 25mm drain outlet for flushing
- Powder coated steel heavy duty frame
- Solid steel axle with steel rims & large 250mm pneumatic tyres
- Wide wheelbase for maximum maneuverability
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure
- Viton valves and Santoprene diaphragm to ensure a longer life
- Excess flow from the spray nozzle returns to tank for agitation
- Pressure regulator and gauge to adjust pressure
- Easy access on/off power switch and charging socket
- Spotjet spray gun with holder & 600mm stainless steel lance
- Poly adjustable nozzle to achieve a straight stream to a conical mist
- 6m x 10mm ID delivery hose
- Rechargeable 12V, 7 Amp battery
- Charger, 240V AC to 12V DC
- Approximately 3 hours battery charge time



**IDEAL  
FOR PEST  
CONTROL**

TR25-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR25-2	20L Upright Trolley Sprayer	310mm	510mm	980mm	17 kg	\$859.09	<b>\$945.00</b>	A

# 12 Volt & Motorised Sprayers



# Key Features



## REDLINE SPRAYERS - 25L, 55L & 100L

Ideal for small to medium acreage properties weed control applications

Suitable for ATV's, side-by-sides, utilities, trailers and ride on mowers

Sprays up to 6m low to medium volume



## SMOOTHFLO SPOTPAK SPRAYERS - 50L, 100L & 200L

Ideal for small, medium or large acreage weed control applications

Suitable for side-by-sides, Utilities & Trailers

Sprays up to 8m distance low to medium volume



## UTEPAK/TRUKPAK SPRAYERS - 100L & 200L

Ideal for small, Medium or Large acreage weed control

Suitable for side-by-sides, Utility or Trailer

Sprays up to 11m distance, low to medium volume



## QUADBIKE/ RAKPAK SPRAYERS - 50L & 70L

Ideal for small to medium acreage properties weed control applications

Suitable for ATV bikes

Sprays up to 8m distance, low to medium volume



## TRAYLINK SPRAYER - 200L

Ideal for small to medium acreage properties

Suitable for ATV's, small tractors, side-by-sides, utilities or trailers

Sprays up to 8m low to medium volume



## SQUAT & SLED SPRAYERS - 200L, 300L & 400L

Ideal for med/large acreage properties weed control & contracting services

Suitable for side-by-sides, Utilities or Trailers

Sprays up to 15m distance low to high volume



## LIGHTFOOT TRAILED SPRAYERS - 200L & 300L

Ideal for small - med acreage properties several weed control applications

Suitable for ATV's, small tractors, side-by-sides, utilities or trailers

Sprays up to 8m low to medium volume



## REMOTE CONTROL SPRAYERS - 200L, 300L, 400L & 600L

Ideal for med-large acreage properties several weed control applications

Suitable for side-by-sides, utilities or trailers

These sprayers reduce fatigue and labour

# 12 Volt & Motorised Sprayers



WP40-1



382-076



WP2-T



WP40-1

## 40L ESSENTIALS SPRAYER

This sprayer has been designed and manufactured primarily for applying pesticides, agricultural and horticultural herbicides for weeds and insecticides to plants.

- Blow-moulded impact resistant polyethylene
- Screw-on lid with anti-spill breather and lance holder
- Translucent for clear view of level indicator
- Provision on the top the use ratchet straps
- 25mm drain plug
- 2.6L/min open flow, 3.3 Bar/50 psi pump
- 50psi on demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 50 psi
- Viton valves & chemical resistant TPU (Thermoplastic Polyurethane) diaphragm
- Suction line foot filter inside tank and spray gun handle
- 3m quick release wiring loom with alligator clips
- Cab controlled inline on/off switch
- 10A inline fuse
- Trigger jet gun assembly with 450mm long lance and adjustable cone nozzle. Spray lance clips to lid.
- Adjustable from a pencil straight stream to conical mist
- 6m x 8mm ID hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WP40-1	40L Essentials Sprayer	670mm	320mm	320mm	4.4kg	\$180.91	<b>\$199.00</b>	A
WP40-1-4	40L Essentials Sprayer (4 Pack)					\$650.91	<b>\$716.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B



SP25-R1



382-076



WP2-T



SP25-R1

## 25L REDLINE SPRAYER

25L is an ideal size weed control or insect sprayer for small properties, spot spraying, driveways and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mower trailers.

- UV stabilised polyethylene tank with 1" drain plug for easy cleaning and emptying
- 6m x 8mm ID hose
- Spray gun with 550mm stainless steel lance and adjustable nozzle, clips easily to tank
- Lid retaining ring to prevent accidental loss
- Mounted pump On/Off switch and fuse
- Bottom tank mount inserts (4x M6) for strapless mounting to trailer or skid
- 2.6L/min open flow, 3.3 Bar/50psi pump
- 3m of battery cable with alligator clips

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-R1	25L Redline 12V Sprayer	580mm	330mm	280mm	4.4 kg	\$240.00	<b>\$264.00</b>	A
382-076	Optional Spray Shield					\$16.36	<b>\$18.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B

# 12 Volt & Motorised Sprayers



INCLUDES CONVENIENT  
SPRAY SHIELD

SP55-R1



TR55



TR55-10



WP2-T



TR55-13C



SP55-R1

**BUNDLE  
& SAVE**



SP55-TR4

## 55L REDLINE SPRAYER

55L is an ideal size weed or insect control sprayer for small to medium size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mowers with the optional trailer kit.

- UV stabilised polyethylene tank with 1" drain plug
- 170mm lid & retaining ring to prevent accidental loss
- Spray shield to reduce drift, chemical measuring jug, spray lance holder clips & Internal suction filter
- Bottom tank mount inserts for strapless mounting
- Silvan 12V chemical resistant diaphragm pump (381-35)
- 2.6L/min open flow, 3.3 Bar/50psi maximum pressure
- Mounted On/Off switch
- 3m of battery cable with alligator clips & inline fuse
- Spray gun with on/off lock, 550mm stainless steel lance & adjustable nozzle
- 6m x 8mm ID hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-R1	55L Redline 12V Sprayer	715mm	425mm	360mm	5.4 kg	\$281.82	<b>\$310.00</b>	A
TR55	Trailer Kit for 55L Redline					\$180.91	<b>\$199.00</b>	B
TR55-10	Boomless Nozzle Kit					\$171.82	<b>\$189.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B
TR55-13C	3 Nozzle Spray Boom Kit					\$104.55	<b>\$115.00</b>	A
SP55-TR4	55L Redline Sprayer, Trailer, Boomless Nozzle (Bundle & Save. Unassembled)					\$563.64	<b>\$620.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



INCLUDES CONVENIENT  
SPRAY SHIELD



Shown with optional 15m hose reel (180J1510A)



TR100



TR55-10



WP2-T



SP100-R2

**BUNDLE  
& SAVE**



SP100-TR4

## 100L REDLINE SPRAYER

100L is an ideal size weed or insect control sprayer for medium size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mowers with the optional trailer kit.

- UV stabilised polyethylene tank with 1" drain plug
- 170mm lid & retaining ring to prevent accidental loss
- Spray shield to reduce spray drift, chemical measuring jug included, spray lance holder clips & internal suction filter
- Bottom tank mount inserts for strapless mounting
- Silvan 12V chemical resistant diaphragm pump (382-168)
- 5.3L/min open flow, 4 Bar/60psi maximum pressure
- Mounted on/off switch
- 3m of battery cable with alligator clips & inline fuse
- Spray gun with on/off lock, 550mm stainless steel lance & adjustable nozzle
- 6m x 8mm ID hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP100-R2	100L Redline 12V Sprayer	885mm	470mm	435mm	9kg	\$471.82	<b>\$519.00</b>	A
TR100	Trailer Kit for 100L Redline					\$295.45	<b>\$325.00</b>	B
TR55-10	Boomless Nozzle Kit					\$171.82	<b>\$189.00</b>	B
WP2-T	Optional 2 Jet T Boom					\$36.36	<b>\$40.00</b>	B
SP100-TR4	100L Redline Sprayer, Trailer, Boomless Nozzle (Bundle & Save. Unassembled)					\$786.36	<b>\$865.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

# 12 Volt & Motorised Sprayers



SP100-S7



SP50-S7

SP100-S7

SP200-S7



RP1-35



RP1-34



RP1-20

## 12V SMOOTHFLO SPOTPAK SPRAYERS - 50L, 100L & 200L

Ideal for weed control, spot & fence line spraying applications. The Smoothflo Spotpak Sprayer Series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side-by-sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

- 7L/min (open flow) 8 Bar/120psi max pressure
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle with tank clips for neat and easy spray gun storage
- 6m of 8mm delivery hose
- Ideal for use with up to 30m of 10mm hose

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP50-S7	50L Smoothflo SpotPak	7L/min	700mm	400mm	300mm	6 kg	\$600.00	<b>\$660.00</b>	A
SP100-S7	100L Smoothflo SpotPak	7L/min	800mm	475mm	395mm	10 kg	\$750.00	<b>\$825.00</b>	A
SP200-S7	200L Smoothflo SpotPak	7L/min	1000mm	540mm	550mm	14 kg	\$863.64	<b>\$950.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						\$745.46	<b>\$820.00</b>	A
RP1-34	7.6m Boomless Nozzle Towbar Boom						\$295.46	<b>\$325.00</b>	A
RP1-20	2m Towbar Pak Boom						\$568.18	<b>\$625.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Never fill the tank capacity to exceed the vehicle or tractor manufacturer's specified safe load carrying capacities.



RP50-P1



M99-65



RP50-P1



RP70-P1

## 12V QUAD BIKE SPRAYERS - 50L & 70L

Silvan Quad Bike and Rakkpak sprayers are designed to fit neatly on quad bikes and meet the strict weight requirement of these vehicles. The wrap-around design allows for a lower centre of gravity, essential for improved quad bike safety.

- UV Stabilised Polytuff tanks
- 5.3L/min open flow, 4 Bar/60psi maximum pressure
- Spotjet spraygun with 600mm stainless steel lance and adjustable nozzle
- Chemical resistant Viton valves & thermoplastic polyurethane diaphragms
- 6m of 8mm delivery hose
- 3m battery cable with alligator clips
- Ratchet straps to secure to quad (pair included)
- Anti-spill barrier around lid to protect rider

### ADDITIONAL FEATURES FOR 70L MODEL

- Baffled poly tank to reduce surge when travelling
- Gun holder to secure spray gun when travelling

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP50-P1	50L Quad Bike Sprayer	5.3L/min	775mm	850mm	250mm	10 kg	\$613.64	<b>\$675.00</b>	A
RP70-P1	70L Quad Bike Sprayer	5.3L/min	800mm	850mm	390mm	12 kg	\$713.73	<b>\$785.10</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath						\$190.00	<b>\$209.00</b>	B

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

# 12 Volt & Motorised Sprayers



Shown with optional boomless nozzle (M99-65)

RP70N-S7



M99-65



M99-75B (\$10 ONLY)



RP1-20



RP1-35



RP1-24-3 (\$10 ONLY)

## 70L RAKPAK PLUS

- UV stabilised polytuff tank 70L capacity with internal baffle
- Pumps with Viton valves & Santoprene diaphragm
- 6m of 8mm delivery hose
- Spotjet spray gun with 600mm stainless steel lance and adjustable nozzle
- Gun holder to secure spray gun when travelling
- Anti-spill barrier around lid to protect rider
- 3m battery cable with alligator clips
- Ratchet straps to secure to Quad (pair included)
- Provision to fit drain tap



RP70N-S7

### SPOT SPRAY PUMPS:

- RP70N-S7 features a Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump

### BOOM SPRAY PUMPS:

The higher flow is ideal for boom spraying. A pressure regulator is recommended for low flow spot and boom spraying

- RP70N-S10 incorporates a Aquatec 14L/min open flow pump 4 Bar/60 psi



RP70N-S10

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP70N-S7	70L RakPak Smoothflo Plus	7L/min	800mm	850mm	390mm	12 kg	\$945.45	<b>1,040.00</b>	A
RP70N-S10	70L RakPak H/Capacity	14L/min	800mm	850mm	390mm	12 kg	\$1,190.91	<b>\$1,310.00</b>	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath (suit S7)						\$190.00	<b>\$209.00</b>	B
M99-75B	Twin Boomless Nozzle with Single or Double Sided Swath (suit S10)						\$168.18	<b>\$185.00</b>	B
RP1-20	2m Towbar Boom						\$568.18	<b>\$625.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						\$745.46	<b>\$820.00</b>	A
RP1-24-3	Pressure Regulator Kit						\$332.73	<b>\$366.00</b>	B

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



UP100-S7-2



UP100-S7-2



RP1-20



RP1-34



RP1-35

## 100L PROFESSIONAL UTEPAK SPRAYER

Professional self contained sprayer favoured for their flexible range of options and rugged industrial design to fit to either utilities, trailers, carryalls, UTV or side-by-sides.

- UV stabilised polytuff tank with 8mm brass inserts at base for easy mounting
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump (DDP-552A)
- Large 1 1/2" drain outlet for easy empty and clean
- 255mm screw on lid and filter basket
- Inline filter with viewing bowl
- Retractable spring loaded hose reel, 15m x10mm ID hose with swiveling body and Spotjet spraygun
- 3m wiring harness and alligator clips for connection to battery

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
UP100-S7	100L Professional Utepak Sprayer	660mm	580mm	490mm	14 kg	\$890.91	<b>\$980.00</b>	A
UP100-S7-2	100L Professional Utepak Sprayer - 15m Retractable hose reel	660mm	580mm	970mm	21 kg	\$1,236.36	<b>\$1,360.00</b>	A
CODE	TOWBAR BOOM DESCRIPTION	LENGTH	MAX SPRAY SWATH	NOZZLES	WEIGHT	LIST EX	LIST INC	CAT
RP1-20	2m Towbar Pak Boom	1.5m	2m	4 x CFA11002	8 kg	\$568.18	<b>\$625.00</b>	A
RP1-34	7.6m Boomless Nozzle Towbar Boom	150mm	7.6m	6560-01	3 kg	\$295.46	<b>\$325.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1.5m	7m	3 x XR11002-VP & 2 x 0C-04	-	\$745.46	<b>\$820.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

# 12 Volt & Motorised Sprayers



**4**  
MOUNTING  
POSITIONS FOR  
HOSE REEL



TK200-S7C

TK200-S7C-1

TK200-S7C-2



RP1-20



RP1-34



RP1-35

## 200L PROFESSIONAL SMOOTHFLO TRUKPAK SPRAYERS

Professional Smoothflo self-contained sprayers, ideal for many spraying applications around the property. Whether using the spray gun or an optional boom. Ideal for spot spraying, fence lines, driveways, horse arenas and general weed management around the property.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw in lid with strainer basket and large 1 1/2" drain outlet
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- (DDP-552A) with inline suction filter to protect the pump & minimize nozzle blockages
- 6m x 10mm ID hose & adjustable Spotjet spray gun
- 3m wiring harness with alligator clips for connection to battery.

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S7C	6m Hose	1050mm	580mm	535mm	18 kg	\$1,199.09	<b>\$1,319.00</b>	A
TK200-S7C-1	30m Manual hose reel	1050mm	580mm	925mm	28 kg	\$1,377.27	<b>\$1,515.00</b>	A
TK200-S7C-2	15m Retractable hose reel	1050mm	580mm	990mm	25 kg	\$1,377.27	<b>\$1,515.00</b>	A

CODE	TOWBAR BOOM DESCRIPTION	LENGTH	MAX SPRAY SWATH	WEIGHT	LIST EX	LIST INC	CAT
RP1-20	2m Towbar Pak Boom	1.5m	2m	8 kg	\$568.18	<b>\$625.00</b>	A
RP1-34	7.6m Boomless Nozzle Towbar Boom	150mm	7.6m	3 kg	\$295.46	<b>\$325.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1.5m	7m	-	\$745.66	<b>\$820.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

**PRESSURE  
REGULATOR  
FACTORY  
FITTED**



TK200-S10R-2

Shown with optional boom (RP1-33)



RP1-20



RP1-33



RP1-35



RP1-37

## 200L PROFESSIONAL HIGH FLOW TRUKPAK SPRAYERS

Professional high flow self-contained sprayers, ideal for spraying applications where pressure and flow adjustment is critical to achieve an accurate spray performance.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw in lid with strainer basket and large 1 1/2" drain outlet
- 14L/min (open flow) 4 Bar/60psi max pressure (DDP-555) suitable for interment use
- Pressure regulator to adjust the pressure and flow and an inline suction filter to protect the pump and minimize nozzle blockage
- 6m x 10mm ID hose and adjustable Varijet spray gun & D8 size nozzle
- 3m wiring harness with alligator clips

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S10R	6m Hose	1050mm	580mm	535mm	18kg	\$1,422.73	<b>\$1,565.00</b>	A
TK200-S10R-1	30m Manual hose reel	1050mm	580mm	925mm	28kg	\$1,722.73	<b>\$1,895.00</b>	A
TK200-S10R-2	15m Retractable hose reel	1050mm	580mm	990mm	25kg	\$1,722.73	<b>\$1,895.00</b>	A
CODE	TOWBAR BOOM DESCRIPTION	LENGTH	MAX SPRAY SWATH	NOZZLES	WEIGHT	LIST EX	LIST INC	CAT
RP1-20	2m Towbar Pak Boom	1.5m	2m	4 x AIXR11002-VP	8kg	\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross fold boom	3.6m	4m	8 x AIXR11002-VP	14kg	\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1.5m	7m	3 x XR11002-VP & 2 x OC-04	18kg	\$745.46	<b>\$820.00</b>	A
RP1-37	14m Boomless Nozzle Towbar Boom	150mm	14m	2 x M99-75B-1	3kg	\$280.00	<b>\$308.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

SPRAYS  
UP TO  
12m



TK200-S9-1



TK200-S9



TK200-S9-1



TK200-S9-2

## 200L PROFESSIONAL HIGH PRESSURE SMOOTHFLO TRUKPAK SPRAYERS

Professional High Pressure Smoothflo self-contained sprayers, ideal for many spraying applications around the property where the additional pump pressure will offer greater distance or fine droplet spraying applications where required. Ideal for spot spraying, fence lines, driveways, horse arenas, nurseries, many tree crops and general weed management around the property.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw in lid with strainer basket & Large 1 1/4" drain outlet
- 12v Aquatec premium high pressure quality pump, 5L/min open flow or max 13bar/200psi (DDP-554) with inline suction filter to protect the pump & minimize nozzle blockage
- 6m x 10mm ID delivery hose & adjustable Jetpro spray gun
- 3m wiring harness with alligator clips for connection to battery.
- **NOTE:** Not suitable to use with any optional spray booms

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S9	6m Hose	1050mm	580mm	535mm	18kg	\$1,500.00	<b>\$1,650.00</b>	A
TK200-S9-1	30m Manual hose reel	1050mm	580mm	925mm	28kg	\$1,681.82	<b>\$1,850.00</b>	A
TK200-S9-2	15m Retractable hose reel	1050mm	580mm	990mm	25kg	\$1,681.82	<b>\$1,850.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



SQ300-S7-2



SQ300-S7-1



SQ300-S7-2



SQ400-S7-1



RP1-20



RP1-34



RP1-35

## SMOOTHFLO SQUATPAK PROFESSIONAL SPRAYERS

Silvan Squatpaks are equipped with pulsation-free Smoothflo pumps and are available in large 300L & 400L tank sizes. Their lower height and internal baffle make them ideal for use with UTV's, while ensuring they meet all safety requirements when transporting larger quantities of liquid.

- UV Stabilised polytuff tank with internal baffle to reduce surge when travelling
- Smoothflo 7L/Min open flow, 8 bar/120 psi premium quality Aquatec pump
- Inline suction filter
- Deep Tie-down locating channels for ratchet strap mounting
- Adjustable Atomiser spray gun (300L) or PA spray gun (400L)

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ300-S7-1	300L, Smoothflo pump, 30m manual hose reel	1060mm	940mm	880mm	37kg	\$1,681.82	<b>\$1,850.00</b>	A
SQ300-S7-2	300L, Smoothflo pump, 15m Retractable hose reel	1060mm	940mm	940mm	36kg	\$1,681.82	<b>\$1,850.00</b>	A
SQ400-S7-1	400L, Smoothflo pump, 30m manual hose reel	1060mm	940mm	1000mm	41kg	\$1,718.18	<b>\$1,890.00</b>	A
RP1-20	2m Towbar boom					\$568.18	<b>\$625.00</b>	A
RP1-34	7m Boomless Nozzle Towbar Boom					\$295.46	<b>\$325.00</b>	A
RP1-35	7m General Purpose Towbar Boom					\$745.46	<b>\$820.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



SQ400-S8-1



SQ300-S8-1



SQ400-S8-1



M99-75B



RP1-20



RP1-33



RP1-35



RP1-37

## HIGH FLOW SQUATPAK PROFESSIONAL SPRAYERS

High flow Squatpak sprayers are available with 12v pumps and hose reels to provide a range of outputs to support general spot spraying, high volume spraying and high pressure spraying needs. They can be used with a range of accessory equipment to support most spraying needs.

- UV stabilised polytuff tank with internal baffle to reduce surge when travelling.
- Large screw down lid with 255 mm strainer basket & 1" ¼" Drain outlet for flushing
- Inline suction filter
- Deep Tie-down locating channels for ratchet strap mounting
- 30m hose reel x 10mm agricultural delivery hose
- 300L supplied with Atomiser spraygun, 400L PA gun
- 20 L/min 12 Volt Hi Capacity 4 Bar/60 psi Aquatec pump
- Pressure regulator and gauge fitted, that allows operators to adjust pressures when spot spraying, boomless nozzle spraying or boom spraying
- 3m wiring harness and alligator clips for connection to battery including an in cab on/off control box.

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ300-S8-1	300L Squatpak, Hi Capacity pump,	20 L/min	1060mm	940mm	880mm	41kg	\$1,938.18	<b>\$2,132.00</b>	A
SQ400-S8-1	400L Squatpak, Hi Capacity pump,	20 L/min	1060mm	940mm	1000mm	45kg	\$1,965.45	<b>\$2,162.00</b>	A
M99-75B	High Flow Boomless Nozzle Kit with Single or Double sided spray swath						\$168.18	<b>\$185.00</b>	B
RP1-20	2m Towbar Pak Boom						\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross Fold Towbar Pack Boom						\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m General Purpose Towbar Boom						\$745.46	<b>\$820.00</b>	A
RP1-37	7m Boomless Nozzle Towbar Boom						\$280.00	<b>\$308.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



L02H2-34-1



DUAL MOUNTED  
HOSE REEL POSITION



RP1-20



RP1-33



RP1-35



RP1-36

## 200L VERSATILE MOTORISED SLED SPRAYER

The Silvan 200L motorised sled sprayer has been specifically designed for owners of side by sides, where operators require a compact yet powerful all round sprayer. Whether it is spot spraying or boom spraying the 200L sled unit delivers great performance and is ideal for spraying all agricultural chemicals such as Insecticides, pesticides and herbicides for weed management.

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Impact resistant UV stabilised Polytuff tank with calibrated fill markings
- The tank has been designed with 2 recess channels along the top where ratchet straps can be used to mount to a tray
- Honda 3.5Hp, GX120 engine unleaded petrol (4 stroke) with reduction gearbox
- Pressure regulator with pressure adjustment and bypass, gauge and 2 outlets, 1 for the hose reel & 1 for an optional boom
- 240mm screw on filling lid filter basket
- Angled sump to assist in spraying whilst on undulating ground and cornering
- Compact galvanised steel frame
- 2 stage filtration to protect the pump & minimise nozzle blockages in the spray gun and/or boom

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L02H2-34-1	200L Versatile Motorised Sled Sprayer	940mm	980mm	740mm	88kg	\$4,490.91	<b>\$4,940.00</b>	9
RP1-20	2m Towbar Pak Boom					\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross fold boom					\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					\$745.46	<b>\$820.00</b>	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					\$304.54	<b>\$335.00</b>	A



Shown with optional 4m cross fold boom (RP1-33)

L03H2-34-1



L03H2-34-1



L04H2-34-1



RP1-20



RP1-33



RP1-35



RP1-36

## MOTORISED SQUATPAK SPRAYERS - 300L & 400L

Professional motorised self-contained sprayers,, ideal for spraying applications where pressure and flow adjustment is critical to achieve an accurate spray performance and application rates. Whether using the spray gun or an optional boom. Ideal for spot spraying, fence lines, driveways, horse arenas and general weed management around the property.

- UV Stabilised polytuff tank with an INTERNAL BAFFLE to reduce surge when travelling.
- Deep tie-down locating channels for ratchet strap mounting
- 240mm screw in lid with strainer basket and large 1 1/2" drain outlet
- Honda 3.5Hp, GX120 engine unleaded petrol (4 stroke) with reduction gearbox
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Pressure regulator with pressure adjustment and bypass, gauge and 2 outlets, 1 for the hose reel & 1 for an optional boom
- Inline suction filter to protect the pump and minimize nozzle blockage
- 30m x 10mm ID delivery hose, eco reel and adjustable Atomiser spray gun

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H2-34-1	300L Squatpak sprayer	18.5 L/min	1060mm	940mm	880mm	47kg	\$4,386.36	<b>\$4,825.00</b>	9
L04H2-34-1	400L Squatpak sprayer	18.5 L/min	1060mm	940mm	1045mm	51kg	\$4,443.64	<b>\$4,888.00</b>	9
RP1-20	2m Towbar Pak Boom						\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross fold boom						\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						\$745.46	<b>\$820.00</b>	A
RP1-36	7.4m Boomless Nozzle Towbar Boom						\$304.54	<b>\$335.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



L04H4-42



RP1-20



RP1-33



RP1-35



RP1-36

## HIGH PRESSURE MOTORISED SQUATPAK SPRAYER - 400L

Professional motorised high pressure self-contained sprayers are ideally suited towards small to medium acreage properties, great for general spot spraying, distance spraying applications such as blackberry spraying, boomless nozzle and boom spraying – industrially designed and robust enough to easily fit into side-by-sides, utilities, & trailers.

- UV Stabilised polytuff tank with an INTERNAL BAFFLE to reduce surge when travelling & large 1 1/2" drain outlet
- Deep tie-down locating channels for ratchet strap mounting
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump (CAPS41) with pressure regulator that allows operators to adjust pressure and flow when spot or boom spraying
- Large inline suction filter to protect the pump and minimise nozzle blockages
- 20m x 10mm ID delivery hose, economy reel and adjustable Jetpro spray gun
- 240mm screw in lid with strainer basket

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L04H4-42	400L High Pressure Squatpak Sprayer	38 L/min	1080mm	930mm	1045mm	47kg	\$5,786.36	<b>\$6,365.00</b>	9
RP1-20	2m Towbar Pak Boom						\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross fold boom						\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						\$745.46	<b>\$820.00</b>	A
RP1-36	7.4m Boomless Nozzle Towbar Boom						\$304.54	<b>\$335.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



LT20-S7C-3



LT20-S10R-4



LT20-S7C-3

## 200L LIGHTFOOT TRAILED SPRAYER

Professional trailed sprayers designed to be attached to side-by-sides, ATV or utility. Ideal for spot spraying, fire breaks, fence lines and general boom spraying applications.

- Impact resistant UV stabilised polytuff tank with calibrated fill markings & 1/4" drain plug assembly
- 255mm screw in lid with filter basket and external suction filter for easy maintenance
- Heavy duty and powder coated
- Extendable drawbar 0 - 400mm and parking stand
- 50mm ball lockable coupling
- Solid steel 25mm axle with steel rims & 4 ply pneumatic tyres 18 x 8.50-8
- Eco hose reel with 30m x 10m delivery hose with drum lock

### MODEL: LT20-S7C-3 (SMOOTHFLO PUMP & GP BOOM)

- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- On/Off switch, 3m of battery cable with alligator clips

- Spotjet spray gun with adjustable nozzle
- General purpose spray boom (4m to 7m spray swath)
- All nozzles can be independently turned "on/off".
- (See page 58 for more details)

### MODEL: LT20-S10R-4 (HGH FLOW PUMP & 4m CROSS FOLD BOOM)

- 14L/min (open flow) 4 Bar/60psi max pressure pump with pressure regulator.
- On/Off switch, 3m of battery cable with alligator clips
- Varijet spray gun with adjustable nozzle
- 4m Cross fold boom (See page 61 for more details)

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
LT20-S7C-3	200L Lighfoot Smoothflo pump, GP Boom (4 to 7m spray swath)	1480mm	1000mm (outside of wheels)	1355mm (Top of hose reel)	\$3,950.00	<b>\$4,345.00</b>	9
LT20-S10R-4	200L Lighfoot Hi Flow pump, 4m cross fold boom	1480mm	1000mm (outside of wheels)	1355mm (Top of hose reel)	\$4,500.00	<b>\$4,950.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



**INCLUDES  
BOOMLESS  
NOZZLE**

**LT30-S8-1**



**EXTENDABLE DRAWBAR 0-400MM**



**MUD PUPPY TYRES**



**SPOTJET SPRAY GUN**



**BOOMLESS NOZZLE**

**300L LIGHTFOOT TRAILED SPRAYER with BOOMLESS NOZZLE**

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- UV stabilised polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud puppy tyres and solid steel axle for strength and extra stability
- Extendable drawbar, 0-400mm
- High Flow 20L/min (open flow) 4 Bar/60psi max pressure pump (DDP-550)
- Pressure regulator and gauge, that allows operator to adjust pressures when spot spraying or boom spraying
- Inline suction filter
- On/off control box with 4m loom to the sprayer and a 2m loom with alligator clips for 12v battery connection
- Spray swath single nozzle up to 3.7m, twin nozzle up to 7.6m
- Ultra course droplets to assist in drift reduction
- Operation via the On/Off control box
- Spotjet spray gun with 6m of 8mm ID hose

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-1	300L Trailed Sprayer, Boomless nozzle & Spray gun	20 L/min 60psi	1800mm	1155mm	1080mm	125kg	\$4,163.64	<b>\$4,580.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



LT30-S8-2

## 300L LIGHTFOOT TRAILED SPRAYER with 4m CROSS FOLD BOOM

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- UV stabilised polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength for extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm

### PUMP AND CONTROLS

- High flow 20L/min (open flow) 4 Bar/60psi max pressure pump (DDP-550)
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Inline suction filter

### BOOM

- 4m spray swath, total boom width 3.6m
- Galvanised boom arms and centre section
- Breakback boom arms to assist if obstacles are met
- Stainless steel spray bars and non-drip nozzle bodies for fast ON/OFF spraying
- Yellow O2 air induction nozzles for excellent drift reduction

### HOSE REEL & CONTROL BOX

- Eco hose reel with 30m x 10mm delivery hose with drum lock and Atomiser spray gun
- On/off control box with 4m loom to the sprayer and a 2m loom with alligator clips for 12v battery connection

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-2	300L Trailed Sprayer, 4m Swath & 30m hose reel	20 L/min 60psi	1800mm	1155mm	1480mm	135kg	\$4,635.45	<b>\$5,099.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



LT30-34-2



LT30-34

LT30-34-2

## 300L LIGHTFOOT MOTORISED HIGH PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and Farm. Operators can increase the size of nozzles to increase application rates, excellent for distance spraying and atomiser applications i.e. blackberry control.

- UV stabilised polytuff tank 255mm screw on lid and filter basket
- Large 1 1/4" drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle for strength and extra stability
- 50mm tow ball hitch and parking stand
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator and gauge
- Automatic bypass for 'on the go' agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

### MODEL: LT30-34-2

#### 4m SWATH BOOM & 15m RETRACTABLE HOSE REEL

- As above unit LT30-34 fitted with the following extras:
- 4m galvanised cross fold boom, stainless steel spraybars, non-drip nozzle bodies fitted with yellow O2 air induction nozzles to assist in drift reduction
- 4m spray swath – boom width 3.6m
- Breakback facility to assist if obstacles are met
- Retractable hose reel with 15m of 10mm hose and Atomiser spraygun
- Water and dust resistant On/Off control box & solenoid
- 3m wiring harness and alligator clips for connection to 12 volt battery

CODE	DESCRIPTION	FLOW	PRESSURE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34	300L Motorised Trailed Sprayer	18.5 L/min	20Bar/290psi	1930mm	1155mm	1270mm	116kg	\$5,436.36	<b>\$5,980.00</b>	9
LT30-34-2	300L Motorised Trailed unit 4m Boom, 15m Retractable Hose reel	18.5 L/min	20Bar/290psi	2200mm	1155mm	1540mm	153kg	\$7,279.09	<b>\$8,007.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



LT30-34-3



## 300L LIGHTFOOT MOTORISED HIGH PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV or a side by side vehicle. Ideal for precise spraying applications, general weed spraying including any distance spraying applications around the property. With the 6m boom it is ideal for the operator that wants to cover a large area quickly.

- UV stabilised polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm
- Vertical boom channel for fitment of accessories
- Pressure regulator and gauge
- Excess flow that the pump produces automatically bypasses back to the tank for agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

### PUMP AND CONTROLS

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox

### BOOM AND HOSE REEL

- 6m galvanised boom, stainless steel spraybars, non-drip modules & yellow O2 air induction nozzles to assist in drift reduction
- 30m Eco hose reel with 30m of 10mm ID agricultural hose and adjustable Atomiser spray gun

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-3	300L Motorised Trailed Sprayer, 6m boom & 30m hose reel	18.5 L/min 20Bar/290psi	1800mm	2040mm	1300mm	147kg	\$7,562.73	<b>8,319.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

IDEAL  
FOR SMALL  
VINEYARDS



LT30-34-H



EXTENDABLE DRAWBAR 0-400MM



EASY TO REACH FILTER



FILLER LID WITH BASKET STRAINER



ADJUSTABLE NOZZLE SHUT OFF

## 300L LIGHTFOOT MOTORISED VINE SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for spraying small vineyards and other trellis crop types.

- UV stabilised polytuff tank 255mm screw on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm
- Pressure regulator and gauge, automatic bypass for on-the-go agitation
- Allows the operator to adjust pressure and flow when spraying
- Optional in cab electric controls (GT-SOL7) allows the operator to turn each side On/Off and the start and finish of each row

### PUMP AND CONTROLS

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox

### BOOM

- Galvanised boom with adjustable stainless steel spray bar position
- 10 brass adjustable nozzles with manual shut off
- Adjustable boom height and width

CODE	DESCRIPTION	FLOW	PRESSURE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-H	300L Motorised Light-foot Vine Sprayer	18.5 L/min	20Bar/290psi	2200mm	1170mm	1540mm	153kg	\$6,445.45	<b>\$7,090.00</b>	9
GT-SOL7	Factory fitted In cab electric controls							\$1,090.00	<b>\$1,199.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



K02A

## 200L 12V TRAYLINK SPRAYER

The Traylink sprayers eliminate the need for a PTO connection for small to medium boom spraying. The frames (CAT1) can be fitted to small HP tractors, utilities, side-by-sides and trailers by only requiring a 12 volt connection for the high capacity pump.

- UV stabilised polytuff tank with sump
- Powder coated steel TPL frame (CAT1 pins)
- High flow 20L/min (open flow) 4 Bar/60psi max pressure pump, Viton valves & Santoprene diaphragms
- Pressure regulator with pressure gauge for control and agitation
- Spotjet spray gun with adjustable nozzle and 6m of 10mm ID delivery hose



K02A

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
K02A	200L Traylink Sprayer	20 L/min	1040mm	460mm	745mm	55 kg	\$2,028.18	<b>\$2,231.00</b>	9

# Remote Control Hosereel Sprayers



**NEW**



L02H2-34-2



RP1-20



RP1-33



RP1-35



RP1-36



RP1-37

## 200L EASYROLL MOTORISED SLED SPRAYER

Australian made 200L motorised sprayer with EASYROLL remote control hose reel with stainless steel frame construction and electric drive motor for enhanced durability. Ideal for most weed management solutions around the property.

- 200L UV stabilised Polytuff tank with sump that allows the tank to be fully drained
- Steel skid frame, hot dipped galvanized for extra durability and superior corrosion resistance
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator with pressure adjustment and automatic bypass, pressure gauge with a spare outlet for an optional boom
- 2 stage filtration to protect the pump & minimise blockages
- Atomiser spray gun, adjustable from a straight stream that delivers up to 15m to a conical mist
- Hose reel is fitted with an electric drive system assembly that is more reliable and safer than a chain or belt drive system
- 12V DC brushless high torque electric motor
- 50m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun
- 20 Bar/290psi working pressure
- Control box has an override function

**50m**  
REMOTE CONTROL  
HOSE REEL



L02H2-34-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L02H2-34-2	200L Easyroll Motorised Sled Sprayer	940mm	980mm	720mm	103 kg	\$8,090.91	<b>8,900.00</b>	9
RP1-20	2m Towbar Pak Boom					\$568.18	<b>\$625.00</b>	A
RP1-33	4m Cross fold boom					\$1,590.00	<b>\$1,749.00</b>	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					\$745.46	<b>\$820.00</b>	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					\$304.54	<b>\$335.00</b>	A
RP1-37	14m Boomless Nozzle Towbar Boom					\$280.00	<b>\$308.00</b>	A



L03H4-42R147

### 300L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- Australian made REEL TUFF remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 300 Polytuff tank with sump
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, change or storage
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Lockable hub for transportation

MODEL: L03H4-42R147\*

- 100m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun

MODEL: L03H4-42R147EH

- 150m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun



L03H4-42R147

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H4-42R147	300L Single reel 100m Hose	38L/min (40 Bar)	1020mm	1340mm	970mm	182 kg	\$11,330.00	<b>\$12,463.00</b>	9
L03H4-42R147EH	300L Single reel 150m Hose	38L/min (40 Bar)	1020mm	1340mm	970mm	185 kg	\$12,300.00	<b>\$13,530.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

# Remote Control Hosereel Sprayers



LONG RANGE REMOTE SYSTEM

L04H4-42R147

## 400L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- 400L baffled tank with sump, fitted to galvanised skid
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- 100m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun

### ADDITIONAL MODEL OPTIONS:

- Twin Reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose



L04H4-42R147



L04H4-42R147T



CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L04H4-42R147	400 Single Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	215 kg	\$11,450.00	<b>\$12,595.00</b>	9
L04H4-42R147T	400 Twin Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	265 kg	\$17,000.00	<b>\$18,700.00</b>	9
L04H4-42R147E	400L Single reel, Electric start c/w Battery	38L/min (40 Bar)	1200mm	1850mm	750mm	221 kg	\$13,500.00	<b>\$14,850.00</b>	9
L04H4-42R147EH	400L Single Reel, 150m Hose	38L/min (40 Bar)	1200mm	1850mm	750mm	218 kg	\$12,400.00	<b>\$13,640.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



LONG RANGE REMOTE SYSTEM



L06H4-42R147

## 600L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- Australian made REEL TUFF Remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 600L Polytuff barrel tank with internal sump
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Lockable hub for transportation
- 100m of 1/2" O.D Smoothline kink-resistant nylon hose
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, storage or change

### ADDITIONAL MODEL OPTIONS:

- Twin reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose




L06H4-42R147T

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L06H4-42R147	600 Single Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	225 kg	\$11,550.00	<b>\$12,705.00</b>	9
L06H4-42R147T	600 Twin Reel	38L/min (40 Bar)	1200mm	1850mm	750mm	275 kg	\$17,100.00	<b>\$18,810.00</b>	9
L06H4-42R147E	600L Single reel, Electric start c/w Battery	38L/min (40 Bar)	1200mm	1850mm	750mm	230 kg	\$13,600.00	<b>\$14,960.00</b>	9
L06H4-42R147EH	600L Single Reel, 150m Hose	38L/min (40 Bar)	1200mm	1850mm	750mm	228 kg	\$12,500.00	<b>\$13,750.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

# Booms



**Silvan**

GENUINE ACCESSORIES

**Silvan**

# Accessory Fitment Chart

PRODUCT	TOWBAR BOOMS & BOOMLESS NOZZLES				REDLINE SPRAY BOOMS		PAK BOOMS			CROSS FOLD BOOMS	
	PRESSURE REGULATOR RP1-24-3 RP1-24-4 RP1-24-5	SPRAY SHIELD	RP1-20 RP1-35 RP1-34 M99-65	RP1-33 RP1-36 RP1-37 M99-75B M99-66	TR55-14	TR55-10 WP2-T TR55-13C	L99-09	L99-08	RP1-10	RP1-25	RP1-26
<b>40L ESSENTIALS SPRAYER</b>											
WP40-1											
<b>REDLINE SPRAYERS - 25L TO 100L</b>											
SP25-B2/SP25-R1											
SP55-R1											
SP100-R2											
<b>SPOTPAK - 50L TO 200L</b>											
SP50-S7			*								
SP100-S7			*								
SP200-S7			*								
<b>QUADPAK - 50L &amp; 70L</b>											
RP50-P1	*		*								
RP70-P1	*		*								
<b>RAKPAK - 70L</b>											
RP70N-S7	*		*								
RP70N-S10	*		*	*							
<b>UTEPAK - 100L</b>											
UP100-S7-2											
<b>TRUKPAK-200L</b>											
TK200-S7-C, -1 & -2			*								
TK200-S9 - 1 & -2											
TK200-S10R, -1 & -2			*	*					*	*	
<b>LIGHTFOOT - 200L TRAILED</b>											
LT20-S7, -1 & -2			M99-65								
<b>LIGHTFOOT - 300L TRAILED</b>											
LT30-S8-1 & 2				*							
LT30-34 & LT30-34-2				*							
<b>SQUATPAK - 300L &amp; 400L</b>											
SQ300-S7-1			*								
SQ300-S8-1											
SQ400-S7-1			*								
SQ400-S8-1			*	*							
<b>MOTORISED SLED SPRAYERS - 200L</b>											
LO2H2-34-1											
LO2H2-34-2											
<b>SQUATPAK MOTORISED - 300L &amp; 400L</b>											
LO3H2-34			*	*							
LO4H2-34			*	*							
LO4H4-42			*	*							
<b>TROLLEY SPRAYERS - 20L</b>											
SP25-TR3											
TR25-2											

 Available option

 \* Available option, may require extra hose

 Fitted standard/supplied



RP1-34

## TOWBAR BOOMS

- Galvanised steel 50mm x 50mm frame suitable for many side-by-sides & utilities
- 2m of 3/8" delivery hose
- On/off tap & stainless-steel clamps
- 1/2" connecting elbow suits Spotpaks, Trukpaks (S7 & S10) & Squatpaks (S7 & S8)

## MEDIUM FLOW TOWBAR BOOM

- Durable brass nozzle produces a medium droplet size, ideal for many broadcast applications
- Delivers 90- or 180-degrees spray pattern by simply swapping the position of the discs
- In the 90 degrees setting, liquid is directed to the right-hand side from the rear of the Vehicle
- Fitted with M99-65 (6560-01) nozzle, for flow rates - refer to the chart on page 56



RP1-34

## HIGH FLOW TOWBAR BOOM

- Durable brass nozzle produces a medium droplet size, ideal for many broadcast applications
- Delivers 90- or 180-degrees spray pattern by simply swapping the position of the discs
- In the 90 degrees setting, liquid is directed to the right-hand side from the rear of the vehicle
- Fitted with M99-66 (6561-01) nozzle - for flow rates, refer to the chart on page 56
- Suitable for sprayers fitted with the DDP-555 (14L/min) Aquatec pump and pressure regulator



RP1-37

CODE	DESCRIPTION	SPRAY WIDTH 90 DEGREES	SPRAY WIDTH 180 DEGREES	WEIGHT	LIST EX	LIST INC	CAT
RP1-34	Medium flow towbar boom	3.5m	7m	3 kg	\$295.46	<b>\$325.00</b>	A
RP1-37	High flow towbar boom	7m	14m	3 kg	\$280.00	<b>\$308.00</b>	A



M99-65

## BRASS BOOMLESS NOZZLE KIT FOR RIGHT HAND REAR OR 180 DEGREES SPRAYING APPLICATIONS

These compact kits offer broadcast spraying, ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Attaches to an ATV rack, UTV or side-by-side or side framework with supplied clamp
- Supplied with 600mm of 12mm I.D hose with inline tap to turn isolate flow or turn on/off
- Supplied with both single and twin sided nozzles
- Compatible with a broad range of Silvan spray equipment

### M99-65 (SIZE 02)

- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump
- Spray swath single up to 3.8m or double up to 7.6m

### M99-66 (SIZE 05)

- Pump flow suitable is 11 -14L/min (381-125, 361-2088 or DDP-555)
- Spray swath single up to 7.6m or double up to 15.2m



6560-01 (M99-65)  
6561-01 (M99-66)

### Operating Information for 180 Degrees Brass Nozzles

Product Code	Psi	Bar	L/min	Swath (m)	LITRES PER HECTARE - (Speed Km per hour)				
					5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-65	30	2.1	3.2	6.7	58	48	36	29	24
	40	2.8	3.8	7.0	65	54	41	33	27
	50	3.4	4.2	7.3	69	57	43	34	29
	60	4.1	4.6	7.6	72	60	45	36	30
M99-66	30	2.1	6.4	13.4	58	48	36	29	24
	40	2.8	7.6	14.0	65	54	41	33	27
	50	3.4	8.4	14.6	69	57	43	34	29
	60	4.1	9.1	15.2	72	60	45	36	30

Please note: 90 degrees nozzles have the same litres per hectare but half the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-65	Boomless Nozzle (Size 02)	4 Bar/60psi	4.56	7.6	\$190.00	<b>\$209.00</b>	B
M99-66	Boomless Nozzle (Size 05)	4 Bar/60psi	9.12	15.2	\$199.09	<b>\$219.00</b>	B
6560-01	Nozzle only (suit M99-65)				\$99.09	<b>\$109.00</b>	B
6561-01	Nozzle only (suit M99-66)				\$100.00	<b>\$110.00</b>	B



RP1-36

## HIGH FLOW TOWBAR BOOMLESS NOZZLE

Silvan has a range of towbar booms suitable for most side-by-sides, ATV's and vehicles with a 50mm square towbar socket. Boomless nozzle towbar booms offer broadcast spraying, 90 or 180 degrees which are ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Galvanised steel 50mm x 50mm frame suitable for many side-by-sides & utilities
- 2m of 1/2" delivery hose
- On/off tap & stainless steel clamps
- Durable twin poly nozzles produce an ultra course droplet size, ideal for many herbicide and liquid fertiliser spraying applications
- Delivers 90 or 180 degrees spray swath by swapping one of the nozzles with the blanking cap supplied
- The swivel nozzle body offers horizontal spray swath adjustment
- Fitted with M99-75B (M99-75B-1) nozzle - for flow rates refer to the chart on page 57
- Suitable for sprayers fitted with the DDP-550 (20L/min) Aquatec pump and pressure regulator



Includes blanking cap  
for single side spray  
applications



RP1-36

CODE	DESCRIPTION	SPRAY WIDTH 90 DEGREES	SPRAY WIDTH 180 DEGREES	NOZZLE COLOUR	WEIGHT	LIST EX	LIST INC	CAT
RP1-36	High flow towbar boomless nozzle	3.7m	7.4m		3 kg	\$304.54	<del>\$335.00</del>	A
M99-75B-1	Replacement nozzle & cap					\$38.18	<del>\$42.00</del>	B

**7.4m  
FULL SPRAY  
REACH**



**M99-75B**

## ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.

- Attaches to ATV rack and runs off your 12V pump/RakPak
- Fitted with 30cm of hose with clamp to attach to quad bike carry frame
- **M99-75B:** Double sided output suits 14 - 20L/min (60psi) pumps
- Features adjustable nozzle spray angle to allow for directional 'in-close' spraying if required
- Suitable for sprayers fitted with the DDP-550 (20L/min) Aquatec pump and pressure regulator



**M99-75B**

Includes blanking cap for single side spray applications

### Application Rate Chart for M99-75B

#### Application Rate L/ha at km/hr

DESCRIPTION	Swath	Bar	L/min	4 km/hr	5 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Single Side 1 Nozzle 7-14L/min Pumps		2	3.2	130	104	86	65	52	43
	3.7m	3	3.9	158	126	105	79	63	53
		4	4.6	186	149	124	93	75	62
DESCRIPTION	Swath	Bar	L/min	4 km/hr	5 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Double Side 2 Nozzle 14-20L/min Pumps		2	6.4	130	104	86	65	52	43
	7.4m	3	7.8	158	126	105	79	63	53
		4	9.2	186	149	124	93	75	62

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	NOZZLE COLOUR	LIST EX	LIST INC	CAT
M99-75B	Boomless Nozzle Kit 2 Nozzle	2 Bar/30 psi	7.6	7.4		\$168.18	<b>\$185.00</b>	B
M99-75B-1	Replacement Nozzle & cap					\$38.18	<b>\$42.00</b>	B




Silvan has a range of towbar booms suitable for most side-by-sides, ATV's and vehicles with a 50mm square towbar socket. Towbar booms with spraybars are suitable for driveways, open paddocks and fence-line spraying applications.

## 4m GENERAL PURPOSE TOWBAR BOOM

- Galvanised steel 50 x 50mm frame
- 5 height settings
- All nozzles can be independently turned on and off
- 3 x AIXR11002-VP air induction nozzles fitted to non-drip nozzle bodies
- 2 x OC-D4 off-centre end nozzles
- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump

POPULAR NOZZLE CONFIGURATIONS



## 2m TOWBAR PAK BOOM

- Galvanised steel 50x50mm frame
- 1.5m stainless steel spray tube, 2m spray width
- 5 Height settings
- CFA11002 air induction nozzles (yellow 02) to assist in drift reduction
- Non-drip modules eliminates drips when turning off the spray boom
- Supplied with 2m delivery hose with on/off tap
- Breakaway clips - boom un-clips if an obstruction is hit
- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump




CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK AWAY	MIN BOOM HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP1-35	5	115cm	4m to 7m	0.5m (centre)	Yes	500mm	8.1 kg	\$745.46	<b>\$820.00</b>	A
RP1-20	4	150cm	2m	0.5m	Yes	500mm	8.1 kg	\$568.18	<b>\$625.00</b>	A

Silvan fence line kits are an ideal accessory to assist with fence line spraying, fire breaks along property boundaries and general weed management around rural sheds and driveways. The Silvan Fence Line kits can be adapted to many different spraying manufacturers booms in Australia.

M99-78


## FENCE LINE KIT - M99-78 (TWIN PACK)

- Suitable to fit 21mm OD spray tube
- On/off tap and rotating body to direct the spray up to 360 degrees
- Air induction off-centre O2 nozzle for drift reduction
- 80 degree angle
- Suitable for the RP1-20 TOWBAR boom



## FENCE LINE KIT - M99-73 (TWIN PACK)

- Suitable to fit spray tube with a 1/2" BSP male or female thread
- 1/2" brass adaptor, on/off tap and rotating body to direct the spray up to 360 degrees
- Air induction off-centre O2 nozzle for drift reduction
- 80 degree angle
- Suitable for the L99-08, L99-09, RP1-10 and RP1-33 TOWBAR boom




Application Rate and droplet chart for M99-73/ M99-78

Application Rate L/ha at km/hr									
Description	Swath	Droplet	Bar	L/min	4 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Single Side O2 1 Nozzle	0.50m	UC	2	0.65	195	130	98	78	65
	0.58m	XC	3	0.8	207	138	103	83	69
	0.62m	XC	4	0.92	222	148	111	89	74

## FENCE LINE KIT - M99-72 (TWIN PACK)

- Suitable to fit spray tube with a 1/2" BSP female thread
- 1/2" brass adaptor, on/off tap and swivel to direct the spray
- Fits L99-08, L99-09, RP1-10
- Air induction off-centre O2 nozzle for drift reduction (AOC02)
- 80 degrees angle



CODE	DESCRIPTION	NOZZLE	LIST EX	LIST INC	CAT
M99-78	Fenceline kit (Twin Pack) suit RP1-10 Towbar Boom	AOC02 Air Induction	\$145.45	<b>\$160.00</b>	B
M99-73	Fenceline kit (Twin Pack) suit RP1-33 Towbar Boom	AOC02 Air Induction	\$190.00	<b>\$209.00</b>	B
M99-72	Fenceline kit (Twin Pack) suit L99-08, L99-09 & RP1-10 Booms	AOC02 Air Induction	\$177.27	<b>\$195.00</b>	B



RP1-26

## CROSS FOLD BOOMS - 3m & 4m


- Break back device protects boom if an obstruction is hit
- Multi functional mounting brackets to suit various applications
- Adjustable height and quick fold mechanism
- Non-drip nozzle assemblies
- Mounting brackets supplied
- Stainless steel spraylines
- CFA11002 air induction nozzles (yellow 02) to assist in drift reduction
- Suitable for sprayers fitted with the Aquatec pump:  
DDP-555 (14L/min open flow) and pressure regulator or  
DDP-550 (20L/min open flow) and pressure regulator



RP1-25

## 4m TOWBAR BOOM WITH ELECTRONIC ON/OFF SWITCH

- 4m cross fold galvanised boom with break back facility
- Stainless steel spray bars for longer life
- Non-drip modules eliminates drips when turning off the spray boom
- CFA11002 air induction nozzles (yellow 02) to assist in drift reduction
- 5 different height settings
- 3m wiring loom with inline on/off switch to activate Goyen solenoid
- Suitable for sprayers fitted with the Aquatec pump:  
DDP-555 (14L/min open flow) and pressure regulator or  
DDP-550 (20L/min open flow) and pressure regulator



RP1-33

CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
RP1-25	6	2.6m	3m	0.5m	Yes	500mm	Cross	8.1 kg	\$1,060.00	<b>\$1,166.00</b>	A
RP1-26	8	3.6m	4m	0.5m	Yes	500mm	Cross	9.6 kg	\$1,260.00	<b>\$1,386.00</b>	A
RP1-33	8	3.6m	4m	0.5m	Yes	500mm	Cross	14 kg	\$1,590.00	<b>\$1,749.00</b>	A



032-044-6

## FIELD BOOMS - 6m & 8m

Medium-duty corrosion resistant hot dip galvanised frame in 6m or 8m spraying width. Features break back device that protects boom if an obstruction is hit.

- Fully folding arms with stainless steel spraylines & non-drip nozzle assembly
- Ideal for linkage or trailer type sprayers
- Nozzles fully shielded from damage (excl. ZZ032-19A) and supplied with air induction nozzles
- Suitable for sprayers fitted with the Comet PTO pump: CBP06020 (58L/min open flow) or CBP13020 (132L/min open flow)



Folded width - 2040mm

032-044-6



ZZ032-19A

CODE	NOZ QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
032-044-6	12	5.8m	6m	0.5m	Yes	500mm	Horizontal	39 kg	\$1,780.00	<b>\$1,958.00</b>	SF
032-044-8	16	7.5m	8m	0.5m	Yes	500mm	Horizontal	47 kg	\$2,410.00	<b>\$2,651.00</b>	SF
ZZ032-19A	12	5.5m	6	0.5	Yes	500mm	Horizontal	35 kg	\$1,230.00	<b>\$1,353.00</b>	SF

## DOUBLE SIDED UNDER VINE SHIELDED BOOM

An adjustable shielded boom for spraying along fences, under tree lines and vine rows.

- Boom with telescopic boom width adjustment from 2.3m to 3.2m total width
- Spring loaded breakaways to protect the boom if an obstacle is struck
- Durable boom shields to minimise spray drift and avoid snagging
- 1/2" delivery hose (nut and tails to be ordered separately)
- Suitable for sprayers fitted with the DDP-552A (7L/min open flow) Smoothflo pump, DDP-555 (14L/min open flow) Aquatec pump and pressure regulator or DDP-550 (20L/min open flow) Aquatec pump and pressure regulator



CODE	DESCRIPTION	ADJUSTMENT	LIST EX	LIST INC	CAT
G8292045KIT	Double Side Strip Boom	2.3m to 3.2m	\$908.18	<b>\$999.00</b>	A

## PAK BOOMS - 1m, 2m & 3m

Stainless steel construction. 1, 2 & 3 metre width, non-drip nozzle assemblies.

- Supplied with connecting hose, on/off tap and mounting clamps
- LC-15 Anvil deflector nozzles @ 2 bar .97L/min
- Includes breakaway clips boom unclips if an obstruction is hit



L99-09 (1M LENGTH, 2M SPRAY)



L99-08 (2M LENGTH, 3M SPRAY)



RP1-10 (3M LENGTH, 4M SPRAY)


CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
L99-09	2	1.05m	2m	1m	No	1000mm	None	2 kg	\$280.91	<b>\$309.00</b>	A
L99-08	3	2.05m	3m	1m	No	1000mm	None	2.5 kg	\$354.55	<b>\$390.00</b>	A
RP1-10	4	3m	4m	1m	No	1000mm	None	3 kg	\$500.00	<b>\$550.00</b>	A

## WICK APPLICATORS

Wick Applicators are great for precision or drift free direct contact application, eliminating mist spray around valued plants or obstacles.

### GARDEN WICK STICK

One wipe does it all! The successful wick wiping method has also been adapted to general garden use in an easy to handle, rake-size applicator. Its simple design allows liquid to flow from a long refillable PVC handle into a pistachio wick head that in turn applies a lethal dose to weeds.



489

CODE	BOOM CAPACITY	WICKS	LENGTH	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
489	0.6L	1	1260mm	280mm	0.42 kg	\$180.91	<b>\$199.00</b>	B



M99-80

### 3 POINT LINKAGE BOOMLESS NOZZLE

Designed for three point linkage sprayers running between 30 and 60psi spraying pressure. An economical way to spray up to 17.7m wide and is supplied with a mounting bracket that fits between the upright bars on Silvan linkage units.

- Galvanised steel mounting frame
- 2.5m of 12.5mm delivery hose
- # 20 brass boomless nozzle (6542-01)
- Sprays 90 or 180 degrees
- Suitable for BP60/20 pump



M99-80

#### LITRES PER HECTARE – (Speed Km per hour)


Product Code	Psi	Bar	L/min	Swath (m)	LITRES PER HECTARE – (Speed Km per hour)				
					5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-80	30	2.1	19.3	16.5	141	117	88	70	59
	40	2.8	22.3	16.5	163	136	102	81	68
	50	3.4	25.4	17.1	178	148	111	89	74
	60	4.1	26.9	17.7	182	152	114	91	76

Please note: 90 degrees nozzles have the same litres per hectare but 1/2 the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-80	Boomless nozzle with mounting bracket suit MKII linkage units	4 Bar/60psi	26.9	17.7m	\$544.54	<b>\$599.00</b>	B
6542-01	Replacement boomless nozzle only				\$129.09	<b>\$142.00</b>	B

# Hose Reels





180J1510A

## 10m RETRACTABLE HOSE REEL

- 10m of 8mm delivery hose & hose stop
- 1.5m inlet hose with 1/4" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching
- Ideal to use with 25L/55L Redline sprayers
- To fit to a sprayer, simply cut off the brass fittings on the inlet and outlet of the hose reel and attach to the pump outlet hosetail



180L01008A

## 15m RETRACTABLE HOSE REEL

- 15m of 10mm PVC delivery hose & hose stop
- 1m inlet hose with 1/4" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching
- Ideal to use with 100L Redline & Smoothflo Spotpak or Trukpak sprayers
- To fit to a sprayer, simply cut off the brass fittings on the inlet and outlet of the hose reel and attach to the pump outlet hosetail



180J1510A

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	HOSE LENGTH /I.D.	MAX PRESS	LIST EX	LIST INC	CAT
180L01008A	10m Retractable	360mm	140mm	290mm	4.1kg	10m/8mm	16 Bar/240 psi	\$170.91	<b>\$188.00</b>	A
180J1510A	15m Retractable	400mm	160mm	450mm	7kg	15m/10mm	20 Bar/290 psi	\$226.36	<b>\$249.00</b>	A



180G03010B

## 30m MANUAL ECO HOSE REEL

- Powder coated metal construction
- Lockable hub with locking pin
- Supplied with 30m of 10mm ID ag hose (no spraygun)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180G03010B

## 30m MANUAL ECO HOSE REEL WITH ATOMISER SPRAY GUN

- Powder coated metal construction
- Lockable hub with locking pin
- Supplied with 30m of 10mm ID ag hose & Atomiser spraygun (410-52)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180G03010C

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	HOSE LENGTH /I.D.	MAX PRESS	LIST EX	LIST INC	CAT
180G03010B	30m Eco hose reel	330mm	375mm	390mm	10kg	30m/10mm	20 Bar/290 psi	\$327.27	<b>\$360.00</b>	A
180G03010C	30m Eco hose reel & Atomiser spray gun	330mm	375mm	390mm	12kg	30m/10mm	20 Bar/290psi	\$372.73	<b>\$410.00</b>	A



180E02012CT

Silvan Economy hose reels are an ideal accessory for your sprayer when wanting to use longer hose lengths. Premium quality and made in a world class factory in Italy.

### BARE ECONOMY HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Suitable for 20m x 12.5mm ID or 30m of 10mm ID hose
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



181

### 20M ECONOMY MANUAL HOSE REEL

- Premium powder coated construction.
- Made in Italy
- Supplied with 20m of 12.5mm ID ag hose & Jetpro spraygun (410-53)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180E02012CT

### 30M ECONOMY MANUAL HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Supplied with 30m of 10mm ID ag hose & PA spraygun (410-34)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180E03010C

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	MAX PRESS	LIST EX	LIST INC	CAT
181	Bare Economy hose reel	450mm	350mm	370mm	4kg	20 Bar/290psi	\$400.00	<b>\$440.00</b>	A
180E02012CT	Economy h/reel c/w Jetpro spray gun	450mm	350mm	370mm	12kg	20 Bar/290psi	\$750.00	<b>\$825.00</b>	A
180E03010C	Economy h/reel c/w PA spray gun	450mm	350mm	370mm	12kg	20 Bar/290psi	\$668.18	<b>\$735.00</b>	A



180F03019E

## 30m MANUAL FIRE FIGHTING/ WATER HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Fitted with 30m of 3/4" ID delivery hose
- Adjustable poly nozzle
- Supplied with mounting brackets to suit 400L, 600L & 800L Squatpak tanks
- Ideal for watering trees, dust suppression, washdown and cleaning applications



180F03019E

## 30m MANUAL HEAVY DUTY FIRE FIGHTING/DIESEL/WATERING HOSE REEL

- Premium powder coated metal construction
- Hose guide rollers and hose stop
- Fitted with 30m of 3/4" ID delivery hose
- Inlet/outlet 3/4" BSP
- Ideal for watering trees, dust suppression, washdown and cleaning applications



JA-1402021

## FIREFIGHTING/WATER NOZZLE

- High density plastic outer and inner body
- Adjustable spray from straight to conical pattern
- 3/4" BSP female thread
- Ideal for watering trees, dust suppression, washdown and cleaning applications



422-502

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
180F03019E	30m Fire Fighting/Watering hose reel	525mm	460mm	545mm	18 kg	\$973.64	<b>\$1,071.00</b>	A
JA-1402021	30m Heavy Duty Fire Fighting/Diesel/Watering hose reel	660mm	490mm	680mm	44.5 kg	\$926.36	<b>\$1,019.00</b>	A
422-502	Fire Fighting/Watering nozzle	115mm	50mm	50mm	0.08 kg	\$71.82	<b>\$79.00</b>	B



LONG RANGE REMOTE SYSTEM



**NEW**




## 50m EASYROLL 12V REMOTE HOSE REEL

The Silvan EASYROLL retractable hose reel has been designed and built in Australia; it is a simple, effective solution for operators to spray effortlessly compared to standard manual rewind hose reels. Ideal when spraying noxious weeds along fence lines, roadsides, undulating scrub, parks & gardens, golf courses etc. Other popular applications are for nurseries and greenhouses.

- The EASYROLL hose reel has been designed to retrofit onto many sprayers with a flat surface that can hold the weight of the reel (20kg)
- The predrilled holes in the mounting frame are 175mm x 175mm
- Lightweight and compact
- Heavy duty thick gauge stainless steel construction
- Stainless steel finish is for ultimate resistance to corrosion and scratches
- 12V brushless, high torque electric drive system assembly eliminates the use of chains, belts or pulleys for a more reliable and safer operation
- Central hub motor mechanism is free of pinch points and is effectively maintenance free
- Single channel remote control with adaptive frequency hopping to prevent interference and ensure reliable performance on undulating terrain
- On/off power switch with override rewind switch
- 50m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun
- 20 Bar/290psi working pressure
- Atomiser spraygun - performance spray up to 15m distance with Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
180NL	50m EASYROLL hose reel - left hand spray gun	527mm	277mm	547mm	20 kg	20 Bar/290psi	\$3,250.00	<b>\$3,575.00</b>	A



147R10012

## REEL TUFF 12V HEAVY DUTY REMOTE REEL

The professional tool for spot spraying convenience, ideal for contract spraying or on-farm use. This reel can be used for roadside spraying, through undulating scrub, poultry sheds or glasshouses.

- Heavy duty high torque direct drive gear box and electric motor
- Galvanised steel construction for corrosion & scratch resistance
- Long range remote system with automatic frequency hopping technology for interference-free use (915mhz)
- 100m of 1/2" nylon tubing (10mm I.D.)
- Optional Turbo 400 spray gun, see below. Snap-lock connectors for neat storage, ratcheting pin lock for transport, keeps hose on the spool
- No belts, chains or sprockets to maintain



LONG RANGE REMOTE SYSTEM



RATCHETING PIN LOCK ELIMINATES ACCIDENTAL UNSPOOLING

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	MAX PRESS	LIST EX	LIST INC	CAT
147R10012	Reel Tuff 12V Remote Reel	750mm	500mm	850mm	50 kg	40 Bar/580 psi	\$5,750.00	<b>\$6,325.00</b>	9
401-26BRQS	Optional Turbo 400 spray gun	440mm			.7 kg	50 Bar/725 psi	\$200.91	<b>\$221.00</b>	B

# Guidance, Monitors & Foam Markers





USB PORT

GD430-GLO-P-L

### GPS GUIDANCE SYSTEMS

The Matrix uses GPS technology to help guide tractors and machinery when boom spraying to minimise spray overlap/underlap and ensure optimal application. This is ideal for use with a boomspray, fertiliser spreader or when raking hay to keep you on track and in a straight line replacing and enhancing the function of a foam marker.

- Guidance modes include: Straight AB, Curved AB, Circle Pivot and Last Pass
- High-contrast, full colour, 4.3" / 110mm graphic touch screen display provides superior visibility in bright light conditions
- Versatile GNSS guidance in a compact, portable package
- Applied alert provides operator with audible alarm when entering into previously applied areas
- Area counter measures and displays applied area throughout application
- Elapsed time counter measures amount of time spent on current job
- Standard patch antenna supplied

MATRIX 430 KIT, GLONASS, PATCH ANTENNA, LIGHTER CONNECTOR ALSO HAS A USB PORT. ALSO USES FREE SBAS SIGNAL

GD430-GLO-P-L



### MATRIX GUIDANCE FUNCTIONS

Straight A-B Guidance	Curved A-B Guidance	Return to Point	Circle Pivot Guidance	Last Pass Guidance

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
GD430-GLO-P-L	Matrix 430, GLONASS, Patch Antenna, Lighter Connector	\$3,800.00	\$4,180.00	A

## FOAM MARKERS

Designed for the spray operator to have a visual reference of the areas sprayed with a boom, eliminating expensive under or over lapping of chemicals.

- UV stabilised poly tanks
- 12 volt fully sealed, dust free diaphragm compressor with breather
- In-cab remote mounted control box with wiring loom
- Valve for foam output adjustment
- 1L foam marker concentrate supplied with each unit



042M

### 14L MODEL - 042M

- 10m wire reinforced delivery hose and single foam dropper
- Ideal for ATV bikes and side-by-sides

### 16L MODEL - 042D-16S

- 16m delivery hose and double foam droppers
- In-cab remote with on/off & left/right control
- Ideal for tanks up to 800L



042D-16S

### 57L MODEL - 042D-57

- 36m delivery hose and double foam droppers
- In-cab remote with on/off & left/right control
- Ideal for linkage sprayers over 800L and trailed sprayers



042D-57

Shown with 600L Linkage Sprayer

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
042M	14L Foam Marker	570mm	195mm	340mm	12 kg	\$990.91	<b>\$1,090.00</b>	A
042D-16S	16L Foam Marker	570mm	210mm	460mm	14.5 kg	\$1,050.00	<b>\$1,155.00</b>	SF
042D-57	57L Paddock Foam Marker	850mm	300mm	570mm	21 kg	\$1,550.00	<b>\$1,705.00</b>	SF

## 1L FOAM CONCENTRATE

Makes 100L of high density foam. Provides excellent visibility and long life on the ground.



071-1D

## 12V COMPRESSOR

As used on Silvan 14L foam marker. Ideal for high volume, low pressure foam making application.

- 1/8" BSP outlet
- 37L/min @ 32kPa/4.6psi
- 60W



042C-6

## 12V HEAVY DUTY COMPRESSOR

Ideal for high volume, low pressure foam making application.

- 1/4" BSP outlet
- 38L/min @ 32kPa/4.6psi
- 96W



042D-45201

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
071-1D	1L Foam Concentrate				\$33.64	<b>\$37.00</b>	B
042C-6	12V Compressor - 37L/min	200mm	110mm	140mm	\$362.73	<b>\$399.00</b>	B
042D-45201	12V Heavy Duty Compressor - 38L/min	200mm	140mm	170mm	\$495.45	<b>\$545.00</b>	A

# Spray Guns



**Silvan**

GENUINE ACCESSORIES



382-052

## TRIGGER SPRAY GUN

This lightweight durable spray gun is a replacement gun for our Redline sprayers. Also suitable for many hand sprayers, backpack sprayers and 12 volt sprayers.

- Adjustable nozzle that produce a straight stream or a conical spray pattern
- The poly hand piece has a lock on/off feature
- Fitted with chemical resistant 'O' rings
- Stainless steel lance
- Brass 6mm hosetail supplied (382-167)



382-167

1.5mm OPENING



525mm

382-052

CODE	DESCRIPTION	HOSE I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
382-052	Spray Gun suits 25/55L Redline & backpack sprayers	8mm	6.6 Bar/100 psi	770mm	0.42 kg	\$29.09	<b>\$32.00</b>	B
382-167	Brass hosetail	8mm				\$4.55	<b>\$5.00</b>	B

## EXTENDABLE LANCE SPRAY GUN

- Aluminium lance extends from 780mm to 1150mm
- Adjustable spray nozzle, from fine conical mist for excellent (leaf) coverage to pencil stream for distance spraying
- Sturdy poly handle with trigger lock
- Maximum pressure 7 Bar / 100psi
- Can be fitted to a range of spray equipment



780mm

1150mm

382-097

CODE	DESCRIPTION	HOSE I.D.	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
382-097	Extendable Lance Spray Gun	8mm	780mm	0.38kg	7 Bar/100 psi	\$39.09	<b>\$43.00</b>	B



410-51

## SPOTJET SPRAY GUN (JOLLY)

The Spotjet spray gun is a standard gun on many Silvan sprayers. The nozzle is adjustable from a straight stream to a conical spray pattern producing a coarse droplet which minimises potential drift.

- Adjustable X26 cone jet nozzle with 30° offset from horizontal
- Viton seals for maximum chemical resistance
- Sturdy Spotjet hand piece with trigger lock and 500mm stainless steel lance



410-51


500mm

CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-51	Spotjet Spray Gun	8mm	7 Bar/100psi	840mm	0.42kg	\$56.36	<b>\$62.00</b>	B
38720-PPB-X26	Replacement adjustable nozzle					\$20.91	<b>\$23.00</b>	B

## TRIGJET SPRAY GUNS

Features a very strong and sturdy handgun with on/off trigger and locking device. Extremely lightweight and comfortable. Supplied with a brass adjustable nozzle, ideal for close spot spraying and distance spraying applications.

- Constructed from stainless steel, brass, high density polypropylene with Viton gaskets
- Adjustable spray nozzle (1.5mm orifice size)
- Stainless steel lance (150mm or 500mm)
- Polypropylene reinforced fiberglass body
- Supplied with a 10mm and 12.5mm brass hosetail and clamp
- ½" BSP male inlet



410-60

150mm

410-61

500mm

CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-60	Trigjet Spray Gun 150mm Lance	10/12.5mm	30 Bar/435psi	370mm	0.36kg	\$77.27	<b>\$85.00</b>	B
410-61	Trigjet Spray Gun 500mm Lance	10/12.5mm	30 Bar/435psi	730mm	0.38kg	\$80.91	<b>\$89.00</b>	B



410-57

## GE057 SPRAY GUN

Robust polypropylene hand gun construction and comfortable ergonomic trigger grip action minimises fatigue.

- Adjustable brass cone jet nozzle
- Strong corrosion resistant 500mm stainless steel lance
- Suits pumps up to 20 Bar/290psi
- Ideal for 12V sprayers



CONICAL SPRAY PATTERN



PENCIL STREAM SPRAYS UP TO 8M



500mm

CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-57	Geo57 Spray Gun	10mm & 12.5mm	20 Bar/290 psi	710mm	0.54 kg	\$80.91	<b>\$89.00</b>	B

## PA SPRAY GUN

Silvan spray guns are designed to help reduce fatigue whilst hand spraying. Popular with farmers, orchardists and contractors - they are manufactured in a range of materials from stainless steel, brass and polypropylene.

- On/off trigger grip action with lock off position
- Fibreglass reinforced body
- 1/4" BSP F inlet supplied with 10mm and 12.5mm hosetails
- Pressure 20 Bar/290psi



410-30

410-34

CODE	DESCRIPTION	HOSE I.D.	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
410-30	200mm Poly Lance & Adj. Brass Nozzle	10mm/12.5	430mm	0.32 kg	20 Bar/290 psi	\$138.18	<b>\$152.00</b>	B
410-34	500mm S/S Lance, Cone & Fan Nozzle	10mm/12.5	700mm	0.42 kg	20 Bar/290 psi	\$162.73	<b>\$179.00</b>	B



410-53

## JETPRO SPRAY GUN

Ergonomic design for comfortable grip to reduce fatigue


- Strong corrosion resistant lance with non-drip shut off at nozzle
- Max pressure 40 Bar / 600psi to support atomising spray for greater coverage
- Supplied with hose swivel, 10mm & 12.5mm hosetails
- Professional spray gun, that has the ability to deliver a straight stream to a cone spray pattern by easily adjusting the trigger. The spray gun has a locking device that allows the operator to set a desired spray pattern for easier constant spraying requirements



FINE CONE PATTERN IS IDEAL FOR SPRAYING PESTICIDE



PENCIL STREAM IS IDEAL FOR HERBICIDE AND DISTANCE SPRAYING



410-53

CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
410-53	JetPro Spray Gun	10mm, 12.5mm	380mm	.755 kg	40 Bar/580 psi	\$146.36	<b>\$161.00</b>	B

## VARIJET SPRAY GUN

Lightweight, corrosion resistant ergonomical design, sprays from straight stream to conical mist.

- Spray pattern changes by rotating gun barrel
- On/off trigger grip action with lock off position
- Designed to reduce fatigue while spraying
- 1/2" BSP M inlet with hosetail to fit 10/12.5mm hose



410-43

CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
410-43	Varijet Spray Gun	10/12.5mm	293mm	0.500 kg	40 Bar/600 psi	\$253.64	<b>\$279.00</b>	B

## TRIAM SPRAY GUN

Ideal for high pressure applications with a trigger adjustable spray pattern for straight stream for distance or wide cone for atomising with non-drip shut-off at nozzle. Has a sturdy stainless steel/brass barrel and a polypropylene handgun construction to help reduce fatigue.

- Supplied with 1.5 ceramic nozzle and 10mm hose tail
- Supplied unboxed



410-11-1

CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT	
410-11-1	Triam 44 Spray Gun	10mm	305mm	0.650 kg	40 Bar/600 psi	\$135.45	<b>\$149.00</b>	B	
SERVICE KIT CODE						401-45BR Service Kit to Suit 44 Triam Spray Guns	\$31.82	<b>\$35.00</b>	B

## ATOMISER + SPRAY GUN

A heavy duty spray gun designed for professional and general spraying with an ergonomic handle to maintain comfort of use. An adjustable spray lever changes spray from straight stream to conical mist.

- Heavy duty polypropylene construction with stainless steel/brass barrel
- Airvac nozzle shroud atomiser ensures a very fine mist for excellent leaf coverage and reduction of droplet leakage
- 1/2" BSP male with hose tails to suit 10mm & 12.5mm ID hose
- Pressure 40 Bar/580psi
- Supplied with 1.5 mm & 2.5 mm nozzle
- Other nozzle sizes available, see chart below MA7-\*\*



410-52

CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-52	Atomiser Spray gun	10/12.5mm	40 Bar/580psi	400mm	0.70kg	\$113.64	<b>\$125.00</b>	B

## TURBO 400 SPRAY GUN

Constructed from high impact chemical resistant plastic with stainless steel and brass components. Features include spring loaded adjustable spray lever with variable spray control from misting to spot spraying and a trigger locking device. The Airvac nozzle shroud atomiser ensures a very fine mist with excellent leaf coverage and reduction of droplet leakage when operating from 150 psi upwards.

- Minimum operating pressure for misting is 150 psi
- 1/2" BSP M inlet and hose swivel
- Supplied with 10mm and 12.5mm hoesetails only for 411-22
- Pressure 50 Bar/725psi
- No hoesetails or carton supplied (401-26BRQS)



411-22

With polypropylene hand piece



401-26BRQS

Aluminium hand piece with trigger guard

NOZZLE OPTIONS	SIZE	LIST EX	LIST INC	CAT
MA7-10	1.0	\$21.82	<b>\$24.00</b>	B
MA7-12	1.2	\$21.82	<b>\$24.00</b>	B
MA7-15	1.5	\$21.82	<b>\$24.00</b>	B
MA7-18	1.8	\$21.82	<b>\$24.00</b>	B
MA7-20	2.0	\$21.82	<b>\$24.00</b>	B


NOZZLE OPTIONS	SIZE	LIST EX	LIST INC	CAT
MA7-23	2.3	\$21.82	<b>\$24.00</b>	B
MA7-25	2.5	\$21.82	<b>\$24.00</b>	B
MA7-30	3.0	\$21.82	<b>\$24.00</b>	B
MA7-35	3.5	\$21.82	<b>\$24.00</b>	B
MA7-40	4.0	\$21.82	<b>\$24.00</b>	B

CODE	DESCRIPTION	HOSE I.D.	LENGTH	WT	MAX. PRESSURE	LIST EX	LIST INC	CAT
411-22	Turbo 400 - Poly	10mm/12.5mm	440mm	0.700 kg	50 Bar/725 psi	\$217.27	<b>\$239.00</b>	B
401-26BRQS	Turbo 400 - Aluminium	10mm/12.5mm	440mm	0.700 kg	50 Bar/725 psi	\$200.91	<b>\$221.00</b>	B
401-26BR-001	Service Kit To Suit Turbo 400 Spray Gun					\$85.45	<b>\$94.00</b>	B

## GUNJET 43 SPRAY GUN

A heavy duty robust spray gun ideal for professional contractors and for spraying blackberries and Patterson's Curse. Stem extends through extension to valve seat located directly behind orifice disc for drip-free shutoff and instant operating response. Convenient trigger-lock for continuous spraying.

\* Hosetails not supplied (see below)



AAB43HA-8

CODE	INLET CONNECTION	LENGTH	WEIGHT	MAX. PRESSURE	MATERIAL	LIST EX	LIST INC	CAT
AAB43HA-8	1/2" BSPT (F)	330mm	1.30 kg	53 Bar/797 psi	Brass	\$405.45	<del>\$446.00</del>	B
AAB43LA-AL8	1/2" BSPT (F)	330mm	1.00 kg	14 Bar/203 psi	Aluminium	\$379.09	<del>\$417.00</del>	B
474-209	Hosetail 1/2 " Male x 10mm Barb				Brass	\$13.64	<del>\$15.00</del>	B
474-207	Hosetail 1/2 " Male x 12.5mm Barb				Brass	\$10.91	<del>\$12.00</del>	B

## GUNJET 30 SPRAY GUN

The Gunjet 30 spray gun is ideal for all types of spraying. Both spray guns are durable and designed for excellent corrosion resistance. The AAB30L-1/4 body and trigger are moulded from tough nylon and the AAB30L-PP from polypropylene.

Hosetails and nozzles not supplied (see below)



AA31



AAB30L-1/4

CODE	INLET CONNECTION	LENGTH	WEIGHT	MAX. PRESSURE	MAX. FLOW	LIST EX	LIST INC	CAT
AAB30L-1/4	1/4" BSPT (F)	160mm	0.436 kg	16 Bar/250 psi	19 L/min	\$162.73	<del>\$179.00</del>	B
AA31				35 Bar/500 psi		\$215.45	<del>\$237.00</del>	B
474-191T	Brass Hosetail 1/4 " Male x 10mm Barb					\$6.36	<del>\$7.00</del>	B
474-200T	Brass Hosetail 1/4 " Male x 12.5mm Barb					\$6.36	<del>\$7.00</del>	B

## ADJUSTABLE NOZZLES

**5500-X\*\*:** Brass nozzle provides half turn for wide angle, finely atomised cone spray to a straight stream distance spraying.

- SIZES AVAILABLE: -X1; -X2; -X3; -X4; -X5; -X6; -X8; -X10; -X12; -X14, X18, X22, X26
- \*To order: 5500-X1 for -X1 size

**5500-PPB-X\*\*:** Poly version provides excellent chemical resistance and is lightweight, making it well suited for hand held and backPack type sprayers.

- SIZES AVAILABLE: -X3; -X5; -X6; -X8; -X12; -X18
- \*To order: 5500-PPB-X3 for -X3 size

**417-80:** Single adjustable brass nozzle suit Triam and Jetpro spray guns.



5500-X\*\*

5500-PPB-X\*\*

417-80

CODE	MATERIAL	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
5500-X**	Brass	42mm	46 g	10 Bar/145 psi	\$59.09	<del>\$65.00</del>	B
5500-PPB-X**	Poly	47mm	8 g	10 Bar/145 psi	\$31.82	<del>\$35.00</del>	B
417-80	Brass	65mm	90 g	13 Bar/200 psi	\$53.64	<del>\$59.00</del>	B

## STRAIGHT LANCE



7715-\*\*(sizes available: 12; 18; 24; 30 and 48 inch)

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
7715-12	STRAIGHT LANCE 12"	\$45.45	<b>\$50.00</b>	B
7715-18	STRAIGHT LANCE 18"	\$50.00	<b>\$55.00</b>	B
7715-24	STRAIGHT LANCE 24"	\$51.82	<b>\$57.00</b>	B
7715-30	STRAIGHT LANCE 30"	\$61.82	<b>\$68.00</b>	B
7715-48	STRAIGHT LANCE 48"	\$70.00	<b>\$77.00</b>	B

## CURVED LANCE



6671-\*\*( sizes available: 8,18; 24; 30; 36 & 48 inch)

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
6671-8	CURVED LANCE 8"	\$45.45	<b>\$50.00</b>	B
6671-18	CURVED LANCE 18"	\$54.54	<b>\$60.00</b>	B
6671-24	CURVED LANCE 24"	\$57.27	<b>\$63.00</b>	B
6671-30	CURVED LANCE 30"	\$61.82	<b>\$68.00</b>	B
6671-36	CURVED LANCE 36"	\$63.64	<b>\$70.00</b>	B
6671-48	CURVED LANCE 48"	\$74.54	<b>\$82.00</b>	B

## SPRAY HOSE SWIVEL

Eliminates twisted hose. Brass with Viton 'O' ring.

- Thread size 1/2" BSPT male/female



418-94

CODE	DESCRIPTION	MAX. TEMP	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
418-94	Spray Hose Swivel	93°C (200°)	40mm	80 gm	50 Bar/725 psi	\$27.27	<b>\$30.00</b>	B

## BRASS HOSE CONNECTORS

Manufactured from high quality brass and can be used in conjunction with any BSP fittings



1

2

3

CODE (2 PACK)	NO.	HOSE SIZE	LIST EX	LIST INC	CAT	
NUT & TAIL	G8304004-PK	1	10mm	\$19.09	<b>\$21.00</b>	B
	G8304005-PK	2	12.5mm	\$36.36	<b>\$40.00</b>	B
NUT & ELBOW	G8304008	3	12.5mm	\$14.55	<b>\$16.00</b>	B

## HOSE TAIL



CODE	THREAD SIZE BSP	TAIL SIZE	LIST EX	LIST INC	CAT
474-191	1/4" Male	10mm	\$8.18	<b>\$9.00</b>	B
474-200	1/4" Male	12.5mm	\$9.09	<b>\$10.00</b>	B
474-207	1/2" Male	12.5mm	\$10.91	<b>\$12.00</b>	B
474-209	1/2" Male	10mm	\$13.64	<b>\$15.00</b>	B

## HOSE SNAP COUPLINGS

Ideal for quick disconnection of spray guns from hose reels featuring liquid shut-off. Manufactured from corrosion resistant materials.

- Maximum pressure 30 Bar (435psi)



406-02M



406-02F

CODE	REF	COUPLING TYPE	MATERIAL	CONNECT. SIZE	LIST EX	LIST INC	CAT
406-02-PK	3, 4	Complete Set	Brass	1/2" BSPT (M)	\$148.18	<b>\$163.00</b>	B
406-02M	3	Male	Brass	1/2" BSPT (M)	\$28.18	<b>\$31.00</b>	B
406-02F	4	Female	Brass	1/2" BSPT (M)	\$113.64	<b>\$125.00</b>	B



WP2-T

## T BOOM

- 40cm wide 2 nozzle T boom
- Approximately 80cm spray swath achieved at 40cm from the target
- 2 low flow flat fan spray nozzles with strainers to minimize nozzle blockage
- Fits onto the following sprayers: all Redline sprayers, WP8, KN15D-2, TR13-1, WP12-1, TR13-B, WP40-1 and spray guns 382-052, 382-057 & 382-097



WP2-T

CODE	DESCRIPTION	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
WP2-T	T Boom	400mm	0.7 kg	\$36.36	<b>\$40.00</b>	B

## SPRAY SHIELD

- Helps reduce excess spray drift and improves spraying efficiency
- Ideal for weed, herbside spraying and fertiliser applications
- Tough, lightweight, chemical resistant polyethylene shield
- Fits onto the following sprayers: all Redline sprayers, WP8, KN15D-2, TR13-1, WP12-1, TR13-B, WP40-1 and spray guns 382-052, 382-057 & 382-097



382-076

CODE	DESCRIPTION	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
382-076	Redline Spray Shield	220mm	0.64kg	\$16.36	<b>\$18.00</b>	B

# Safety Equipment & Chemical Transfer





## HALF MASK RESPIRATOR KIT

- Soft silicone face seal
- Downward outflow prevent eyewear fogging
- Supplied with P2 particulate filter
- Optional A1 filter for organic vapors (meet AS/NZS 1715-16)
- A1 & P2 filters can be combined for A1P2 protection



SCP1085

## DISPOSABLE COVERALLS

- One size fits all
- Zipper front
- Long sleeves
- Attached hood
- Elastic cuff & ankle
- 100% Polypropylene



SCP8010

## SUNDSTROM RESPIRATOR KIT

Top quality breathing apparatus comes complete with a gas filter suitable to most farm spraying operations and a pack of five pre-filters, all in a convenient carry and storage case.



JA-2101031



20301-1

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
SCP8010	Disposable Coveralls	\$18.18	<b>\$20.00</b>	B
SCP1085	Half Mask Respirator Kit with P2 Filters (Meets AS/NZS 1715-16)	\$97.27	<b>\$107.00</b>	B
SCP1065	P2 Filter Cartridge PK of 2 for Mask SCP1085 (not pictured)	\$30.00	<b>\$33.00</b>	B
SCP1075	A1 Filter Cartridge PK of 2 for Mask SCP1085 (not pictured)	\$58.18	<b>\$64.00</b>	B
JA-2101031	Sundstrom Respirator Kit	\$366.36	<b>\$403.00</b>	B
JA-2101029	Replacement Gas Filter for Sundstrom Respirator Kit	\$99.09	<b>\$109.00</b>	B
20301-1	Water Sensitive Paper 50 Cards, 76mm x 52mm	\$111.82	<b>\$123.00</b>	B

## KASCO SAFETY SPRAY HELMET

- Powered by vehicle 12V system and battery
- Backup NiCd rechargeable battery for up to 4 hours of use
- Allows safe dismounting for adjustments, checks, and adding chemicals
- Uses vehicle dashboard plug to power and charge



K80S-T9R

178-0601-19

## KASCO A1P3 FILTER

- Designed for insecticides, fungicides, weed killers, organic vapours, dust, fumes, and mist
- Filter paper for particulate filtering
- Activated carbon for vapour filtering

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
K80S-T9R	Kasco 12V Vehicle and Independent Use Filter Helmet	\$2,245.45	<b>\$2,470.00</b>	A
178-0601-19	KASCO A2P3 Single Filter	\$184.54	<b>\$203.00</b>	B

## DELTA T AND WIND METER

Calculates Delta T, wind speed, temperature & humidity.  
Hand held, battery operated and easy to use.

- Wind speed range: 1.1 - 20m/s, 0.7 - 72km/hr
- Air temperature: -15 - 50 degrees C
- Air relative humidity: 0% - 100%
- Temperature and humidity response time: 60 seconds
- Wet bulb temperature
- Dry bulb temperature
- Battery: CR2032



118-486

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
118-486	Delta T and Wind Meter	\$271.82	<b>\$299.00</b>	B

## CHEMICAL GLOVES

- Long 450mm length
- Resistant to oil, grease and chemicals

## 5L MEASURING JUG

Measure chemicals accurately and pour them safely with this quality measuring jug.

## 25L CHEMICAL BUCKET

A heavy duty chemical bucket with graduated handgrip, made from quality U.V. stabilised polyethylene. Will stand the test of time.



SCP4000



JA-2102034



CJ25

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
SCP4000	Chemical Gloves (meets AS/NZS 2161)	\$16.36	<b>\$18.00</b>	B
JA-2102034	5L Measuring Jug	\$34.55	<b>\$38.00</b>	B
CJ25	25L Chemical Measuring Bucket	\$90.00	<b>\$99.00</b>	B

## FREE STANDING SILMIX

- Uses external water supply to activate venturi inductor at the base of the unit to transfer chemicals from hopper to sprayer tank. The same water supply operates the wash bar and drum rinse nozzle in the hopper. Transfer system requires minimum 2 Bar water pressure to operate
- 30L polyethylene tank with 455mm hinged lid
- 3 on/off taps to control
- Powder washer bar inside hopper
- Drum rinse nozzle
- Chemical transfer venturi. Also has valve at base of unit to isolate the tank from the induction venturi



042J-06ST

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
042J-06ST	Free Standing Silmix	\$2,910.00	<b>\$3,201.00</b>	SF

## AG RUNNER CHEMICAL TRANSFER PUMP

The Shurflo Ag Runner allows you to pump and measure chemical from the chemical container directly into the sprayer tank without the need for manually measuring or any other handling of the chemicals.

- Max Output: 40 L/min open flow, variable depending on viscosity
- Viton equipped pump
- Max. Pressure: 15psi
- 12V operation with 6m lead & alligator clips
- 1" x 3.6m suction / 1" x 3.6m delivery hoses
- Electrical meter



361-SF1105-PTS

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
361-SF1105-PTS	Ag Runner Chemical Transfer Pump Kit	\$2,850.00	<b>\$3,135.00</b>	A

# Nozzles & Accessories



**Silvan**

GENUINE ACCESSORIES



## NOZZLE APPLICATION RATES

Pages 96 and 97 display the ISO standard application rates which apply to most flat fan nozzles.

Nozzles are colour coded according to L/min output size at 2.8 Bar.

For example: All Yellow 02 nozzles at 2.8 Bar (40psi) have a flow rate of 0.2 US Gallons (0.75L/min).

Note: Each nozzle type has a different droplet size profile.

## SELECTING THE RIGHT SIZE NOZZLE

Application rates can be adjusted by pressure, vehicle speed and nozzle size.

Pressure can change droplet size and increase nozzle wear. Vehicle speed is an inaccurate method of adjusting output as higher speeds are hard on equipment that can lead to critical failures.

Nozzle size is the ideal and easiest way to select a suitable nozzle as you can change the output rate without significant changes to the machinery.

## TO SELECT A NOZZLE

1. You need to know your preferred safe vehicle speed.
2. Define your required droplet size & application rate eg. Medium droplet at 100L/h
3. Confirm from the application rates table below, the nozzle can apply the required 100L/ha at 3.5 Bar pressure

### Turbo TeeJet® (TT)

	bar											Droplet Size
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	
TT11001	C	C	M	M	M	M	F	F	F	F	F	
TT110015	VC	C	M	M	M	M	F	F	F	F	F	
TT11002	VC	C	C	M	M	M	M	F	F	F	F	
TT110025	VC	C	C	M	M	M	M	F	F	F	F	
TT11003	VC	VC	C	C	M	M	M	M	M	M	M	
TT11004	XC	VC	C	C	C	M	M	M	M	M	M	
TT11005	XC	VC	VC	C	C	C	M	M	M	M	M	
TT11006	XC	VC	VC	VC	VC	C	C	C	M	M	M	
TT11008	XC	VC	VC	VC	C	C	C	C	M	M	M	

## WHAT DROPLET SIZE DO I REQUIRE?

The manufacturer of your chemical may recommend suitable droplet sizes on the chemical label ranging from extremely fine to ultra coarse. Always refer to your agronomist.

Nozzles that produce small droplets are recommended for post-emergence applications, which require excellent coverage on the intended target area. Nozzles producing medium and coarse-sized droplets can be used for contact and systemic herbicides, pre-emergence surface-applied herbicides, insecticides and fungicides.

Remember, as droplet size is reduced the drift potential is increased. Where possible, choose nozzles with a slightly coarser droplet size to reduce drift potential. Review the nozzle droplet size charts for the appropriate nozzles capable of the required droplet size.

## UNIVERSAL APPLICATION RATE CHART FOR 50 CM TIP SPACING

TIP CAPACITY	LIQUID PRESSURE IN BAR	CAPACITY 1 NOZZLE IN L/MIN	L/HA - 50CM NOZZLE SPACING				Speed
			4 KM/H	6 KM/H	8 KM/H	10 KM/H	
01	1.0	0.23	69.0	46.0	34.5	27.6	
	1.5	0.28	84.0	56.0	42.0	33.6	
	2.0	0.32	96.0	64.0	48.0	38.4	
	3.0	0.39	117	78.0	58.5	46.8	
	4.0	0.45	135	90.0	67.5	54.0	
	5.0	0.50	150	100	75.0	60.0	
	6.0	0.55	165	110	82.5	66.0	
015	1.0	0.34	102	68.0	51.0	40.8	
	1.5	0.42	126	84.0	63.0	50.4	
	2.0	0.48	144	96.0	72.0	57.6	
	3.0	0.59	177	118	88.5	70.8	
	4.0	0.68	204	136	102	81.6	
	5.0	0.76	228	152	114	91.2	
	6.0	0.83	249	166	125	99.6	
02	1.0	0.46	138	92.0	69.0	55.2	
	1.5	0.56	168	112	84.0	67.2	
	2.0	0.65	195	130	97.5	78.0	
	3.0	0.79	237	158	119	94.8	
	4.0	0.91	273	182	137	109	
	5.0	1.02	306	204	153	122	
	6.0	1.12	336	224	168	134	
	7.0	1.21	363	242	182	145	

NOTE: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C).

Nozzle selection and maintenance are two of the most important aspects of accurate and efficient spray application. Silvan offers the largest range of nozzles from leading brands to suit your needs.

## NOZZLE DROPLET SIZE

When selecting a suitable nozzle the droplet size is critical to ensure chemical is applied to target instead of being misapplied as drift. Finer droplet sizes ensure improved coverage however they are also more prone to drift and conversely larger droplets are less prone to drift.

Droplet size follow two trends:

- As pressure increases droplet sizes decreases
- Larger size nozzles provide larger droplets and increased flow


Category	Symbol	Color Code
Extremely Fine	XF	
Very Fine	VF	
Fine	F	
Medium	M	
Coarse	C	
Very Coarse	VC	
Extremely Coarse	XC	
Ultra Coarse	UC	

Droplet size classifications are based on BCPC specifications and in accordance with ASABE Standard S572.1 at the date of printing.

Classifications subject to change.


## HOW TO READ & IDENTIFY A NOZZLE

Each nozzle has a code embossed on its surface and side allowing the following information to be identified.



## NOZZLE CODE EXPLANATION

Example of XR Nozzle 110° spray angle, 04 size made Stainless steel (VS).



## NOZZLE MATERIAL

A variety of materials are available which differ by resistance to wear summarised below.

Hardest: VK (Ceramic), VS (Stainless Steel)

Moderate: VP (Polymer)

Soft: VB (Brass)

XR 80 Degrees Extended Range				
	BAR			
	1.5	2	3	4
XR8003	M	F	F	F
XR8004	M	M	F	F
XR8005	M	M	M	F
XR8006	M	M	M	F
XR8008	C	C	M	M

XR 110 Degrees Extended Range				
	BAR			
	1.5	2	3	4
XR110015	F	F	F	F
XR11002	F	F	F	F
XR11003	M	F	F	F
XR11004	M	M	F	F
XR11005	M	M	M	F
XR11006	M	M	M	F
XR11008	C	C	M	M

## SPRAYER CALIBRATION

### STEP NUMBER 1

#### Check Your Tractor/Sprayer Speed!

The tractor travel speed is the most important variable in sprayer performance. A 10% change in tractor speed gives a 10% change in application rate. This can lead to over or under application of chemicals. Determine the speed by measuring 100 metres then time in seconds how long it takes to cover the 100 metres. If spraying in hilly terrain time distance both up hill and down hill and average the results.

#### THE FORMULA FOR SPEED IS:

$$\text{km/h} = \frac{360}{\text{Time in seconds for 100 metres}}$$

### STEP NUMBER 2


$$A = \frac{B+C}{D} \quad \text{The Inputs:}$$

Before spraying, record the following: **EXAMPLE**

Nozzle type on your sprayer.....TT11002 Flat Fan  
 (All nozzles must be identical)..... Spray Tip  
 Recommended application volume..... 100 l/ha  
 (From manufacturer's label)  
 Measured sprayer speed..... 10 km/h  
 Nozzle spacing..... 50 cm



### STEP NUMBER 3



#### Calculating Required Nozzle Output

Determine l/min nozzle output from formula.

$$\text{FORMULA:} \quad \text{l/min} = \frac{\text{l/ha} \times \text{km/h} \times \text{W}}{60,000}$$

$$\text{EXAMPLE:} \quad \text{l/min} = \frac{\text{l/min} = 100 \times 10 \times 50}{60,000}$$

**ANSWER:** 0.83 l/min

### STEP NUMBER 4



#### Setting the Correct Pressure

Turn on your sprayer and check for leaks or blockage. Inspect and clean, if necessary, all tips and strainers with a brush. Replace one tip and strainer with an identical new tip and strainer on sprayer boom.

**Example:** (Using above inputs) refer to application rate table on page 96 for flat spray tip. The table shows that this nozzle delivers 0.83 l/min at 3 bar.

Turn on your sprayer and adjust pressure. **Collect and measure the volume of the spray from the new tip for one minute in the collection jar.** Fine tune the pressure until you collect 0.83 l/min.

You have now adjusted your sprayer to the proper pressure. It will properly deliver the application rate specified by the chemical manufacturer at your measured sprayer speed.

### STEP NUMBER 5



#### Checking Your System

**Problem Diagnosis:** Now, check the flow rate of a few tips on each boom section. If the flow rate of any tip is 10 percent greater or less than that of the newly installed spray tip, recheck the output of that tip. If only one tip is faulty, replace with new tip and strainer and your system is ready for spraying. However, if a second tip is defective, **replace all tips on the entire boom.** This may sound unrealistic, but two worn tips on a boom are ample indication of tip wear problems. Replacing only a couple of worn tips invites potentially serious application problems.

## WIND METER DELTA T

Calculates Delta T, wind speed, temperature & humidity.  
Hand held, battery operated and easy to use.

- Wind speed range 1.1-20m/s, 0.7 - 72kms/hr
- Air temperature: -15 - 50C
- Air relative humidity 0% - 100% RH
- Temperature and humidity response time 60 seconds
- Wet bulb temperature
- Dry bulb temperature
- Battery: CR2032



118-486


CODE	DESCRIPTION	LIST EX	LIST INC	CAT
118-486	Wind Meter Delta T	\$271.82	\$299.00	B

## WHEN IS IT RIGHT TO SPRAY?

The weather has major impact on spraying conditions.

The effects of wind on spraying can be very clear and easy to see but temperature and humidity also have critical effects that can be measured by Delta T.




Delta T is a relative measure of Humidity vs Temperature summarised in the table (right) that indicates suitability of spray conditions. Preferably spraying should occur when Delta T is between 2 and 8; a higher Delta T has an increased chance for drift caused by evaporation when water based spraying.



## WIND SPEED AND SPRAYING

Wind speeds are critical when spraying. If conditions are too windy, chemicals may not be applied correctly to the target crop leading to poor results, increased drift and possible off target damage. The table below offers a simple method of assessing wind speeds, otherwise they can be more accurately measured using a Wind Meter.

Approx. Airspeed at Boom Height	Description	Visible Signs	Spraying
Less than 2 km/h	Calm	Smoke rises vertically	Spraying inadvisable
2-3.3 km/h	Light air	Direction shown by smoke drift	Avoid spraying
3.2-6.5 km/h	Light breeze	Leaves rustle, wind felt on face	Ideal spraying
6.5-9.6 km/h	Gentle breeze	Leaves & twigs in constant motion	Use low drift nozzles (medium droplets)
9.6-14.5 km/h	Moderate	Small branches moved raises dust or loose paper	Use air induction nozzles (coarse droplets)



## Tips Don't Last Forever!


There is sufficient evidence that spray tips may be the most neglected component in today's farming. Even in countries with obligatory sprayer testing, spray tips are the most significant failure. On the other hand, they are among the most critical of items in proper application of valuable agricultural chemicals.

## An Inside Look at Nozzle Orifice Wear and Damage

While wear may not be detected when visually inspecting a nozzle, it can be seen when viewed through an optical comparator. The edges of the worn nozzle (B) appear more rounded than the edges of the new nozzle (A). Damage to nozzle (C) was caused by improper cleaning. The spraying results from these tips can be seen in the illustrations below.

## Determining Tip Wear

The best way to determine if a spray tip is excessively worn is to compare the flow rate from the used tip to the flow rate of a new tip of the same size and type. Charts in this catalogue indicate the flow rates for new nozzles. Check the flow of each tip by using an accurate graduated collection container, a timing device and an accurate pressure gauge mounted at the nozzle tip. Compare the flow rate of the old tip to that of the new one. Spray tips are considered excessively worn and should be replaced when their flow exceeds the flow of a new tip by 10%.



### NEW SPRAY TIPS

Produce a uniform distribution when properly overlapped.

### WORN SPRAY TIPS

Have a higher output with more spray concentrated under each tip.

### DAMAGED SPRAY TIPS

Have a very erratic output – overapplying and underapplying.

TYPICAL APPLICATION RATES FOR NOZZLES SPACED 50CM APART

\*Recommended nozzle filter mesh size.

MESH SIZE	CODE	LIQ PRES BAR	CAP. L/MIN	APPLICATION RATE: LITRES PER HECTARE AT KM/H												
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H
100 Mesh*	01	1.0	0.23	69.0	55.2	46.0	39.4	34.5	27.6	23.0	17.3	15.3	13.8	11.0	9.2	7.9
		1.5	0.28	84.0	67.2	56.0	48.0	42.0	33.6	28.0	21.0	18.7	16.8	13.4	11.2	9.6
		2.0	0.32	96.0	76.8	64.0	54.9	48.0	38.4	32.0	24.0	21.3	19.2	15.4	12.8	11.0
		2.5	0.36	108	86.4	72.0	61.7	54.0	43.2	36.0	27.0	24.0	21.6	17.3	14.4	12.3
		3.0	0.39	117	93.6	78.0	66.9	58.5	46.8	39.0	29.3	26.0	23.4	18.7	15.6	13.4
		3.5	0.42	126	101	84.0	72.0	63.0	50.4	42.0	31.5	28.0	25.2	20.2	16.8	14.4
		4.0	0.45	135	108	90.0	77.1	67.5	54.0	45.0	33.8	30.0	27.0	21.6	18.0	15.4
		5.0	0.50	150	120	100	85.7	75.0	60.0	50.0	37.5	33.3	30.0	24.0	20.0	17.1
100 Mesh*	015	6.0	0.55	165	132	110	94.3	82.5	66.0	55.0	41.3	36.7	33.0	26.4	22.0	18.9
		1.0	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
		1.5	0.42	126	101	84.0	72.0	63.0	50.4	42.0	31.5	28.0	25.2	20.2	16.8	14.4
		2.0	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
		2.5	0.54	162	130	108	92.6	81.0	64.8	54.0	40.5	36.0	32.4	25.9	21.6	18.5
		3.0	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
		3.5	0.64	192	154	128	110	96.0	76.8	64.0	48.0	42.7	38.4	30.7	25.6	21.9
		4.0	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
50 Mesh*	02	4.5	0.72	216	173	144	123	108	86.4	72.0	54.0	48.0	43.2	34.6	28.8	24.7
		5.0	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
		5.5	0.80	240	192	160	137	120	96.0	80.0	60.0	53.3	48.0	38.4	32.0	27.4
		6.0	0.83	249	199	166	142	125	100	83.0	62.3	55.3	49.8	39.8	33.2	28.5
		6.5	0.87	261	209	174	149	131	104	87.0	65.3	58.0	52.2	41.8	34.8	29.8
		7.0	0.90	270	216	180	154	135	108	90.0	67.5	60.0	54.0	43.2	36.0	30.9
		8.0	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
		1.0	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8
50 Mesh*	025	1.5	0.56	168	134	112	96.0	84.0	67.2	56.0	42.0	37.3	33.6	26.9	22.4	19.2
		2.0	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3
		2.5	0.72	216	173	144	123	108	86.4	72.0	54.0	48.0	43.2	34.6	28.8	24.7
		3.0	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
		3.5	0.85	255	204	170	146	128	102	85.0	63.8	56.7	51.0	40.8	34.0	29.1
		4.0	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
		4.5	0.97	291	233	194	166	146	116	97.0	72.8	64.7	58.2	46.6	38.8	33.3
		5.0	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
50 Mesh*	03	5.5	1.07	321	257	214	183	161	128	107	80.3	71.3	64.2	51.4	42.8	36.7
		6.0	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
		6.5	1.16	348	278	232	199	174	139	116	87.0	77.3	69.6	55.7	46.4	39.8
		7.0	1.21	363	290	242	207	182	145	121	90.8	80.7	72.6	58.1	48.4	41.5
		8.0	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
		3.0	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
		3.5	1.07	321	257	214	183	161	128	107	80.3	71.3	64.2	51.4	42.8	36.7
		4.0	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
50 Mesh*	03	4.5	1.21	363	290	242	207	182	145	121	90.8	80.7	72.6	58.1	48.4	41.5
		5.0	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9
		5.5	1.34	402	322	268	230	201	161	134	101	89.3	80.4	64.3	53.6	45.9
		6.0	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0
		6.5	1.46	438	350	292	250	219	175	146	110	97.3	87.6	70.1	58.4	50.1
		7.0	1.51	453	362	302	259	227	181	151	113	101	90.6	72.5	60.4	51.8
		8.0	1.62	486	389	324	278	243	194	162	122	108	97.2	77.8	64.8	55.5
		1.0	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
50 Mesh*	03	1.5	0.83	249	199	166	142	125	100	83.0	62.3	55.3	49.8	39.8	33.2	28.5
		2.0	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
		2.5	1.08	324	259	216	185	162	130	108	81.0	72.0	64.8	51.8	43.2	37.0
		3.0	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
		3.5	1.27	381	305	254	218	191	152	127	95.3	84.7	76.2	61.0	50.8	43.5
		4.0	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6
		4.5	1.45	435	348	290	249	218	174	145	109	96.7	87.0	69.6	58.0	49.7
		5.0	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1
50 Mesh*	03	5.5	1.60	480	384	320	274	240	192	160	120	107	96.0	76.8	64.0	54.9
		6.0	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
		6.5	1.74	522	418	348	298	261	209	174	131	116	104	83.5	69.6	59.7
		7.0	1.80	540	432	360	309	270	216	180	135	120	108	86.4	72.0	61.7
		8.0	1.93	579	463	386	331	290	232	193	145	129	116	92.6	77.2	66.2

## TYPICAL APPLICATION RATES FOR NOZZLES SPACED 50CM APART

\*Recommended nozzle filter mesh size.

MESH SIZE	CODE	LIQ PRES BAR	CAP L/MIN	APPLICATION RATE: LITRES PER HECTARE AT KM/H														
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H		
50 Mesh*	04	1.0	0.91	273	218	182	156	137	109	91	68.3	60.7	54.6	43.7	36.4	31.2		
		1.5	1.12	336	269	224	192	168	134	112	86.0	74.7	67.2	53.8	44.8	38.4		
		2.0	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2		
		2.5	1.44	432	346	288	247	216	173	144	108	96.0	86.4	69.1	57.6	49.4		
		3.0	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2		
		3.5	1.71	513	410	342	293	257	205	171	128	114	103	82.1	68.4	58.6		
		4.0	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4		
		4.5	1.94	582	466	388	333	291	233	194	146	129	115	93.1	77.6	66.5		
		5.0	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9		
		5.5	2.14	642	514	428	367	321	257	214	161	143	128	103	85.6	73.4		
50 Mesh*	05	1.00	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1		
		1.5	1.39	417	334	278	238	209	167	139	104	92.7	83.4	66.7	55.6	47.7		
		2.0	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2		
		2.5	1.80	540	432	360	309	270	216	180	135	120	108	86.4	72.0	61.7		
		3.0	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.38	67.5		
		3.5	2.13	639	511	426	365	320	256	213	160	142	128	102	85.2	73.0		
		4.0	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8		
		4.5	2.41	723	578	482	413	362	289	241	181	161	145	116	96.4	82.6		
		5.0	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1		
		5.5	2.67	801	641	534	458	401	320	267	200	178	160	128	107	91.5		
50 Mesh*	06	1.0	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0		
		1.5	1.68	504	403	336	288	252	202	168	126	112	101	80.6	67.2	57.6		
		2.0	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5		
		2.5	2.16	648	518	432	370	324	259	216	162	144	130	104	86.4	74.1		
		3.0	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3		
		3.5	2.56	768	614	512	439	384	307	256	192	171	154	123	102	87.8		
		4.0	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9		
		50 Mesh*	08	1.0	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
				1.5	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
				2.0	2.58	774	619	516	442	387	310	258	194	172	155	124	103	88.5
2.5	2.88			864	691	576	494	432	346	288	216	192	173	138	115	98.7		
3.0	3.16			948	758	632	542	474	379	316	237	211	190	152	126	108		
3.5	3.41			1023	818	682	585	512	409	341	256	227	205	164	136	117		
50 Mesh*	10	1.0	2.28	684	547	456	391	342	274	228	171	152	137	109	91.2	78.2		
		1.5	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7		
		2.0	3.23	969	775	646	554	485	388	323	242	215	194	155	129	111		
		3.0	3.95	1185	948	790	677	593	474	395	296	263	237	190	158	135		
50 Mesh*	15	1.0	3.42	1026	821	684	586	513	410	342	257	228	205	164	137	117		
		1.5	4.19	1257	1006	838	718	629	503	419	314	279	251	201	168	144		
		2.0	4.83	1449	1159	966	828	725	580	483	362	322	290	232	193	166		
		3.0	5.92	1776	1421	1184	1015	888	710	592	444	395	355	284	237	203		
		4.0	6.84	2052	1642	1368	1173	1026	821	684	513	456	410	328	274	235		

## Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### TP FLAT FAN STANDARD

- Single piece nozzle with even coverage
- Pressure Range: 2-4 Bar
- Polymer with VisiFlo colour coding

	TP Flat Fan 80 Degrees				
	BAR				
	2	2.5	3	3.5	4
TP80015	F	F	F	F	F
TP8002	F	F	F	F	F
TP8003	F	F	F	F	F
TP8004	M	M	M	F	F
TP8005	M	M	M	M	F
TP8006	M	M	M	M	M
TP8008	C	M	M	M	M

	TP Flat Fan 110 Degrees				
	BAR				
	2	2.5	3	3.5	4
TP110015	F	F	F	F	VF
TP11002	F	F	F	F	F
TP11003	F	F	F	F	F
TP11004	M	M	F	F	F
TP11005	M	M	M	F	F
TP11006	M	M	M	M	F
TP11008	C	M	M	M	M

### XR EXTENDED RANGE

- Single piece nozzle with even coverage
- Polymer, stainless steel and ceramic available
- Lower drift potential at low pressure
- Pressure Range: 1-4 Bar

	XR 80 Degrees Extended Range			
	BAR			
	1.5	2	3	4
XR8003	M	F	F	F
XR8004	M	M	F	F
XR8005	M	M	M	F
XR8006	M	M	M	F
XR8008	C	C	M	M

	XR 110 Degrees Extended Range			
	BAR			
	1.5	2	3	4
XR110015	F	F	F	F
XR11002	F	F	F	F
XR11003	M	F	F	F
XR11004	M	M	F	F
XR11005	M	M	M	F
XR11006	M	M	M	F
XR11008	C	C	M	M

### XRC EXTENDED RANGE

- Same specification droplet size as XR nozzle with added convenience of a moulded Quick TeeJet cap for easy fitment and automatic alignment
- Single piece nozzle with even coverage
- Pressure Range: 1-4 Bar
- Polymer and ceramic material available
- Lower drift potential at low pressure

	XRC 110 Degrees Extended Range						
	BAR						
	1	1.5	2	2.5	3	3.5	4
XRC11002	M	F	F	F	F	F	F
XRC110025	M	F	F	F	F	F	F
XRC11003	M	M	F	F	F	F	F
XRC11004	M	M	M	M	F	F	F
XRC11005	M	M	M	M	M	F	F
XRC11006	C	M	M	M	M	M	F
XRC11008	C	C	C	M	M	M	M

CODE	ANGLE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TP110***-VP	110°	TP - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	\$2.73	\$3.00	B
TP80***-VP	80°	TP - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	\$2.73	\$3.00	B
XR110***-VP	110°	XR - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	\$8.18	\$9.00	B
XR110***-VK	110°	XR - Flat Fan - Ceramic	02, 025, 03, 04, 05, 06, 08	\$12.73	\$14.00	B
XR80***-VK	80°	XR - Flat Fan - Ceramic	03, 04, 05, 06, 08	\$12.73	\$14.00	B
XRC110***-VK	110°	XRC - Flat Fan - Ceramic with Moulded Cap	025, 03, 04, 05, 06, 08	\$18.18	\$20.00	B
10 PACK NOZZLES:						
PKT-TP110***-VP	110°	VisiFlo - Flat Fan - Poly 10 Pk	02, 03, 04	\$38.18	\$42.00	B
PKT-XR110***-VP	110°	XR - Flat Fan - Poly 10 Pk	02, 03, 04	\$90.00	\$99.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*. EG TP11004VP

## Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### DRIFT GUARD SPRAY TIPS

- Pre-orifice design produces larger droplets and reduces the small drift prone droplets, minimising off-target spray application
- Tapered edge flat spray pattern
- The colour-coded pre-orifice is removable for any necessary cleaning operations
- Poly & stainless steel material available
- Sizes available 015 to 05
- Pressure Range: 2-4 Bar

	DG TeeJet				
	BAR				
	2	2.5	3	3.5	4
DG110015	M	F	F	F	F
DG11002	M	M	M	M	M
DG11003	C	M	M	M	M
DG11004	C	C	M	M	M
DG11005	C	C	C	M	M

### TURBO TEEJET FLAT SPRAY TIPS

- Tapered edge wide angle pattern for uniform coverage in broadcast spraying
- Large, rounded internal passage to minimise clogging
- Larger droplets for less drift (1-6 Bar)
- Poly material

	Turbo TeeJet										
	BAR										
	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6
TT11001	C	C	M	M	M	M	F	F	F	F	F
TT110015	VC	C	M	M	M	M	F	F	F	F	F
TT11002	VC	C	C	M	M	M	M	M	F	F	F
TT110025	VC	C	C	M	M	M	M	F	F	F	F
TT11003	VC	C	C	C	C	M	M	M	M	M	M
TT11004	XC	VC	C	C	C	M	M	M	M	M	M
TT11005	XC	VC	VC	C	C	C	C	M	M	M	M
TT11006	XC	VC	VC	VC	VC	C	C	C	C	M	M
TT11008	XC	VC	VC	VC	C	C	C	C	M	M	M

### TURBO TWINJET SPRAY TIPS

- Dual outlet design produces two 110° flat fan spray patterns using the patented technology from the Turbo TeeJet® nozzle. The angle between each spray pattern is 60° forward and back
- Excellent canopy coverage and penetration while delivering excellent drift resistance
- Spraying pressure (1.5-6 Bar), ideal for use with automatic spray rate controllers
- Best suited to applications where superior leaf coverage and canopy penetration is important
- Poly material
- Sizes available 02 to 06

	Turbo Twinjet (TTJ60)									
	BAR									
	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6
TTJ60-11002	C	C	C	C	M	M	M	M	M	M
TTJ60-110025	VC	C	C	C	C	C	C	M	M	M
TTJ60-11003	VC	C	C	C	C	C	C	C	M	M
TTJ60-11004	VC	C	C	C	C	C	C	C	C	M
TTJ60-11005	VC	C	C	C	C	C	C	C	C	C
TTJ60-11006	XC	VC	C	C	C	C	C	C	C	C

CODE	ANGLE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
DG110***-VP	110°	Polymer - Drift Guard Even Flat Fan	015, 02, 03, 04, 05	\$16.36	<b>\$18.00</b>	B
DG110***-VS	110°	Stainless Steel - Drift Guard Even Flat Fan	015, 02, 03, 04, 05	\$30.00	<b>\$33.00</b>	B
TT110***-VP	110°	Poly - Turbo Wide Angle Flat Fan	01, 015, 02, 025, 03, 04, 05, 06, 08	\$15.45	<b>\$17.00</b>	B
TTJ60-110***VP		Poly - Turbo Twinjet Wide Angle Flat Fan	02, 03, 04, 05, 06	\$20.00	<b>\$22.00</b>	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### AIXR AIR INDUCTION NOZZLES

- Pressure range 1-6 Bar
- Made of a two-piece polymer construction. Excellent chemical resistance, including acids, as well as exceptional wear life
- A lower pressure air induced nozzle offers better drift management suitable for the broadacre market
- Compact size to prevent tip damage and removable pre-orifice
- Depending on the chemical, produces large air-filled drops through a venturi air aspirator



AIXR11002-VP

	AIXR Air Induction Nozzles					
	BAR					
	1.5	2	3	4	5	6
AIXR110015	VC	C	C	M	M	M
AIXR11002	VC	VC	C	M	M	M
AIXR110025	XC	VC	VC	C	C	M
AIXR11003	XC	VC	VC	C	C	M
AIXR11004	XC	XC	VC	VC	C	C
AIXR11005	XC	XC	VC	VC	C	C
AIXR11006	XC	XC	VC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AIXR110***-VP	110°	Poly - Air Induction Spray Tip	015, 02, 025, 03, 04, 05, 06	\$17.27	\$19.00	B

#### 10 PACK NOZZLES:

PKT-AIXR110***-VP	110°	10 Pk Poly Air Induction Spray tip	02, 03, 04	\$180.91	\$199.00	B
-------------------	------	------------------------------------	------------	----------	----------	---

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

### TURBO TEEJET INDUCTION (TTI) 2,4-D COMPLIANT NOZZLES

- Produces extremely coarse (XC) and ultra coarse (UC) droplets across a very wide pressure range (1-7 Bar)
- Offers the lowest percentage of driftable droplets available (<1%)\*
- Fully compliant with the new 2,4-D label requirements, including the advisory statements for summer spraying between Oct 3rd and April 15th
- All polymer construction for excellent chemical and wear resistance
- Compact size to prevent tip damage
- Removable pre-orifice
- Ideal for use with spray rate controllers



TTI11002VP

	Turbo TeeJet Induction (TTI)						
	BAR						
	1.5	2	3	4	5	6	7
TTI110015	UC	UC	UC	XC	XC	VC	VC
TTI11002	UC	UC	UC	XC	XC	VC	VC
TTI110025	UC	UC	UC	UC	XC	VC	VC
TTI11003	UC	UC	UC	UC	XC	XC	VC
TTI11004	UC	UC	UC	UC	XC	VC	VC
TTI11005	UC	UC	UC	XC	XC	VC	C
TTI11006	UC	UC	UC	XC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TTI110***VP	110°	Poly - Turbo Induction Spray Tip	015, 02, 025, 03, 04, 05, 06	\$27.27	\$30.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### AI AIR INDUCTION NOZZLES

- Stainless steel insert produces tapered edge flat spray 110° pattern for uniform coverage in broadcast spraying
- Polymer insert holder and pre-orifice with VisiFlo colour-coding
- Larger droplets for less drift
- Depending on the chemical, produces large air-filled drops through the use of a venturi air aspirator
- Pressure ranges from 2 – 8 Bar
- Sizes available 015-08

	AI Air Induction Nozzles											
	BAR											
	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	8
AI110015	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C	C
AI11002	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C	C
AI110025	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11003	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11004	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11005	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11006	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	VC	C
AI11008	UC	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AI110**-VS	110°	Air Induction Spray Tip – Stainless Steel	015, 02, 025, 03, 04, 05, 06, 08	\$35.45	<b>\$39.00</b>	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

### AIC AIR INDUCTION NOZZLES

- Similar droplet size as AI nozzles with added convenience of a moulded nozzle cap
- Available in stainless steel poly and ceramic inserts
- Polymer insert holder and pre-orifice with VisiFlo colour-coding
- Sizes available 015-15 stainless steel, 025-08 ceramic, 02-05 polymer

	AIC Air Induction Nozzles										
	BAR										
	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7
AIC110015	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AIC11002	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AIC110025	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11003	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11004	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11005	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11006	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	VC
AIC11008	UC	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC
AIC11010	UC	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC
AIC11015	UC	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AIC110***-VS	110°	Air Induction Spray Tip With Cap & Gasket - S/Steel	015, 02, 025, 04, 06, 08, 10, 15	\$39.09	<b>\$43.00</b>	B
AIC110***-VK	110°	Air Induction Spray Tip With Cap & Gasket - Ceramic	025, 03, 04, 05, 06, 08	\$30.91	<b>\$34.00</b>	B
AIC110***-VP	110°	Air Induction Polymer	02, 025, 04, 05	\$18.18	<b>\$20.00</b>	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

### Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

## AITTJ60 AIR INDUCTION TURBO TWINJET

- Air induction with dual 110° flat fan patterns
- 60° between leading and trailing spray patterns
- Best suited for post-emergence applications
- Excellent drift control with coarse to extremely coarse droplets
- Available in VisiFlo color coded capacities (02 through 15)
- Pressure ranges from 1.5 – 7 Bar

	<b>AITTJ60 Air Induction Twin Turbo Nozzles</b>						
	BAR						
	1.5	2	2.5	3	3.5	4	4.5
AITTJ60-11002	XC	VC	C	C	M	M	M
AITTJ60-110025	XC	VC	C	C	M	M	M
AITTJ60-11003	UC	XC	VC	C	C	M	M
AITTJ60-11004	UC	XC	VC	C	C	M	M
AITTJ60-11005	UC	XC	VC	VC	C	M	M
AITTJ60-11006	UC	XC	VC	C	C	M	M
AITTJ60-11008	UC	UC	XC	XC	VC	VC	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AITTJ60-110**VP	110°	Air Induction Turbo Twinjet - Poly	02, 025, 03, 04, 05, 06, 08	\$23.64	\$26.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## TTI TWINJET (TTI60) 2,4-D COMPLIANT NOZZLES

- Provides exceptional spray coverage for consistent, reliable weed control
- Fully compliant with the new 2,4-D label requirements
- TTI60 produces two 110° wide angle, flat spray patterns for uniform coverage in broadcast applications
- 60° angle between leading and trailing patterns for increased canopy penetration and leaf coverage

	<b>TTI60 Air Induction Twin Turbo Nozzles</b>										
	BAR										
	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	7
TTI60-11002	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC	C
TTI60-110025	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC	C
TTI60-11003	UC	UC	UC	UC	UC	XC	XC	XC	VC	VC	VC
TTI60-11004	UC	UC	UC	UC	UC	XC	XC	XC	VC	VC	VC
TTI60-11005	UC	UC	UC	UC	UC	XC	XC	XC	XC	VC	VC
TTI60-11006	UC	UC	UC	UC	UC	XC	XC	XC	XC	VC	VC
TTI60-11008	UC	UC	UC	UC	UC	UC	UC	UC	UC	XC	XC

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TTI60-1100***VP	110°	Air Induction Twinjet Flat Fan -Poly	02, 025, 03, 04, 05, 06, 08	\$35.45	\$39.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## STREAMJET SJ-3 FERTILISER (3 STREAM)

- Removable metering orifice for easy cleaning
- Equally spaced distribution at 50cm height
- Use with Quick TeeJet cap CP114442\*-CE
- All acetal construction for excellent chemical resistance
- Recommended operating pressure: 1.5-4 Bar



CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
SJ3-***-VP	Poly - 3 Stream Streamjet Fertiliser Nozzles	015,02,03,04,05,06	\$29.09	\$32.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## Droplet Size Classification

F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Course
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### CFA AIR INDUCTION NOZZLES

- Pressure range 1.5 to 8 bar
- Made of Delrin material to assist with exceptional wear life
- Compact size to prevent tip damage and removable pre orifice for cleaning
- Produces large air filled droplets to assist with drift reduction
- Made in Italy and supplied in packs of 12



CFA11002

	CFA Air Induction Nozzles					
	BAR					
	1.5	3	5	7	8	
CFA110015	VC	C	C	C	M	
CFA11002	XC	C	C	C	C	
CFA110025	XC	VC	C	C	C	
CFA11003	XC	VC	VC	C	C	
CFA11004	XC	XC	VC	C	C	
CFA11005	XC	XC	VC	VC	C	
CFA11006	XC	XC	VC	VC	C	

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
CFA110***	110°	Delrin - Air Induction nozzles	015, 02, 025, 03, 04, 05, 06	\$10.00	\$11.00	B

#### 10 PACK NOZZLES:

PKT-CFA110***	110°	12 Pk Poly Air Induction Spray tip	015, 02, 025, 03, 04	\$97.27	\$107.00	B
---------------	------	------------------------------------	----------------------	---------	----------	---

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

### IDK AIR INDUCTION NOZZLES

- Air induction flat-spray tip
- Pressure Range:
  - Spray angle 120°
  - IDK-01 to 03, (1.5 - 6 Bar)
  - IDK-04 to 05, (1 - 6 Bar)
- Hard-wearing and non-clogging thanks to large lateral air-induction channels



IDK12004P

	IDK Lechler						
	BAR						
	1.5	2	2.5	3	4	5	6
IDK12001	C	C	C	M	M	M	F
IDK120015	C	C	C	C	M	M	F
IDK12002	VC	C	C	C	M	M	M
IDK120025	VC	VC	C	C	C	M	M
IDK12003	VC	VC	VC	C	C	M	M
IDK12004	VC	VC	VC	VC	C	C	M
IDK12005	VC	VC	VC	VC	C	C	M
IDK12006	XC	VC	VC	VC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
IDK120***P	120°	Poly - Air Induction Spray Tip	01, 015, 02, 025, 03, 04, 05	\$14.55	\$16.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## Droplet Size Classification


F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Coarse	UC	Ultra Coarse
---	------	---	--------	---	--------	----	-------------	----	------------------	----	--------------

### AOA AIR INDUCTION OFF CENTRE NOZZLES

- Made of moulded Delrin, a polymer ensuring high chemical stability and an exceptional long useful life
- 80° spray pattern and removable pre orifice for cleaning
- Sizes available from 02 to 05
- Supplied in the M99-73 fence line kit
- Ideal for drift reduction



**AOC02**



AOC	Off Centre Air Induction Nozzles					
	BAR					
	1.5	2	3	4	6	8
AOC02	UC	UC	XC	XC	VC	VC
AOC025	XC	VC	C	C	C	C
AOC03	UC	XC	XC	VC	VC	C
AOC04	UC	XC	XC	XC	VC	VC
AOC05	UC	XC	XC	XC	VC	VC

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AOC0**	Poly Air Induction Off Centre Nozzle	02, 025, 03, 04, 05	\$10.91	\$12.00	B


\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

### BRASS OFF-CENTRE - SMALL CAPACITY

These spray tips are commonly installed in double and single swivel nozzle bodies. A wide spray swath is easily obtained from the bodies' easily adjustable angular position.



CODE	BAR	L/MIN	H = 45CM L/HA				
			W (CM)	4 KM/H	6 KM	8 KM	10 KM
OC-02	2.0	0.65	172	56.7	37.8	28.3	22.7
	3.0	0.79	177	66.9	44.6	33.5	26.8
	4.0	0.91	182	75.0	50.0	37.5	30.0
OC-04	2.0	1.29	231	83.8	55.8	41.9	33.5
	3.0	1.58	236	100	66.9	50.2	40.2
	4.0	1.82	238	115	76.5	57.4	45.9
OC-06	2.0	1.94	251	116	77.3	58.0	46.4
	3.0	2.37	256	139	92.6	69.4	55.5
	4.0	2.74	259	159	106	79.3	63.5



CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
OC-**	Brass - TeeJet Off Centre Nozzle	01, 02, 04, 06, 08, 12, 16	\$35.45	\$39.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## HOLLOW CONE NOZZLES

The ceramic hollow cone nozzles are designed for creating small droplets ideal for foliar application of insecticides and fungicides. Constructed with a moulded outer over a ceramic insert that is mated to a turbulence chamber and counter-swirling device which is easily separated for cleaning. The ceramic nozzle allows for long lasting life and the vortexing action in the nozzle provides a 80° spray angle between 3-5 bar and works well at both high and low operating pressures. Maximum operating pressure 20 Bar.

## HCC 80° CERAMIC HOLLOW CONE NOZZLES

	CAPACITY (L/min)																			
	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR		
HCC005	0.20	0.23	0.26	0.28	0.31	0.33	0.35	0.37	0.38	0.40	0.42	0.43	0.45	0.46	0.48	0.49	0.50	0.52		
HCC0075	0.30	0.35	0.39	0.42	0.46	0.49	0.52	0.55	0.57	0.60	0.62	0.65	0.67	0.69	0.71	0.73	0.75	0.77		
HCC01	0.40	0.46	0.52	0.57	0.61	0.65	0.69	0.73	0.77	0.80	0.83	0.86	0.89	0.92	0.95	0.98	1.01	1.03		
HCC015	0.60	0.69	0.77	0.85	0.92	0.98	1.04	1.10	1.15	1.20	1.25	1.30	1.34	1.39	1.43	1.47	1.51	1.55		
HCC02	0.80	0.92	1.03	1.13	1.22	1.31	1.39	1.46	1.53	1.60	1.67	1.73	1.79	1.85	1.90	1.96	2.01	2.07		
HCC025	1.00	1.15	1.29	1.41	1.53	1.63	1.73	1.83	1.91	2.00	2.08	2.16	2.24	2.31	2.38	2.45	2.52	2.58		
HCC03	1.20	1.39	1.55	1.70	1.83	1.96	2.08	2.19	2.30	2.40	2.50	2.59	2.68	2.77	2.86	2.94	3.02	3.10		
HCC035	1.40	1.62	1.81	1.98	2.14	2.29	2.42	2.56	2.68	2.80	2.91	3.02	3.13	3.23	3.33	3.43	3.52	3.61		
HCC04	1.60	1.85	2.07	2.26	2.44	2.61	2.77	2.92	3.06	3.20	3.33	3.46	3.58	3.70	3.81	3.92	4.03	4.13		
HCC05	2.00	2.31	2.58	2.83	3.06	3.27	3.46	3.65	3.83	4.00	4.16	4.32	4.47	4.62	4.76	4.90	5.03	5.16		

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
HCC***	HCC Hollow Cone Nozzle	80°	005,0075,01,015,02,025,03,035,04,05	\$13.64	<b>\$15.00</b>	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*

## HCI 40° CERAMIC HOLLOW CONE NOZZLES

	CAPACITY (L/min)																			
	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR		
HCI40015	0.60	0.69	0.77	0.85	0.92	0.98	1.04	1.10	1.15	1.20	1.25	1.30	1.34	1.39	1.43	1.47	1.51	1.55		
HCI4002	0.80	0.92	1.03	1.13	1.22	1.31	1.39	1.46	1.53	1.60	1.67	1.73	1.79	1.85	1.90	1.96	2.01	2.07		
HCI40025	1.00	1.15	1.29	1.41	1.53	1.63	1.73	1.83	1.91	2.00	2.08	2.16	2.24	2.31	2.38	2.45	2.52	2.58		
HCI4003	1.20	1.39	1.55	1.70	1.83	1.96	2.08	2.19	2.30	2.40	2.50	2.59	2.68	2.77	2.86	2.94	3.02	3.10		
HCI40035	1.40	1.62	1.81	1.98	2.14	2.29	2.42	2.56	2.68	2.80	2.91	3.02	3.13	3.23	3.33	3.43	3.52	3.61		
HCI4004	1.60	1.85	2.07	2.26	2.44	2.61	2.77	2.92	3.06	3.20	3.33	3.46	3.58	3.70	3.81	3.92	4.03	4.13		
HCI4005	2.00	2.31	2.58	2.83	3.06	3.27	3.46	3.65	3.83	4.00	4.16	4.32	4.47	4.62	4.76	4.90	5.03	5.16		
HCI4006	2.40	2.77	3.10	3.39	3.67	3.92	4.16	4.38	4.60	4.80	5.00	5.18	5.37	5.54	5.71	5.88	6.04	6.20		

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
HCI400**	HCI Hollow Cone Nozzle	40°	15, 2, 25, 3, 35, 4, 5, 6	\$12.73	<b>\$14.00</b>	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*




TX

## HOLLOW CONE NOZZLES (TX)

VisiFlo colour-coded version consists of ceramic orifice in polypropylene body. Maximum operating pressure 20 bar. Spray angle is 80° at 7 Bar. Finely atomised spray pattern provides thorough coverage.

**Excellent:** Post – emergence contact herbicides, fungicides and insecticides ensures finely atomised spray droplets reach target areas.

**Good:** With defoliants & foliar fertilisers at 3 Bar pressure and above.



TX

	CAPACITY (L/min)																			
	2 BAR	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR	
TX-VK3	0.164	0.196	0.223	0.245	0.266	0.284	0.301	0.317	0.332	0.346	0.359	0.372	0.384	0.396	0.407	0.418	0.429	0.439	0.449	
TX-VK4	0.218	0.262	0.299	0.331	0.360	0.386	0.410	0.433	0.454	0.474	0.493	0.512	0.529	0.546	0.562	0.578	0.594	0.608	0.623	
TX-VK6	0.327	0.393	0.448	0.496	0.539	0.579	0.615	0.649	0.681	0.711	0.740	0.767	0.794	0.819	0.844	0.867	0.890	0.912	0.934	
TX-VK8	0.433	0.525	0.603	0.671	0.732	0.788	0.840	0.888	0.934	0.978	1.02	1.06	1.10	1.13	1.17	1.20	1.24	1.27	1.30	
TX-VK10	0.541	0.657	0.753	0.838	0.915	0.985	1.05	1.11	1.17	1.22	1.27	1.32	1.37	1.42	1.46	1.50	1.55	1.59	1.63	
TX-VK12	0.649	0.788	0.904	1.01	1.10	1.18	1.26	1.33	1.40	1.47	1.53	1.59	1.65	1.70	1.75	1.81	1.86	1.90	1.95	
TX-VK18	0.968	1.18	1.37	1.53	1.67	1.80	1.93	2.04	2.15	2.25	2.35	2.45	2.54	2.63	2.72	2.80	2.88	2.96	3.03	
TX-VK26	1.40	1.71	1.97	2.20	2.41	2.60	2.78	2.95	3.11	3.26	3.40	3.54	3.67	3.80	3.92	4.04	4.16	4.27	4.38	

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TX-VK**	TX Ceramic Hollow Cone Nozzle	80°	3, 4, 6, 8, 10, 12, 18, 26	\$18.18	\$20.00	B

\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*



## AIR ASSIST NOZZLES

MA1-10



MA2-10



## CERAMIC DISC AND SWIRL PLATES (OUTPUT IN LITRES PER MINUTE)

NOZZLE (SIZE)	SWIRL PLATE (CENTRE SIZE)	10 BAR	15 BAR	20 BAR	25 BAR	30 BAR	40 BAR
MA1-08 (0.8)	MA2-00 (Closed Centre)	0.9	1.0	1.2	1.3	1.4	1.6
MA1-10 (1.0)	MA2-00 (Closed Centre)	1.3	1.5	1.7	1.9	2.1	2.4
MA1-12 (1.2)	MA2-00 (Closed Centre)	1.7	2.0	2.3	2.6	2.8	3.2
MA1-15 (1.5)	MA2-00 (Closed Centre)	2.3	2.7	3.1	3.3	3.6	4.0
MA1-18 (1.8)	MA2-00 (Closed Centre)	2.7	3.2	3.6	4.1	4.5	5.0
MA1-20 (2.0)	MA2-00 (Closed Centre)	3.4	3.8	4.3	4.7	5.1	5.7
MA1-25 (2.5)	MA2-00 (Closed Centre)	3.9	4.7	5.4	6.0	6.6	7.7
MA1-10 (1.0)	MA2-10 (1.0)	1.6	1.9	2.2	2.4	2.6	3.0
MA1-12 (1.2)	MA2-10 (1.0)	2.5	3.0	3.4	3.8	4.1	4.7
MA1-15 (1.5)	MA2-12 (1.2)	3.6	4.2	4.8	5.3	5.8	6.9
MA1-18 (1.8)	MA2-15 (1.5)	5.0	5.9	6.7	7.4	8.0	9.5
MA1-20 (2.0)	MA2-18 (1.8)	6.2	7.8	8.7	9.6	10.4	11.8

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
MA1-**	Ceramic disc	08,10,12,15,18,20,25	\$3.64	\$4.00	B
MA2-**	Swirl plate	00 (Closed),10,12,15,18,20	\$3.64	\$4.00	B

\*\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*\*



## TURBOMISER NOZZLES

- Ideal for Silvan Turbomiser sprayers
- Produce smaller droplets for thorough coverage with contact pesticides and foliar applications
- Maximum spray pressure to 20 bar
- Available in different material type to better suit different pressure range and chemical formulation



D



DVP

	CAPACITY (L/min)						
	1 BAR	1.5 BAR	2 BAR	2.5 BAR	3 BAR	4 BAR	5 BAR
D1	0.26	0.32	0.37	0.43	0.47	0.55	0.62
DVP-2	0.48	0.60	0.67	0.77	0.82	0.94	1.07
DVP-3	0.63	0.79	0.89	1.01	1.1	1.25	1.4
DVP-4	1.15	1.39	1.6	1.81	1.96	2.22	2.4
DVP-5	1.78	2.17	2.49	2.82	3.05	3.43	3.81
D6	2.58	3.16	3.67	3.9	4.32	4.99	5.62
D7	3.47	4.32	4.84	5.4	5.88	6.71	7.55
D8	4.48	5.58	6.34	7.29	7.84	8.98	10.1

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
D*	Hardened Stainless Steel Disc	1, 2, 3, 4, 5, 6, 7, 8	\$4.55	\$5.00	B
DVP-*	Poly Disc	2, 3, 4, 5, 6, 7, 8	\$2.73	\$3.00	B

\*\* DENOTES SIZE REQUIRED. TO ORDER ADD THE SIZE IN PLACE OF \*\*

The DVP discs can be identified by their colour. The stainless steel discs have the number stamped on them

Silvan self-aligning nozzle caps are designed to fit all popular brands of spray tips including fan, cone, anvil and other specialised nozzles. Cap sealing gaskets are manufactured from chemical resistant EPDM material.

FOR USE WITH SPRAY TIPS (REFERENCE GUIDE ONLY)	COLOUR CAPS	CAP CODE	LIST EX	LIST INC	CAT	GASKET ONLY CODE	LIST EX	LIST INC	CAT
 TeeJet® Flat Spray Tips, Lur-mark Flat Fan Tips, ASJ Flat Fan Tips, Lechler IDK		G8253000	\$2.73	<b>\$3.00</b>	B	402200-040	\$0.91	<b>\$1.00</b>	B

Maximum operating pressure 30 Bar (435 psi).

## NON-DRIP NOZZLE HOLDERS

Single clamping screw on the 1/2" model.  
Non-drip shut-off valve. Opens above 0.5 Bar.  
Includes nozzle body & cap, gasket & screw.



AR-206

AR-210

CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
AR-206 (6 pack)	7mm	1/2"	20 Bar	\$70.00	<b>\$77.00</b>	B
AR-210 (4 pack)	10mm	3/4"	20 Bar	\$99.09	<b>\$109.00</b>	B
G8253000	Replacement cap			\$2.73	<b>\$3.00</b>	B
402200-040	Washer suit cap			\$0.91	<b>\$1.00</b>	B

## TEEJET NOZZLE HOLDERS

- Features ChemSaver® drip-free shut-off
- Requires 0.7 Bar the nozzle to open check valve

Note: Excludes nozzle cap and gasket

NOZZLE CAPS REFER TO PAGE 111



CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ17560A-1/2x7-NYB	7mm	1/2"	20 Bar	\$10.91	<b>\$12.00</b>	B
QJ17560A-1/2-NYB	9.5mm	1/2"	20 Bar	\$10.91	<b>\$12.00</b>	B
QJ17560A-3/4-NYB	9.5mm	3/4"	20 Bar	\$10.91	<b>\$12.00</b>	B
QJ17560A-1-NYB	9.5mm	1"	20 Bar	\$11.82	<b>\$13.00</b>	B

## TEEJET MULTIPLE NOZZLE HOLDERS

This 3 position nozzle holder features a positive shut-off between each position and includes ChemSaver® diaphragm check valve for drip-free shut-off.

Note: Excludes nozzle caps and gaskets


NOZZLE CAPS REFER TO PAGE 111



CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ363C-1/2-NYB	9.5mm	1/2"	20 Bar	\$50.00	<b>\$55.00</b>	B
QJ363C-3/4-NYB	9.5mm	3/4"	20 Bar	\$50.00	<b>\$55.00</b>	B
QJ363C-1-NYB	9.5mm	1"	20 Bar	\$50.00	<b>\$55.00</b>	B


FOR USE WITH SPRAY TIPS (REFERENCE GUIDE ONLY)

**TeeJet Flat Spray Tips (Smaller Capacities)**



**FITS**

**TeeJet Flat Spray Tips (Larger Capacities)**




**FITS**

**TJ TwinJet® AI TeeJet® & AIUB TeeJet® SJ-3 StreamJet®**



**FITS**


**DG TwinJet® Turbo TeeJet Induction® AITTJ60 Turbo TwinJet®**



**Turbo FloodJet® (TF) VisiFlo® Spray Tip**





**TK-VS FloodJet® VisiFlo Spray Tip**



**FITS**

**TK FloodJet® FL FullJet® TX ConeJet® TG Full Cone Hose Shank**



**FITS**

**Ceramic Disc-Core**



**FITS**

Provides shut-off at nozzle for quick spacing change or change in spray swath (supplied with gasket)

**FITS**

EPDM standard Gasket only

Viton optional Gasket only



COLOUR NOZZLE CAPS	TEEJET CAP CODE	LIST EX	LIST INC	CAT
	CP114440-3-CE	\$1.82	\$2.00	B
	CP114440-4-CE			
	CP114440-5-CE			
	CP114440-6-CE			
	CP114440-7-CE			
	CP114440-8-CE			
	CP25609-4-NY	\$2.73	\$3.00	B
	CP25609-6-NY			
	CP114442-3-CE	\$2.73	\$3.00	B
	CP114442-4-CE			
	CP114442-5-CE			
	CP114442-6-CE			
	CP114442-7-CE			
	CP25599-3-NY	\$2.73	\$3.00	B
	CP25599-6-NY			
	CP114444-3-CE	\$2.73	\$3.00	B
	CP114444-4-CE			
	CP114444-5-CE			
	CP114444-6-CE			
	CP26277-1-NY	\$4.55	\$5.00	B
	114447-1-CELR	\$6.36	\$7.00	B
	CP19438-EPR	\$1.82	\$2.00	B
	CP19438-VI	\$9.09	\$10.00	B

CP19438-EPR (EPDM standard)

CP19438-VI (Viton optional)



Quick TeeJet Cap & Std Seat Gasket

## TEEJET NOZZLE CAPS

The Quick TeeJet® caps are designed with grooves that fit locating lugs on the nozzle body. Caps are made of nylon and are available for use with all TeeJet spray tips. Maximum operating pressure of 20 Bar.

\*Specify colour code (see chart), e.g: CP114440-3-CE will supply red cap.

## NOZZLE FILTRATION

Nozzle or tip filters provide the final stage of filtration before the liquid is sprayed. They are available as standard or small cup type filters and fit most nozzle holders. Also available in anti-drip versions.



## CUP STRAINERS

- Stainless steel construction
- Choice of 50 and 100 mesh screens



50 Mesh



100 Mesh



G8139001

10 PACK

4067 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-4067-SS-50	50	Stainless Steel	CUP	Stainless Steel	\$51.82	<del>\$57.00</del>	B
PKT-4067-SS-100	100	Stainless Steel	CUP	Stainless Steel	\$51.82	<del>\$57.00</del>	B
G8139001	50	Stainless Steel	CUP	Nylon	\$3.64	<del>\$4.00</del>	B

## POLY TIP STRAINERS

Tip strainers protect the spray tip orifice from clogging and damage. Stainless steel screens available in 50 and 100 mesh.



50 Mesh



100 Mesh

10 PACK

8079 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-8079-PP-50	50	Stainless Steel	Standard	Polypropylene	\$41.82	<del>\$46.00</del>	B
PKT-8079-PP-100	100	Stainless Steel	Standard	Polypropylene	\$41.82	<del>\$46.00</del>	B

## TIP STRAINER WITH CHECK VALVE

Ideal for knapsacks and 12V sprayers by eliminating any excess drips. Fits all Silvan nozzle bodies.

- Check valve opens at 0.34 Bar
- Recommended for flow rates up to 3 L/min
- Available in 50 and 100 mesh screens
- Not for use with DG, AI or TTI nozzles

Note: Use of these check valves results in a pressure drop of 0.34 Bar



4193A SERIES

NOTE: CUT-AWAY PICTURE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
4193A-10-50SS	50	Stainless Steel	Standard With Check Valve	Brass	\$15.45	<del>\$17.00</del>	B
4193A-PP-10-100SS	100	Stainless Steel	Standard With Check Valve	Polypropylene	\$10.91	<del>\$12.00</del>	B
4193A-PP-10-50SS	50	Stainless Steel	Standard With Check Valve	Polypropylene	\$10.91	<del>\$12.00</del>	B

## LURMARK DEFLECTIP 80° - 145°

The Lurmark Deflectip produces a wide angled even spray (from 80 to 145°) making it ideal for banding pre and post emergent herbicides.

- Large orifice produces coarser droplets which are less prone to drift and blocking
- Precision moulded in tough and durable polyacetal with a spray angle tolerance of +/- 5%
- Requires 1m nozzle spacing
- Fits in most nozzle caps



LC-15

CODE	ANGLE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
LC-**	80° -145°	Poly - Lurmark Deflectip Spray Nozzle	15, 20	\$9.09	<b>\$10.00</b>	B

## HYPRO BOOMLESS NOZZLES

Eliminate the need for a spraying boom with the durable boomless nozzle that provides efficient spray.

- Ideal for applications where a conventional boom cannot be used due to obstacles such as power poles, fences, trees, etc.
- Coarse droplet size, excellent low drift option while extending spray reach
- Common uses include orchard, vineyard, forestry, pasture, turf & golf course spraying, as well as maintaining fence lines
- Designed for herbicide or fertiliser application
- Maintains a consistent and adjustable spray swath over a pressure range of 2-4 Bar
- Includes quick connect cap and gasket for easy handling
- Excellent durability & low maintenance



CODE	PRESSURE	L/MIN	SWATH WIDTH	L/HA				LIST EX	LIST INC	CAT
				6 KM/H	8 KM/H	12 KM/H	16 KM/H			
FC-XT010	2 Bar/30 psi	3.2	3.7	83	62	41	31	\$127.27	<b>\$140.00</b>	B
FC-XT020	2 Bar/30 psi	6.4	4.8	134	101	67	50	\$127.27	<b>\$140.00</b>	B
FC-XT024	2 Bar/30 psi	7.7	4.9	158	118	79	59	\$127.27	<b>\$140.00</b>	B



M99-65

## BRASS BOOMLESS NOZZLES KIT WITH SINGLE OR DOUBLE SIDED SWATH

These compact kits offer broadcast spraying, ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Attaches to an ATV rack, UTV, side-by-side or side framework with supplied clamp
- Supplied with 600mm of 12mm I.D hose and inline tap to turn isolate flow or turn on/off
- Supplied with both single and twin sided nozzles
- Compatible with a broad range of Silvan spray equipment



6560-01 (M99-65)  
6561-01 (M99-66)

### M99-65 (SIZE 02)

- Suitable for sprayers fitted with the DDP-552A (17L/min) Smoothflo pump
- Spray swath single up to 3.8m or double up to 7.6m

### M99-66 (SIZE 05)

- Pump flow suitable is 11 -14L/min (381-125, 361-2088 or DDP-555)
- Spray swath single up to 7.6m or double up to 15.2m

### Operating Information For 180 Degree Brass Nozzles

Product Code	Psi	Bar	L/min	Swath (m)	LITRES PER HECTARE - (Speed Km per hour)				
					5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-65	30	2.1	3.2	6.7	58	48	36	29	24
	40	2.8	3.8	7.0	65	54	41	33	27
	50	3.4	4.2	7.3	69	57	43	34	29
	60	4.1	4.6	7.6	72	60	45	36	30

M99-66	30	2.1	6.4	13.4	58	48	36	29	24
	40	2.8	7.6	14.0	65	54	41	33	27
	50	3.4	8.4	14.6	69	57	43	34	29
	60	4.1	9.1	15.2	72	60	45	36	30

Please note: 90 degrees nozzles have the same litres per hectare but 1/2 the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-65	Boomless Nozzle (Size 02)	2 to 4 Bar	4.56	7.6	\$190.00	<b>\$209.00</b>	B
M99-66	Boomless Nozzle (Size 05)	2 to 4 Bar	9.12	15.2	\$199.09	<b>\$219.00</b>	B
6560-01	Nozzle only (suit M99-65)				\$99.09	<b>\$109.00</b>	B
6561-01	Nozzle only (suit M99-66)				\$100.00	<b>\$110.00</b>	B



## ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.

- Attaches to ATV rack and runs off your 12V pump/RakPak
- Fitted with 30cm of hose with clamp to attach to quad bike carry frame
- Durable nozzle produces large droplet size for herbicide or fertiliser application
- Ideal height between 50cm and 100cm
- **M99-75B:** Double sided output suits 14 - 20L/min (60psi) pumps

*Includes blanking cap for single side spray applications*



**M99-75B**

**Application Rate Chart for M99-75B**

Application Rate L/ha at km/hr									
Description	Swath	Bar	L/min	4 km/hr	5 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Single Side 1 Nozzle Pumps 5-10L/min		2	3.2	130	104	86	65	52	43
	3.7m	3	3.9	158	126	105	79	63	53
		4	4.6	186	149	124	93	75	62
Double Side 2 Nozzle Pumps 10-20L/min		2	6.4	130	104	86	65	52	43
	7.4m	3	7.8	158	126	105	79	63	53
		4	9.2	186	149	124	93	75	62

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	NOZZLE COLOUR	LIST EX	LIST INC	CAT
M99-75B	Boomless Nozzle Kit 2 Jet	2 Bar/30 psi	7.6	7.4m		\$168.18	<b>\$185.00</b>	B
M99-75B-1	Replacement Nozzle for M99-75B					\$38.18	<b>\$42.00</b>	B



17.7 metres full spray reach

M99-80

### 3 POINT LINKAGE BOOMLESS NOZZLE

Designed for three point linkage sprayers running between 30 and 60psi spraying pressure. An economical way to spray up to 17.7m wide and is supplied with a mounting bracket that fits between the upright bars on Silvan linkage units.

- Galvanised steel mounting frame
- 2.5m of 12.5mm delivery hose
- # 20 brass boomless nozzle (6542-01)
- Sprays 90 or 180 degrees



M99-80

#### LITRES PER HECTARE - (Speed Km per hour)

Product Code	Psi	Bar	L/min	Swath (m)	LITRES PER HECTARE - (Speed Km per hour)				
					5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-80	30	2.1	19.3	16.5	141	117	88	70	59
	40	2.8	22.3	16.5	163	136	102	81	68
	50	3.4	25.4	17.1	178	148	111	89	74
	60	4.1	26.9	17.7	182	152	114	91	76


Please note: 90 degrees nozzles have the same litres per hectare but 1/2 the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-80	Boomless nozzle with mounting bracket suit MKII linkage units	4 Bar/60psi	26.9	17.7m	\$544.54	<b>\$599.00</b>	B
6542-01	Replacement boomless nozzle only				\$129.09	<b>\$142.00</b>	B

## BOOMLESS NOZZLE WITH EXTRA WIDE FLAT SPRAY PROJECTION

The 5880 Boomjet Nozzle is used for spraying areas not easily accessed with a boom sprayer. It combines two off-centre tips and three VeeJet nozzles to produce an overall wide swath flat spray. The nozzle assembly provides good distribution considering the wide coverage obtained, however the uniformity is not as good as with a properly operated boom sprayer. Uniformity can be optimised by double overlapping spray swaths on successive sprayer passes. Remember this also doubles the application volume.

Supplied with one additional 1/4" NPT pipe plug and one blank tip for setting BoomJet to one side only. Also has a 1/4" NPT pressure gauge port.



5880-3/4-2TOC06;  
5880-3/4-2TOC10;  
5880-3/4-2TOC20;  
5880-3/4-2TOC40



W = Maximum effective coverage with nozzle mounted at 1m height

CODE	NOZZLE A	NOZZLE B	NOZZLE C	BAR	L/MIN	I/HA					LIST EX	LIST INC	CAT	
						WIDTH	6 KM/H	8 KM/H	12 KM/H	16 KM/H				24 KM/H
5880-3/4-2TOC06	6733-OC06	H1/4VV-1506	H1/4V-VL-9502 with 50 mesh strainer	1.5	7.26	10.2M	71.2	53.4	35.6	26.7	17.8	\$645.45	\$710.00	B
				2.0	8.38	10.3M	81.4	61.0	40.7	30.5	20.3			
				2.5	9.37	10.5M	89.2	66.9	44.6	33.5	22.3			
5880-3/4-2TOC10	OC-10	H1/4U-0508HE	H1/4V-VL-11004 with 50 mesh strainer	1.5	11.16	12.0M	93.0	69.8	46.5	34.9	23.3	\$645.45	\$710.00	B
				2.0	12.89	12.1M	107.0	79.9	53.3	39.9	26.3			
				2.5	14.41	12.3M	117.0	87.9	58.6	43.9	29.3			
5880-3/4-2TOC20	OC-20	H1/4U-0520HE	H1/4V-VL-9506 with 50 mesh strainer	1.5	24.00	14.3M	168.0	126.0	83.9	62.9	42.0	\$645.45	\$710.00	B
				2.0	27.72	15.2M	182.0	137.0	91.2	68.4	45.6			
				2.5	30.99	15.8M	196.0	147.0	98.1	73.6	49.0			
5880-3/4-2TOC40	OC-40	H1/4U-0540HE	H1/4U-9510	1.5	47.44	17.1M	277.0	208.0	139.0	104.0	69.4	\$645.45	\$710.00	B
				2.0	54.78	18.2M	300.01	226.0	150.0	113.0	75.2			
				2.5	61.25	19.2M	319.0	239.0	160.0	120.0	79.8			

Dry boom nozzle holders are designed for mounting directly to boom frame for variable nozzle spacings when used with hose and clamps. Fits round or square tubing or pipe and is connected by hose and clamps. Polypropylene construction with max pressure of 20 Bar.



G8235027

## 8235 SERIES

Self aligning nozzle cap. Available in double hosetail. Non-drip shut-off valve standard (open 0.5 Bar).

- Excludes nozzles and caps

CODE	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
G8235027	DOUBLE	1/2"	20 Bar	\$19.09	<b>\$21.00</b>	B

## 193 SERIES

- Drip free shut-off with ChemSaver®
- Opening pressure - (0.7 Bar)
- Available in single or double hosetails
- Hosetail sizes for 10mm, 1/2" or 3/4" I.D. hose
- Use with Vari Spacing clamps (Refer Page 119)
- Excludes nozzles and caps



19349



19350

CODE	REF	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
19349-211-406-NYB	A	SINGLE	10mm	8 Bar	\$29.09	<b>\$32.00</b>	B
19349-211-540-NYB	A	SINGLE	1/2"	8 Bar	\$29.09	<b>\$32.00</b>	B
19349-211-785-NYB	A	SINGLE	3/4"	8 Bar	\$29.09	<b>\$32.00</b>	B
19350-212-406-NYB	B	DOUBLE	10mm	8 Bar	\$29.09	<b>\$32.00</b>	B
19350-212-540-NYB	B	DOUBLE	1/2"	8 Bar	\$29.09	<b>\$32.00</b>	B
19350-212-785-NYB	B	DOUBLE	3/4"	8 Bar	\$29.09	<b>\$32.00</b>	B

## QJ39685 SERIES

- TeeJet ChemSaver® drip-free shut-off
- Made of corrosion-resistant materials
- Excludes nozzles and caps



CODE	REF	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ39685-1L-500-NYB	1	SINGLE LEFT	1/2"	20 Bar	\$18.18	<b>\$20.00</b>	B
QJ39685-1R-500-NYB	2	SINGLE RIGHT	1/2"	20 Bar	\$18.18	<b>\$20.00</b>	B
QJ39685-2-500-NYB	3	DOUBLE	1/2"	20 Bar	\$18.18	<b>\$20.00</b>	B

## POLY - SWIVEL NOZZLE HOLDERS

Features an adjustable spray angle with lock nut to hold body in place. Self-aligning nozzle cap. Ideal for use in row crop application or fence line spraying. Uses bayonet caps.



G8247014

## BRASS - SWIVEL NOZZLE HOLDERS

Plated brass adjustable angle swivel bodies. Threaded nozzle caps for high pressure application and row crop spraying. Single or twin outlets.

G8247004



G8247008



CODE	NOZZLE HOLDER TYPE	INLET SIZE (BSP)	MAX PRESSURE	LIST EX	LIST INC	CAT
G8247014	Double Poly	1/4" F	10 Bar	\$22.73	<b>\$25.00</b>	B
G8247004	Single Brass	1/4" F	20 Bar	\$31.82	<b>\$35.00</b>	B
G8247008	Double Brass	1/4" F	20 Bar	\$40.00	<b>\$44.00</b>	B

## NOZZLE ADAPTORS

- Features ChemSaver® non-drip shutoff
- Requires (0.7 bar) at the nozzle to open check valve
- QJ8360-NYB allows use of Quick TeeJet system from 1/4" NPT female connections
- QJT8360-NYB permits use of Quick TeeJet system with standard 11/16" TeeJet thread

Uses bayonet caps.



QJ8360-NYB



QJT8360-NYB

CODE	THREAD SIZE	ANTI-D RIP VALVE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ8360-NYB	1/4" NPT (M)	YES	20 Bar/290 psi	\$20.91	<b>\$23.00</b>	B
QJT8360-NYB	11/16" TeeJet THREAD (F)	YES	20 Bar/290 psi	\$20.91	<b>\$23.00</b>	B

## VARI SPACING CLAMPS

These clamps are for use on all dry boom nozzle bodies. Simply order the round or square clamps for the required O.D. tubing.

- Example: QJ111-1/2 (Round 1/2" tubing).



QJ111-1/2



QJ111SQ-3/4

CODE	REF	TO FIT	LIST EX	LIST INC	CAT
QJ111-1/2	1	1/2" Pipe (13/16" & 7/8" O.D. Tubing)	\$8.18	<b>\$9.00</b>	B
QJ111-3/4	1	3/4" Pipe (1" & 11/16" O.D. Tubing)	\$8.18	<b>\$9.00</b>	B
QJ111-1	1	1" Pipe (11/8", 11/4" & 110mm O.D. Tubing)	\$8.18	<b>\$9.00</b>	B
QJ111-1-1/4	1	1-1/4" Pipe (19/16" & 111/16" O.D. Tubing)	\$8.18	<b>\$9.00</b>	B
QJ111SQ-3/4	2	3/4" Square Tubing	\$8.18	<b>\$9.00</b>	B
QJ111SQ-1	2	1" Square Tubing	\$8.18	<b>\$9.00</b>	B
QJ111SQ-1-1/4	2	1-1/4" Square Tubing	\$8.18	<b>\$9.00</b>	B
QJ111SQ-1-1/2	2	1-1/2" Square Tubing	\$8.18	<b>\$9.00</b>	B

## TEEJET SWIVEL NOZZLE HOLDERS

TeeJet swivel nozzle bodies are primarily for use with tips employed in row crop spraying. A locknut holds swivel bodies firmly in position at a selected spray projection angle so they are not affected by jarring and vibration.

For use at pressures up to (8.6 Bar). These are also available in the QJ8600 swivel Quick TeeJet nozzle body assemblies which provide the same spray tip adjustability of a standard TeeJet threaded swivel plus the quick change and self-aligning features of the Quick TeeJet System.

- Caps sold separately



QJ8600-1/4-NYB



QJ8600-2-1/4-NYB



6240-1/4TT

Uses brass caps - CP1325



5000-1/4T



4202-2-1/4T

CODE	INLET SIZE BSP)	MATERIAL	SWIVEL ARC RANGE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ8600-1/4-NYB	1/4" NPT (F)	Nylon	280°	8 Bar	\$22.73	<b>\$25.00</b>	B
QJ8600-2-1/4-NYB	1/4" NPT (F)	Nylon	280°	8 Bar	\$26.36	<b>\$29.00</b>	B
5000-1/4T	1/4" NPT (F)	Brass	280°	8 Bar	\$65.45	<b>\$72.00</b>	B
4202-2-1/4T	1/4" NPT (F)	Brass	280°	8 Bar	\$79.09	<b>\$87.00</b>	B
6240-1/4TT	1/4" NPT (M)	Brass	280°	8 Bar	\$68.18	<b>\$75.00</b>	B

## TEEJET NOZZLE CAPS

Secure interchangeable TeeJet tips to use on various nozzle bodies.



CP1325



CP8027-NYB



CODE	MATERIAL	LIST EX	LIST INC	CAT
CP1325	Brass	\$4.55	<b>\$5.00</b>	B
CP8027-NYB	Nylon	\$2.73	<b>\$3.00</b>	B

## HIGH PRESSURE NOZZLE HOLDERS

### NON DRIP FLIP OVER

Brass flip over nozzle fitted with anti-drip valve and viton diaphragm. Anti-drip valve opens at 1 Bar pressure. 1/4" BSP thread, all brass construction, ceramic tips, stainless steel swirl plates, 90° shut off.



MA3-66

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
MA3-66	1/4" Male	1.2/1.5	YES	50 Bar	80mm	30mm	40mm	\$85.45	<b>\$94.00</b>	B

### NON DRIP VINE SERIES

Features adjustable spray pattern simply by twisting rear adjusting nut. Supplied with 1/4" BSP swivel which allows the nozzle to be locked in almost any spray angle/position. Brass construction with ceramic tip.



P50A

### SINGLE FLIP OVER

Flip over nozzle fitted with 1/4" BSP thread, all brass construction, ceramic tip, stainless steel swirl plate, 90° shut off.



G8264000A

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
P50A	1/4" Male	1.2	NO	50 Bar	100mm	25mm	70mm	\$90.00	<b>\$99.00</b>	B
G8264000A	1/4" Male	1.2	NO	50 Bar	50mm	30mm	60mm	\$45.45	<b>\$50.00</b>	B

### ADJUSTABLE CANNON

Ideal for use in high volume pressure applications in heavy foliage.


- Brass construction and adjustable spray pattern
- Nozzles and washers sold separately
- Nozzle 1.5 (D15) refer G8259170
- Washer refer GG00002032



G8275021

Ideal for use in high volume pressure applications in heavy foliage.

- Brass construction and adjustable spray pattern
- Supplied with a 1.5 (D15) ceramic nozzle



G8275012

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
G8275012	1/4" Male	1.5	NO	50 Bar	115mm	30mm	80mm	\$69.09	<b>\$76.00</b>	B
G8275021	1/4" Male	1.5	NO	50 Bar	100mm	30mm		\$59.09	<b>\$65.00</b>	B
G8259170		NOZZLE CERAMIC 1.5 (D15)						\$4.55	<b>\$5.00</b>	B
GG00002032		WASHER SUIT S/S CORE (D15)						\$0.91	<b>\$1.00</b>	B

# Fire Fighters



At Silvan, we pride ourselves on knowing we build & factory test every single fire fighter tank. Each fire fighter has water & fuel added to ensure the optimum performance is achieved. Once completed, the tanks are drained, packed, and shipped around Australia so complete customer satisfaction is guaranteed.



## 400L FIREFIGHTERS

Internal baffle to reduce surge when travelling

Choice of Selecta Power with high pressure pump or Honda engine with Davey single impellor pump

Choice of 20m or 30m hose reel



## 600L FIREFIGHTERS

Twin internal baffle to reduce surge when travelling

Honda engine with Davey single impellor pump

30m hose reel



## 600L SKID FIREFIGHTERS

Galvanised skid and dam fill kit factory fitted

Honda engine with Davey single impellor pump

30m hose reel



## 800L FIREFIGHTERS

Twin internal baffle to reduce surge when travelling

Honda engine with Davey twin impellor pump for greater distance

30m hose reel



## 1100L/2200L FIREFIGHTERS

Galvanised skid & baffle (1100L) to reduce surge when travelling

Honda engine with Davey single impellor pump

30m hose reel



## 1100L TRAILED FIREFIGHTER – ON ROAD

Internal baffle to reduce surge when travelling & dam fill kit

Honda engine with Davey single impellor pump

30m hose reel



SQF400D-4

## 400L & 800L FAST FILL FIREFIGHTERS

Take advantage of having a dam on your property, reduce refilling time for your fire fighter with a factory fitted fast filler.

- UV stabilised Polytuff tank with INTERNAL BAFFLE to reduce surge when travelling
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min

### DELIVERY HOSE:

- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle

### FAST FILLER (FACTORY FITTED):

- Fast filler with 6m of 38mm ID wire reinforced suction hose and poly suction filter
- Includes suction and delivery 3 way valves to change flow direction to fill tank

SQF400D-4



SQF800D-4

UNIQUE TWIN



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400D-4	400L Silvan Honda Davey Fire Fighter Factory Fitted Hose Reel & Fast Filler	1060mm	940mm	1195mm	80 kg	\$4,090.91	<b>\$4,500.00</b>	9
SQF800D-4	800L Silvan Honda Davey Fire Fighter Factory Fitted Hose Reel & Fast Filler	1800mm	940mm	1200mm	90 kg	\$4,818.18	<b>\$5,300.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load & towing limits & fitting positions.



SLF600D-1

## 600L SILVAN HONDA DAVEY FIREFIGHTING SKID

### TANK & SKID FRAME:

- UV stabilised Polytuff tank with bottom sump for maximum drainage
- Galvanised skid frame with lift handles and tie down points

### ENGINE:

- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min

### DELIVERY HOSE:

- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle

### FAST FILLER (FACTORY FITTED):

- Fast filler with 6m of 38mm ID wire reinforced suction hose and poly suction filter
- Includes suction and delivery 3 way valves to change flow direction to fill tank



SLF600D-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SLF600D-1	600L Silvan Honda Davey Firefighting Skid	1720mm	1350mm	910mm	175 kg	\$5,109.09	<b>\$5,620.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.



SQF400S-1



SQF400S



SQF400S-1



## 400L SILVAN SELECTA POWER FIREFIGHTERS

Silvan Firefighting units are made up of high quality components sourced from world class manufacturers. These units are also suitable for water transfer and as a washdown unit for cleaning machinery, they fit neatly in the back of most 4WD's between the wheel arches of popular vehicles. (eg: Ford Ranger, Toyota Hilux, Mazda BT-50, Mitsubishi Triton, Nissan Navara, Isuzu D-Max and VW Amarok).

- UV stabilised baffled tank to reduce surge when travelling
- 4 Stroke 6.5HP Selecta Power engine
- Self priming powder coated centrifugal pump with a twin alloy impellor for high pressure and greater distance
- 100psi max pressure, 250L/min open flow
- Max nozzle flow rate approx. 20L/min
- Run time (tank full of water) approx 20mins.

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400S	400L Silvan Selecta Power Fire Fighter 20m Hose	1060mm	940mm	920mm	65kg	\$2,577.27	<b>\$2,835.00</b>	9
SQF400S-1	400L Selecta Power Fire fighter 30m Hose & reel	1060mm	940mm	1195mm	77kg	\$2,901.82	<b>\$3,192.00</b>	9



## 400L SILVAN HONDA DAVEY FIREFIGHTERS

- UV stabilised Polytuff tanks with internal baffle to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Marine grade (AS605) single stage design Impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min

### MODEL: SQF400D

- 20m of 3/4" ID hose wrapped around rear mounting brackets and poly adjustable nozzle

### MODEL: SQF400D-1

- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle
- Powder coated, metal construction



SQF400D



SQF400D-1



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400D	400L Silvan Honda Davey Fire Fighter 20m Hose	1060mm	940mm	920mm	65kg	\$3,538.18	<b>\$3,892.00</b>	9
SQF400D-1	400L Silvan Honda Davey Fire Fighter 30m Hose & Reel	1060mm	940mm	1195mm	77kg	\$3,928.18	<b>\$4,321.00</b>	9

**30  
MINUTES  
RUN TIME**



**VITON**  
EQUIPPED

SQF600D-1



**UNIQUE TWIN**



**SQF600D-1**

## 600L SILVAN HONDA DAVEY FIREFIGHTER

- UV stabilised polytuff tank with twin internal baffles to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Davey 5155HV-0 pump
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Air filter type: twin stage-foam prefilter with paper element final filter
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min
- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF600D-1	600L Silvan Honda Davey Fire Fighter 30m Hose & Reel	1830mm	940mm	1100mm	65 kg	\$4,424.55	<b>\$4,867.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

**40**  
MINUTES  
RUN TIME



VITON®  
SEALS & GASKETS  
EQUIPPED

SQF800D-3



SQF800D-3

## 800L SILVAN HONDA DAVEY FIREFIGHTER

- UV stabilised tank with twin internal baffles to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, recoil start
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Marine grade (AS605) single stage design impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle
- Model 5265HV-0, twin stage impeller
- GX200 (6.5HP) engine, 196cc displacement
- Approximately 150psi max pressure and flow up to 400L/min

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF800D-3	800L Silvan Honda Davey Twin Impeller Fire Fighter 30m Hose & Reel	1800mm	940mm	1200mm	97kg	\$4,914.55	<b>\$5,406.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.





SLF1000D-1

## 1100L/2200L SILVAN FIREFIGHTING SKID

### TANK & SKID FRAME:

- UV stabilised Polytuff tank with front suction for maximum drainage
- 1100L Tank **ONLY** has an internal baffle to reduce surge when travelling
- Galvanised skid frame with forklift access
- Tie down points moulded into the top of the tank for attaching to a tray
- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle

### ENGINE:

- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr

### PUMP (DAVEY 5155HV-0):

- Marine grade (AS605) single stage design impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Approximately 80 psi max pressure and flow up to 425 L/min



**55**  
MINUTES  
RUN TIME



SLF1000D-1



**110**  
MINUTES  
RUN TIME



SLF2200D-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SLF1000D-1	1100L Silvan Honda Davey Skid 30m Hose & Reel	1970mm	1160mm	1050mm	200 kg	\$5,363.64	<b>\$5,900.00</b>	9
SLF2200D-1	2200L Silvan Honda Davey Skid 30m Hose & Reel	2300mm	1350mm	1400mm	322 kg	\$7,443.64	<b>\$8,188.00</b>	9

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

**55**  
MINUTES  
RUN TIME



VITON®  
SEALS & GASKETS  
EQUIPPED

STF1000D-BLV\*

ROAD  
REGISTERABLE



STF1000D-1-BLV\*

## 1100L ON-ROAD TRAILED FIREFIGHTING UNIT

- UV stabilised Polyuff tank with front suction for maximum drainage
- Internal baffle to reduce surge when travelling
- Road registrable galvanised trailer with VIN plate, mudguards and safety chains
- ADR approved LED lights and hydraulic break system
- 50mm tow hitch & adjustable jockey wheel
- 30m of 3/4" ID hose, heavy duty hose reel and poly adjustable nozzle

### ENGINE:

- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr

### PUMP (DAVEY 5155HV-0):

- Marine grade (AS605) single stage design impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-Rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Approximately 80 psi max pressure and flow up to 415L/min

### FAST FILLER (FACTORY FITTED):

- Fast filler with 6m of 38mm ID wire reinforced suction hose and poly suction filter
- Includes suction and delivery 3 way valves to change flow direction back to tank

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
STF1000D-1-BLV*	1100L On-Road Trailed Fire Fighter	3500mm	2000mm	1500mm	440 kg	\$13,015.45	<b>\$14,317.00</b>	9

\*Important: Additional freight charges may apply. For further information contact customer service.

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

## BARE DIY FIREFIGHTING TANKS - 400L & 600L

The Silvan Firefighting SquatPak tanks are fitted with a base plate and are baffled to reduce surge when travelling. Suction fittings are provided to mount various pump & hose combinations.



SQF400B



ADD YOUR  
OWN PUMP &  
HOSE REEL



SQF600B



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400B	400L Tank, Base Plate & Suction Hose	1060mm	940mm	650mm	29 kg	\$1,299.09	<b>\$1,429.00</b>	9
SQF600B	600L Tank, Base Plate & Suction Hose	1830mm	940mm	570mm	45 kg	\$1,453.64	<b>\$1,599.00</b>	9

## BARE DIY FIREFIGHTING TANKS - 800L & 1100L



SQF800B



SLF1000B



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF800B	800L Tank, Base Plate & Suction Hose	1800mm	940mm	760mm	49 kg	\$2,071.82	<b>\$2,279.00</b>	9
SLF1000B	1100L Tank, Galvanised sted with Fork Pockets and Suction Hose	1970mm	1160mm	1050mm	95 kg	\$2,772.73	<b>\$3,050.00</b>	9

## FIREFIGHTING NOZZLE

- High density plastic outer and inner body
- Adjustable spray from straight to conical pattern
- 3/4" BSP female thread



422-502

CODE	DESCRIPTION	MAX PRESSURE	THREAD SIZE	LIST EX	LIST INC	CAT
422-502	Firefighting Nozzle	92 Bar/200 psi	3/4" female (BSP)	\$71.82	<b>\$79.00</b>	B
G6001203	3/4" Hosetail (Poly) O.D. (SUITS 422-502)	92 Bar/200 psi	3/4" male	\$9.09	<b>\$10.00</b>	B



LBA-100

## SELECTA POWER FIREFIGHTING PUMP

The Selecta Power water transfer pump handles high volume water pumping and is ideal when portability is needed or electrical power supply is scarce for firefighting and watering. Features a carry/mounting frame for mobility and added protection.

- 6.5HP 4 stroke over head cam engine with oil alert
- Max. 250 L/min open flow, max.. 100psi pressure
- Direct coupled centrifugal twin impeller firefighting pump
- Maximum suction lift 3.5 metres
- 1 x 1 1/2" inlet, 2 x 1" outlet, 1 x 1 1/2" outlet
- Optional hose kit (Code: LBA-100A) consisting of 20m firefighting hose, nozzle, 6m suction hose and foot filter

**TWIN STAGE PUMP**



LBA-100



**OPTIONS:**



LBA-100A



CODE	POWER	MAX PRESSURE	MAX OUTPUT	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LBA-100	6.5HP	7 Bar/100 psi	250L/min	500mm	370mm	400mm	31 kg	\$781.82	<b>\$860.00</b>	A
OPTION CODE	DESCRIPTION		SUCTION HOSE	DELIVERY HOSE		LIST EX	LIST INC	CAT		
LBA-100A	Water Transfer Hose Kit		6m x 40mm ID with foot filter	20m x 19mm ID with adjustable nozzle		\$317.27	<b>\$349.00</b>	A		
328-254-28	Mechanical Seal Kit (to suit LBA-100)					\$38.18	<b>\$42.00</b>	B		



180F03019E

### FIREFIGHTING HOSE REEL

- Powder coated metal construction
- Fitted with 30 metres of 3/4" delivery hose
- Adjustable poly nozzle
- Supplied with mounting brackets to suit 400L, 600L & 800L Squatpak tanks



180F03019E

### WATER & DIESEL HEAVY DUTY HOSE REEL

This versatile hose reel is a great addition to fire fighters or diesel units where extra hose is required.

- Inlet 3/4" BSP/outlet tapered hose tail
- 30m of 3/4" I.D. hose
- Manual rewind reel with hose guide rollers and stopper



JA-1402021

CODE	HOSE I.D.	MAX PRESSURE	HOSE LENGTH	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
180F03019E	19mm	9 Bar/131 psi	30m	525mm	460mm	545mm	18 kg	\$973.64	<b>\$1,071.00</b>	A
JA-1402021	19mm	17 Bar/247 psi	30m	660mm	490mm	680mm	44.5 kg	\$926.36	<b>\$1,019.00</b>	A

# Pumps, Valves, Controllers, Tanks & Hoses



**Silvan**  
GENUINE ACCESSORIES

**Silvan**

# Silvan 12V Diaphragm Pumps

Tough and reliable they will run dry without risk of damage.

RETROFITS TO MOST BRANDS OF SPRAYERS

VITON VALVES FOR BROAD CHEMICAL RESISTANCE

HONEYWELL PRESSURE SWITCH

CORROSION RESISTANT COATING

ON/OFF POWER SWITCH

**Constant Flow Technology**  
NO PULSATION!

Smoothflo is an anti-pulsation system that maintains stronger flow at higher pressures with no pulsation

TWIN BEARING DRIVELINE FOR SUPERIOR LONGEVITY

COMMON BASEPLATE

EVERY  
PUMP FACTORY  
TESTED



DDP-552A

Aquatec pumps are made of the highest quality and are exclusive to Silvan. Aquatec are a leading American manufacturer of pumps which are of proven durability with minimal maintenance. Constant flow technology provides consistent spraying without pulsation.

## AQUATEC SMOOTHFLO 12V PUMP

- Consistent flow and even pressure
- 7L/min open flow, max pressure 8 Bar/120psi
- Pump adapts to changes in output volume to maintain higher flows under increasing pressure
- Fitted with on/off demand pressure sensing switch
- Suits S7 & S7C sprayers



DDP-552A  
9 AMPS

**+**  
OPTIONS:



RP1-24-4

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-552A	Smoothflo Pump	7 L/min	8 Bar/120 psi	Viton	Santo	Intermittent	\$262.73	<b>\$289.00</b>	A
RP1-24-4	Pressure Regulator suit DDP-552A						\$263.64	<b>\$290.00</b>	B

## AQUATEC HIGH PRESSURE 12V PUMP

- Consistent flow and even pressure
- 5L/min open flow, max pressure 13 Bar/200psi
- 3/8" female BSP ports
- Viton valves and a Santoprene diaphragm
- Suits S9 sprayers



DDP-554  
16 AMPS

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-554	Smoothflo High Pressure Pump	5 L/min	13 Bar/200 psi	Viton	Santo	Intermittent	\$453.64	<b>\$499.00</b>	A

EVERY  
PUMP FACTORY  
TESTED



DDP-550

## AQUATEC MEDIUM CAPACITY 12V PUMP

- Ideal for small to medium spray booms & boomless nozzles
- 14L/min open flow, max pressure 4 Bar/60psi
- On/off demand pressure switch
- For intermittent operation
- Pressure regulator allows operators to adjust pressure and flow to a spray gun or spray boom (refer to page 141 for more information)



DDP-555  
11 AMPS



OPTIONS:



RP1-24-5

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-555	Medium Capacity 12V Pump	14 L/min	4 Bar/60 psi	Viton	Santo	Intermittent	\$340.91	<b>\$375.00</b>	A
RP1-24-5	Pressure Regulator suit DDP-555						\$190.00	<b>\$209.00</b>	B

## AQUATEC HIGH CAPACITY 12V PUMP

Used where higher volume is required such as boomless nozzle spraying and larger boom spraying.

- Ideal for small to medium spray booms & boomless nozzles
- 20L/min open flow, max pressure 4 Bar/60psi
- On/off demand pressure switch
- For continuous operation, attach the optional pressure regulator kit
- Pressure regulator allows operators to adjust pressure and flow to a spray gun or spray boom (refer to page 141 for more information)



DDP-550  
18 AMPS MAX.



OPTIONS:



RP1-24-5

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-550	High Capacity 12V Pump	20 L/min	4 Bar/60 psi	Viton	Santo	Cont. at 40psi	\$490.00	<b>\$539.00</b>	A
RP1-24-5	Pressure Regulator suit DDP-550						\$190.00	<b>\$209.00</b>	B



## 12V SILVAN PAK PUMPS

The Silvan Pak pumps were developed in 2006 and are made of high quality components, chemical resistant wearing parts and the pumps can run dry. Ideally suited to a range of spraying applications including spot spraying to small boom spraying. Also, they are commonly used when camping for showers & sinks in caravans and general water transfer applications.

### SILVAN LOW FLOW PAK PUMP

Designed for spot spraying weeds from a single spray gun.

- 381-35 is a replacement pump for the 25L, 55L Redline & 40L Essential sprayer (NOTE: Wiring connector suitable for the 40L Essentials sprayer, remove when using for the 25L & 55L Redline Sprayers)
- 381-38 is a generic pump suitable for many 12V sprayer brands sold across Australia

381-35



381-38



CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
381-35	2.6 L/min	3.5 Bar/50 psi	Viton	TPU	Yes	Intermittent	Threaded Male	\$108.18	<b>\$119.00</b>	A
381-38	2.6 L/min	4 Bar/60 psi	Viton	TPU	Yes	Intermittent	8mm tail	\$108.18	<b>\$119.00</b>	A

### SILVAN MEDIUM FLOW PAK PUMPS

Designed for spot spraying through a single spray gun and small boom spraying applications (up to 4 x 02 yellow nozzles). Both pumps can be used as a replacement pump for many 12V sprayer brands. They support a common mounting plate which will align to similar 12V pumps such as 361-8000 and DDP-552A Smoothflo.

- 382-168 is a replacement pump for 100L Redline after June 2023
- 381-2000 is a generic pump suitable for many 12V sprayer brands sold across Australia

382-168



381-2000



CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
382-168	5.3 L/min	4 Bar/60 psi	Viton	Santo	Yes	Continuous	1/2" BSP M	\$240.91	<b>\$265.00</b>	A
381-2000	5.3 L/min	4 Bar/60 psi	Viton	Santo	Yes	Continuous	10mm BSP F	\$226.36	<b>\$249.00</b>	A

### SILVAN HI FLOW PAK PUMP

Designed for small boom spraying applications (up to 8 x 02 yellow nozzles). If used for spot spraying applications a pressure regulator will need to be fitted to deliver the excess flow back to the tank otherwise the pressure switch will have a limited life and not be covered under warranty.

- Suction filter attached to protect pump

381-125



CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
381-125	12.5 L/min	3 Bar/35 psi	Viton	TPU	Yes	Intermittent	12.5mm tail	\$236.36	<b>\$260.00</b>	A

## 12V SHURFLO PUMPS

Shurflo pumps can run dry. Ideally suited to a range of spraying applications including spot spraying to small boom spraying. Also, they are commonly used when camping for showers & sinks in caravans and general water transfer applications.



### SHURFLO LOW FLOW PUMP (SLV)

Designed for spot spraying weeds from a single spray gun, or water transfer applications.



361-SLV10-AA40

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-SLV10-AA40	3.8 L/min	2.6 Bar/40 psi	Viton	Santo	Intermittent	10mm Hose Barbs	\$218.18	<b>\$240.00</b>	A

### SHURFLO MEDIUM FLOW PUMPS (8000 SERIES)

Designed for spot spraying through a single spray gun application and small boom operation. These pumps can successfully supply up to four yellow 02 nozzles at 60psi (4 bar).

- Model 361-8000-342-136 (Viton diaphragm & valves) has been commonly used in spraying Access herbicide to manage woody weeds



361-8000



OPTIONS:



RP1-24-4

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-8000	6.8 L/min	4 Bar/60 psi	Viton	Santo	Continuous	1/2" BSP Male	\$272.73	<b>\$300.00</b>	A
361-8000-342-136	4.5 L/min	4 Bar/60 psi	Viton	Viton	Continuous	1/2" BSP Male	\$681.82	<b>\$750.00</b>	A
RP1-24-4	Pressure Regulator suit 361-8000						\$263.64	<b>\$290.00</b>	B

### SHURFLO HI FLOW PUMPS (2088 SERIES)

Designed for small boom spray operation, these pumps can successfully supply up to six yellow 02 nozzles at 60psi (4 bar). If used for spot spraying applications a pressure regulator will need to be fitted to deliver the excess flow back to the tank otherwise the pressure switch will have a limited life and not be covered under warranty.

- Fin cooled model is ideal for larger duty cycle applications
- Aluminium heat sink crankcase to disperse the heat from the pump
- Suitable for transfer applications on trucks, bulldozers etc
- 361-2088-474-144 (not shown) is a 24V version of the 361-2088



361-2088



OPTIONS:



RP1-24-3



361-2088-313-145

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-2088	11.3 L/min	3 Bar/45 psi	Viton	Santo	Intermittent	1/2" BSP Male	\$363.64	<b>\$400.00</b>	A
361-2088-474-144	11.3L/min	3 Bar/45psi	Santo	Santo	Intermittent	1/2" BSP Male	\$640.91	<b>\$705.00</b>	A
361-2088-313-145	13.6 L/min	3 Bar/45 psi	Viton	Santo	Continuous	1/2" BSP Male	\$759.09	<b>\$835.00</b>	A
RP1-24-3	Pressure Regulator suit 361-2088 & 361-2088-313-145						\$332.73	<b>\$366.00</b>	B

## PRESSURE REGULATOR KITS

Pressure regulator kits are an ideal accessory that allow the operator to adjust the pressure. This is ideal to achieve an accurate application rate whether used in a spot spraying application through a spray gun, a boomless nozzle or a spray boom. It allows the excess flow produced by the pump back into the tank for agitation.



RP1-24-3



RP1-24-4



RP1-24-5

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
RP1-24-3	change text to. Tank mounted Pressure Regulator Kit suit 361-8000, 361-2088, DDP-552A pumps	\$332.73	<b>\$366.00</b>	B
RP1-24-4	change text to. Pump mounted Pressure Regulator Kit suit 361-8000, 361-2088, DDP-552A pumps	\$263.64	<b>\$290.00</b>	B
RP1-24-5	Pressure Regulator Kit suit DDP-550/DDP-555 Pumps with 5D fittings	\$190.00	<b>\$209.00</b>	B



9620522



9620222



908006

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
9620522	5D Pressure Regulator	\$56.36	<b>\$62.00</b>	B
9620222	1/2" Pressure Regulator	\$56.36	<b>\$62.00</b>	B
908006	1/8" Gauge Suit Regulator	\$47.27	<b>\$52.00</b>	B

## 8460 SERIES HIGH FLOW REGULATOR

- Made from nylon and aluminium
- Gauge port 1/4"
- Excellent chemical resistance
- Chatter free, responsive pressure control
- Available with 3/4" connections
- Sturdy high flow regulator



## 23120 SERIES REGULATOR

- Nylon body
- Stainless steel spring
- Gauge port 1/4"
- Excellent chemical resistance
- Positive lock nut to hold adjuster at your desired setting
- Available with 1/2" or 3/4" connections



CODE	DESCRIPTION	MAX FLOW	MAX PRESSURE	LIST EX	LIST INC	CAT
8460-3/4	Pressure Regulator, 3/4"	265L/min	20 Bar/290 psi	\$190.91	<b>\$210.00</b>	B
23120-1/2-PP	Pressure Regulator, 1/2"	35L/min	10 Bar/ 150 psi	\$99.09	<b>\$109.00</b>	B
23120-3/4-PP	Pressure Regulator, 3/4"	55L/min	10 Bar/ 150 psi	\$99.09	<b>\$109.00</b>	B

## PUMP FITTINGS



A



B



C



D



E

CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
361-8-071-00-PK	A	Hosetail 1/2" Female x 10mm Barb (2 Pack)	\$19.09	<b>\$21.00</b>	B
361-8-070-01-PK	A	Hosetail 1/2" Female x 1/2" Barb (2 Pack)	\$19.09	<b>\$21.00</b>	B
361-8-034-PK	B	Elbow 1/2" Female Swivel x 1/2" Barb (2 Pack)	\$20.91	<b>\$23.00</b>	B
361-8-060-PK	B	Elbow 1/2" Female Swivel x 10mm Barb (2 Pack)	\$19.09	<b>\$21.00</b>	B
361-8-145-01	C	Nipple 10mm Male NPT x 1/2" NPT	\$7.27	<b>\$8.00</b>	B
320-60806	D	Elbow 10mm Male BSP x 8mm Barb	\$4.55	<b>\$5.00</b>	B
361-255-613	E	Inlet Filter 1/2" BSP, 50 Mesh, Viton o-ring	\$39.09	<b>\$43.00</b>	B

## AQUATEC PUMP 5D FITTINGS



A



B



C

CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
QBE-554	A	5D Elbow 1/2" Tail	\$14.55	<b>\$16.00</b>	B
QBE-555	A	5D Elbow 5/8" Tail	\$14.55	<b>\$16.00</b>	B
QBE-556	A	5D Elbow 3/4" Tail	\$14.55	<b>\$16.00</b>	B
QBS-554	B	5D Straight 1/2" Tail	\$14.55	<b>\$16.00</b>	B
QBS-555	B	5D Straight 5/8" Tail	\$14.55	<b>\$16.00</b>	B
QBS-556	B	5D Straight 3/4" Tail	\$14.55	<b>\$16.00</b>	B
QTS-556	C	5D Adaptor 1/2" Bsp Male	\$10.91	<b>\$12.00</b>	B

## SILVAN PAK PUMP FITTINGS

- Suitable for 381-35 (Redline 25L/55L), 382-168 (Redline 100L) & 381-2000



A



B



C

CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
382-065	A	Elbow & grommet suit 381-35	\$2.27	<b>\$2.50</b>	B
382-055	B	Reducing Nipple 3/8" x 1/2" suit 381-2000	\$1.36	<b>\$1.50</b>	B
382-054	C	Elbow suit 382-168	\$5.91	<b>\$6.50</b>	B

## HOSE CLAMPS



A


B

C

D


CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
187-MH04	A	Stainless steel hose clamp suit 8mm ID Hose	\$2.73	<b>\$3.00</b>	B
187-MH05	B	Stainless steel hose clamp suit 10mm ID Hose	\$2.73	<b>\$3.00</b>	B
187-HS06	C	Stainless steel hose clamp suit 12mm ID Hose	\$3.64	<b>\$4.00</b>	B
187-HS12	D	Stainless steel hose clamp suit 20mm ID Hose	\$4.55	<b>\$5.00</b>	B

## 12V DIAPHRAGM PUMP SPARE PARTS



## PRESSURE SWITCHES

CODE	SUITS PUMPS	MAX PRESSURE	LIST EX	LIST INC	CAT
361-94-375-05	8000 Series With Viton Dphm	60 psi	\$159.09	<b>\$175.00</b>	B
361-94-375-06	8000 Series With Santo Dphm*	60 psi	\$127.27	<b>\$140.00</b>	B
361-94-375-18	8002 Series With Santo Dphm	100 psi	\$145.45	<b>\$160.00</b>	B
361-94-229-05	8090 Series With Viton Dphm	100 psi	\$195.45	<b>\$215.00</b>	B
361-94-230-35	2088 Series With Santo Dphm*	45 psi	\$135.45	<b>\$149.00</b>	B
361-94-230-36	2088 Series With Viton Dphm	45 psi	\$171.82	<b>\$189.00</b>	B
381-2000-03	381-2000 (excludes check valve kit)	60 psi	\$18.18	<b>\$20.00</b>	B
381-125-04	381-125	35 psi	\$23.64	<b>\$26.00</b>	B
5503-PSW	DDP-550 & DDP-555	60 psi	\$67.27	<b>\$74.00</b>	B
5504-PSW	DDP-551	60 psi	\$67.27	<b>\$74.00</b>	B
5880-PSW	DDP-552A SMOOTHFLO	120 psi	\$62.73	<b>\$69.00</b>	B
5800-PSW	DDP-554	200 psi	\$67.27	<b>\$74.00</b>	B
382-095A	Micro switch only to suit 382-168	60 psi	\$18.18	<b>\$20.00</b>	B
5880-SD	Switch diaphragm to suit DDP-552A	120 psi	\$1.82	<b>\$2.00</b>	B



## UPPER HOUSINGS

CODE	SUITS PUMPS	LIST EX	LIST INC	CAT
361-94-378-00	8000 Series Pumps With 1/2" Male Ports	\$100.00	<b>\$110.00</b>	B
361-94-231-30	2088 Series Pumps With 1/2" Male Ports	\$77.27	<b>\$85.00</b>	B
361-94-231-05	2088 Series Pumps With 1/2" Male Ports And Viton Pressure Switch	\$231.82	<b>\$255.00</b>	B
5503-UHA	DDP-550 With 5D Quick Connectors (Inc Pressure Switch)	\$163.64	<b>\$180.00</b>	B
5504-UHA	DDP-551 With 5D Quick Connectors (Inc Pressure Switch)	\$162.73	<b>\$179.00</b>	B
5880-UHA	DDP-552A Series Pump With 3/8" Female BSP Ports	\$90.91	<b>\$100.00</b>	B
5800-UHA	DDP-554 Series Pump with 3/8" Female BSP Ports	\$90.91	<b>\$100.00</b>	B
5505-UHA	DDP-555 Series Pump with 5D Quick Connectors	\$72.73	<b>\$80.00</b>	B

## PUMP HEAD ASSEMBLY



CODE	SUITS	LIST EX	LIST INC	CAT
382-096	382-094 (100L Redline sprayer pump)	\$40.91	<b>\$45.00</b>	B
381-2000-02	381-2000	\$44.55	<b>\$49.00</b>	B

## VALVE KITS



CODE	SUITS	LIST EX	LIST INC	CAT
361-94-390-05	8000 Series Pumps Viton Valve Kit (Blk)	\$239.09	<b>\$263.00</b>	B
361-94-232-05	2088 Series Pumps Viton Valve Kit	\$140.00	<b>\$154.00</b>	B
361-94-232-00	2088 Series Pumps Santo Valve Kit for 24V Model	\$100.00	<b>\$110.00</b>	B
5503-VHA	DDP-550, DDP-551, DDP-555 Viton Valve Kit	\$133.64	<b>\$147.00</b>	B
5880-VHA	DDP-552 Viton Valve Kit	\$77.27	<b>\$85.00</b>	B
5880-BYP	Bypass poppet set (3 to suit DDP-552A)	\$10.91	<b>\$12.00</b>	B



## DRIVE ASSEMBLY KITS

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-385-32	8000 Series Pumps with Santo Diaphragm 361-8000 (pumps made after March 1999)	\$268.18	<b>\$295.00</b>	B
361-94-238-04	2088 Series Pumps with Santo Diaphragm	\$186.36	<b>\$205.00</b>	B
5503-LHA	DDP-550 with Santo Diaphragm	\$181.82	<b>\$200.00</b>	B
5504-LHA	DDP-551 with Santo Diaphragm	\$190.00	<b>\$209.00</b>	B
5880-LHA	DDP-552 with Santo Diaphragm	\$118.18	<b>\$130.00</b>	B
361-94-238-03	361-2088 with Santo Diaphragm	\$220.00	<b>\$242.00</b>	B



## CHECK VALVE KIT

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-374-16	8000 Series Pumps with EPMD Valve Kits	\$81.82	<b>\$90.00</b>	B
361-94-374-05	8000 Series Pumps with Viton Valve Kits	\$86.36	<b>\$95.00</b>	B
361-94-237-00	2088 Series Pumps with Santo Valve Kits	\$94.55	<b>\$104.00</b>	B
361-94-237-05	2088 Series Pumps with Viton Valve Kits	\$104.55	<b>\$115.00</b>	B

## DIAPHRAGM KITS (BARE DIAPHRAGM TO SUIT CERTAIN MODELS)

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-395-05	361-8000-342-136 Viton-Viton Pump	\$236.36	<b>\$260.00</b>	B
361-94-395-06	361-8000	\$86.36	<b>\$95.00</b>	B

## 3 SECTION ELECTRIC SOLENOID KIT – MEDIUM PRESSURE

Suitable for most brands of 12 volt sprayers, motorised skid sprayers and linkage units with booms. Silvan medium pressure control kits are an effective way of controlling individual sections of your spray boom from the cab of a vehicle.

- Supplied with a multi section control box, mounting bracket and 5 metre electric wiring loom
- Master on/off switch to shut the entire boom off or switch individual sections off
- 3 x Goyen solenoids, maximum operating pressure 10 Bar/150psi
- Maximum open flow 65L/min per solenoid
- Extra components may be needed  
- pressure regulator and hoses not included



M99-14

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
M99-14	3 Section Electric Solenoid Kit	\$1,050.00	<b>\$1,155.00</b>	A

## SILVAMATIC ELECTRIC SPRAY CONTROL KIT

Features an in-cab control box with proportional pressure compensating valves designed to maintain constant pressure and output even after one or more boom sections are closed.

- Direct acting valves
- Stainless steel components and viton seals
- 3 boom section outlet with 12mm hosetails
- On/off and pressure adjustment switch
- Individual valves have own compensating device
- Kit includes control box, tractor loom, sprayer loom and valves



461530A

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
461530A	Silvamic Electric Spray Control Kit	\$2,500.00	<b>\$2,750.00</b>	A

## GOYEN ELECTRIC SOLENOID VALVE

Comprises a nylon body with either 1/2" x 1/2" barb, or 1/2" barb x 3/4" BSP thread, and is a servo-assisted solenoid.

- Ideal for fitting to single spray bars and features Viton diaphragms
- Requires 12V power and has pressure loss of 5psi across valve
- Max pressure 10 Bar/145psi

**GOYEN SOLENOID  
REPAIR KIT  
042-1-047K**



**042-1-ST2-HR**



**042-1-ST2-6R**



**042-1-ST-HV**



**042-1-ST2-6**

CODE	FLOW	SIZE BSP	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
042-1-ST2-HR	65 L/min	1/2" X 1/2" Barbs	90mm	70mm	50mm	200 g	\$170.00	<b>\$187.00</b>	B
042-1-ST2-6R	65 L/min	1/2" Barb X 3/4" BSP	90mm	70mm	50mm	200 g	\$170.00	<b>\$187.00</b>	B
042-1-ST-HV	65 L/min	1/2" X 1/2" Barbs	90mm	70mm	50mm	200 g	\$170.00	<b>\$187.00</b>	B
042-1-ST2-6	65 L/min	1/2" Barb X 3/4" BSP	90mm	70mm	50mm	200 g	\$170.00	<b>\$187.00</b>	B
042-1-047K	Goyen Solenoid Repair Kit						\$130.00	<b>\$143.00</b>	B

## HIGH PRESSURE 12V SOLENOIDS

- Geoline high pressure brass solenoid with 12.5mm BSP female ports
- Maximum open flow 80L/min per solenoid
- Maximum pressure 40 Bar/580psi

*Extra components may be needed.  
Pressure regulator and hoses not included*



**G8388031**

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
G8388031	High Pressure Brass 40 Bar Solenoid	\$354.55	<b>\$390.00</b>	B

## FOAM MARKER/SPRAYER SOLENOID VALVE

Offers the advantages of low energy requirements, instant response and the ability to remain in an energised (open) state indefinitely without overheating or failing.

- Suits 12V and 24V systems, 3/4" threaded inlet and outlet



**JA-1502003**

CODE	DESCRIPTION	MAX PRESSURE	FLOW	LIST EX	LIST INC	CAT
JA-1502003	Solenoid to suit Foam Markers	8 Bar/116 psi	37L/min	\$53.63	<b>\$59.00</b>	B
JA-1502030	Replacement Viton Diaphragm			\$83.64	<b>\$92.00</b>	B
JA-1502031	Viton Solenoid	116 psi	37L/min	\$176.36	<b>\$194.00</b>	B

# Silvan Diaphragm Pumps

*Tough, reliable and no risk of damage if run dry!*



VISUAL OIL LEVEL SITE GLASS

CHEMICAL RESISTANT OIL BACKED DIAPHRAGMS

AIR PRESSURE CHAMBER

STRONG ALUMINIUM CRANKCASE

METAL MOUNTING FEET

METAL 1<sup>3</sup>/<sub>8</sub>" SHAFT SUIT PTO, ENGINES AND HYDRAULIC MOTORS

MANIFOLD PARTS IN CONTACT WITH LIQUID ARE MADE IN PLASTIC MATERIAL

## SILVAN BP SERIES PTO PUMPS

All Silvan diaphragm pumps are built for 540 RPM operation, are self priming and designed so no special tools are required for servicing. Extremely tough and reliable they can run dry without risk of damage. All pumps are supplied with hose connections, mounting base plates and a 1 1/2" six splined shaft. Pumps are supplied ready to use with 40/20 oil in the crankcase.

### CBP60/20

- Diaphragms: 2
- Output @ 540 RPM: 58 L/min
- Max pressure 20 Bar/290psi



CBP06020

#### CONTROL VALVE BUNDLE



CODE	PUMP	OPEN FLOW	MAX PRESSURE	SUCTION INLET SIZE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP06020	BP60/20	58L/min	20 Bar/290psi	25mm	258mm	276mm	280mm	10kg	\$1,231.82	<b>\$1,355.00</b>	A

CODE	PUMP KIT BUNDLE	CONTROL VALVE	REMOTE BRACKET KIT	PRESSURE REGULATOR	PRESSURE GAUGE	TAP OUTLET SIZE	BYPASS OUTLET	WEIGHT	LIST EX	LIST INC	CAT
CBP06020-1	BP60/20	ONE LEVER 4 OUTLETS	YES	YES	YES	13mm	25mm	12kg	\$2,180.91	<b>\$2,399.00</b>	A
CBP06020-2	BP60/20	RILSAN 3 OUTLETS	YES	YES	YES	13mm	25mm	12kg	\$1,817.27	<b>\$1,999.00</b>	A

### CBP130/20

- Diaphragms: 3
- Output @ 540 RPM: 124 L/min
- Max pressure 20 Bar/290psi



CBP13020

#### CONTROL VALVE BUNDLE



CODE	PUMP	OPEN FLOW	MAX PRESSURE	SUCTION INLET SIZE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP13020	BP130/20	124L/min	20 Bar/290psi	40mm	242mm	283mm	270mm	13kg	\$1,840.91	<b>\$2,025.00</b>	A

CODE	PUMP KIT BUNDLE	CONTROL VALVE	REMOTE BRACKET KIT	PRESSURE REGULATOR	PRESSURE GAUGE	TAP OUTLET SIZE	BYPASS OUTLET	WEIGHT	LIST EX	LIST INC	CAT
CBP13020-1	BP13520	ONE LEVER 4 OUTLETS	YES	YES	YES	13mm	25mm	15kg	\$2,726.36	<b>\$2,999.00</b>	A

## CBP20/15

- Diaphragms: 2
- Output @ 540 RPM: 19 L/min
- HP required at max. pressure: 0.83



CBP02015

### CONTROL VALVE TO SUIT

Attached (2 outlet)  
Code: **C1204-528**

## BP75/20

- Diaphragms: 3
- Output @ 540 RPM: 67 L/min
- HP required at max. pressure: 3.5HP



CBP07515

### CONTROL VALVE TO SUIT

Remote mount (3 outlet)  
Code: **C1204-034R**  
Remote mount (4 outlet)  
Code: **C1204-332**

## CAPS41

- Diaphragms: 3
- Output @ 540RPM: 38 L/min
- HP required at max. pressure: 4.1HP



CAPS41

### CONTROL VALVE TO SUIT

Attached 2 outlet  
Code: **C1204-457**

CODE	PUMP	MAX PRESSURE	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP02015	BP20/15	15 Bar/218 psi	19L/min	224mm	260mm	174mm	7.3kg	\$1,200.00	<b>\$1,320.00</b>	A
CBP07515	BP75/20	20 Bar/290 psi	67L/min	271mm	276mm	278mm	12.3kg	\$1,526.36	<b>\$1,679.00</b>	A
CAPS41	APS41	40 Bar/580 psi	38L/min	271mm	276mm	278mm	12.3kg	\$1,136.36	<b>\$1,250.00</b>	A

## BP110/20

- Diaphragms: 3
- Output @ 540 RPM: 110 L/min
- Max pressure 20 Bar/290psi
- HP required at max. pressure: 6.0HP



CBP11020

### CONTROL VALVE TO SUIT

Remote mount (4 outlet)  
Code: **C1204-332**

## FERRONI NYLON ROLLER PUMP

- Max pressure 25 bar or 180L/min
- Absorbed power 5.5HP @ 600 RPM
- Brass pressure regulator
- Cast iron\* housing
- Rotor with nylon rollers
- PTO drive - rotates in a clockwise direction only



ML125

CODE	OPEN FLOW	INLET	OUTLET	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP11020	110L/min			275mm	283mm	242mm	12.3kg	\$1,672.73	<b>\$1,840.00</b>	A
ML125	180 L/min	30mm	19mm	220mm	190mm	250mm	11 kg	\$777.27	<b>\$855.00</b>	A
357-0501	Service Kit to suit Nylon Roller Pumps							\$159.09	<b>\$175.00</b>	B

Silvan control valves regulate spray pressure, direct the flow of spray liquid from the pump to the spray nozzles and bypass excess liquid back to the tank, in many cases through an agitator.

All feature adjustable pressure regulator, glycerine filled gauge, hose connections, mounting kits where applicable, on/off directional valves and bypass lock position.

### 3 OUTLET ON/OFF CONTROL VALVE

3 outlet control, pressure regulator, bypass valve, gauge. Features quick action on/off ball valves



C1204-191

### 2 OUTLET ON/OFF CONTROL VALVE

2 outlet control, pressure regulator, bypass valve, gauge



C1204-528

### 3 OUTLET

3 outlet control, pressure regulator, bypass valve, gauge. Manufactured from Rilsan plastic. Controls include remote bracket kit (C5004-05)



C1204-034R

### 4 OUTLET

One lever 4 outlet control shuts all boom sections off by simply flicking main lever to one side, standard with dual stage gauge. Supplied with remote bracket kit (C5004-05)



C1204-332



CODE (ATTACHED)	CONTROL VALVE	PUMP APP	HOSE INLET	SIZE OUTLET	BYPASS HOSE	MAX. PRESS.	MAX. FLOW	LIST EX	LIST INC	CAT
C1204-528	2 Outlet	BP20/15	19mm	13mm	13mm	14 Bar/218 psi	40L/min	\$254.55	<b>\$280.00</b>	B
C1204-457	2 Outlet	APS41	19mm	10mm	13mm	40 Bar/580 psi	40L/min	\$268.18	<b>\$295.00</b>	B
C1204-191	3 Outlet	BP60/20, BP130/20	19mm	10mm	23mm	20 Bar/290 psi	100L/min	\$490.00	<b>\$539.00</b>	B
CODE (REMOTE)	CONTROL VALVE	PUMP APP	HOSE INLET	SIZE OUTLET	BYPASS HOSE	MAX. PRESS.	MAX. FLOW	LIST EX	LIST INC	CAT
C1204-034R	3 Outlet	BP60/20	19mm	13mm	23mm	20 Bar/290 psi	60L/min	\$588.18	<b>\$647.00</b>	B
C1204-332	4 Outlet	BP60/20, BP130/20	19mm	13mm	23mm	20 Bar/290 psi	150L/min	\$954.55	<b>\$1,050.00</b>	B

#### SERVICE KITS

C5004-05	Remote Control Mounting Kit							\$66.36	<b>\$73.00</b>	B
CSN5	Service Kit to suit 2 Outlet Control Valve ( C1204-528 )							\$74.55	<b>\$82.00</b>	B
CSN2	Service Kit to suit 3 Outlet Control Valve ( C1204-191, C1204-195 )							\$115.45	<b>\$127.00</b>	B
CSN3	Service Kit to suit 3 Outlet Control Valve ( C1204-034R )							\$70.00	<b>\$77.00</b>	B
CSN1	Service Kit to suit 4 Outlet Control Valve ( C1204-332 )							\$144.55	<b>\$159.00</b>	B

Silvan motorised pumping units provide a go-anywhere pressure pumping unit in a wide range of sizes and capacities. Each unit consists of a matched engine and pump, control valve, base plate, hose connections and in most cases pressure gauge as standard equipment.

## MC20/20 MOTORISED UNIT


- Pressure accumulator with pressure gauge
- Honda engine GX120
- Oil backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- Inlet size: 19mm; Outlet size: 10mm
- 1 metre maximum suction lift



LBA-34C

## BP60/20 MOTORISED UNIT

- Pressure accumulator with pressure gauge
- Honda engine GX160
- Oil backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- 1 metre maximum suction lift
- Inlet size: 25mm; Outlet size: 12mm



LBA-38C

## APS41 MOTORISED UNIT

- Pressure accumulator with pressure gauge
- Honda engine GX160
- Oil backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- 1 metre maximum suction lift
- Inlet size: 25mm; Outlet size: 12mm
- Replacement pump code: CAPS41



LBA-42C

CODE	MAX PRESSURE	MAXIMUM OUTPUT	OUTLETS	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LBA-34C	20 Bar/290 psi	18.5 L/min	1	540mm	340mm	360mm	12 kg	\$2,704.55	<del>\$2,975.00</del>	A
LBA-38C	20 Bar/290 psi	58 L/min	3	720mm	425mm	470mm	24 kg	\$3,845.46	<del>\$4,230.00</del>	A
LBA-42C	40 Bar/580 psi	38 L/min	2	550mm	430mm	410mm	29 kg	\$3,708.18	<del>\$4,079.00</del>	A

## PUMP SERVICE KITS

Our service kits have everything you need to service your pump or control valve in one convenient package, making regular maintenance or running repairs much more simple. Silvan all-in-one service kits are the most economical way to purchase the parts required. They will also prove invaluable for those emergency on the spot repairs.



CODE	TO SUIT PUMP	MATERIAL	SHAFT	LIST EX	LIST INC	CAT
CSK2015	BP20/15	NBR	SPLINED	\$138.18	<b>\$152.00</b>	B
C5026-245	APS41	NBR	SPLINED	\$169.09	<b>\$186.00</b>	B
C5026-215	P38 / P48	NBR	SPLINED	\$200.00	<b>\$220.00</b>	B
CSK6020S	BP60/20 pre 2013	NBR	SPLINED	\$170.91	<b>\$188.00</b>	B
CSK6020K	BP60/20 pre 2013	NBR	KEYED	\$173.64	<b>\$191.00</b>	B
C5026-197	BP60/20 (D)	DESMOPAN	SPLINED	\$200.00	<b>\$220.00</b>	B
C5026-198	BP60/20 (V)	VITON	SPLINED	\$531.82	<b>\$585.00</b>	B
C5026-314	BP75/20	NBR	SPLINED	\$154.54	<b>\$170.00</b>	B
C5026-344*	BP60K post 2013	NBR	KEYED	\$294.55	<b>\$324.00</b>	B
C5026-326***	BP125K post 2013	NBR	KEYED	\$440.00	<b>\$484.00</b>	B
C5026-374**	BP110/20, BP130/20	NBR	SPLINED	\$470.00	<b>\$517.00</b>	B
CSK10520S	BP105/20, BP125/20S	NBR	SPLINED	\$200.00	<b>\$220.00</b>	B
C5026-199	BP105/20, BP125/20K pre 2013	NBR	KEYED	\$196.36	<b>\$216.00</b>	B
C5026-205	BP151/20	NBR	SPLINED/30mm KEYED	\$210.00	<b>\$231.00</b>	B
CSKAPS71	APS71	NBR	SPLINED	\$241.82	<b>\$266.00</b>	B
C5026-228	APS96	NBR	SPLINED	\$315.45	<b>\$347.00</b>	B
CSKAPS121	APS121	NBR	SPLINED	\$315.45	<b>\$347.00</b>	B
C5026-222	APS145	NBR	SPLINED	\$336.36	<b>\$370.00</b>	B
C5026-224	APS141, APS166	NBR	SPLINED	\$378.18	<b>\$416.00</b>	B
C5026-346*	IDS960	NBR	SPLINED	\$368.18	<b>\$405.00</b>	B
C5026-278***	IDS1401	NBR	SPLINED	\$384.55	<b>\$423.00</b>	B
C5026-279***	IDS1701, IDS2001	NBR	SPLINED	\$528.18	<b>\$581.00</b>	B
C5026-208	IDS2200, IDS2600	NBR	SPLINED	\$530.00	<b>\$583.00</b>	B
C5026-207	MC19/20**, MC20/20	NBR	KEYED	\$69.09	<b>\$76.00</b>	B
CSKMP40	CMP40	NBR	SPLINED	\$159.09	<b>\$175.00</b>	B
C5026-226	APS71	x	x	\$250.00	<b>\$275.00</b>	B
C5026-229	APS121	x	x	\$281.82	<b>\$310.00</b>	B

D = Desmopan diaphragms (long lasting); S = Splined model pump; K = Keyed model pump;

V = Viton diaphragms (longest lasting); NBR = Nitrile / Buna rubber

\*Service kits include Piston diaphragms, air chamber diaphragm, valve assemblies only

\*\*Service kits include Piston diaphragms, valve assemblies, viewer gasket, manifold and outlet tail O-Rings only

\*\*\*Service kits include Piston diaphragms, air chamber diaphragm, valve assemblies and manifold O-Rings only



REELTUFF HOSE REEL (147R10012)  
PICTURED WITH 100M OF SMOOTHLINE HOSE

Silvan hoses are manufactured from the highest quality materials and have been rigorously tested to ensure reliable performance and durability. Ideal for most agricultural applications. The Silvan range includes delivery hose, suction hose and bypass hose. Available in sizes from 8mm I.D to 50mm I.D with pressures ranging up to 4000KPa (560psi). A wide range of hose connectors, hose clamps and fittings to suit are readily available.

## SMOOTHLINE DELIVERY TUBING

Lightweight rigid tubing hose for use in inaccessible terrain where risk of snagging hose is high. Maximum working pressure 1724 kPa (250psi). Requires special hose connectors.

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-12B-100	12mm	\$1,192.73	<b>\$1,312.00</b>	B
100 metre coil only				



12mm  
186-12B-100

## BYPASS HOSE

Low pressure flexible PVC hose ideally suited for the use on bypass return lines of pumps. Maximum pressure 1379 kPa (200psi). (Available per metre).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-25E	25mm	\$47.27	<b>\$52.00</b>	B



25mm  
186-25E

## DIESEL DELIVERY HOSE

Quality delivery hose for all diesel applications (Available per metre).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
PF0225-33	19mm	\$18.18	<b>\$20.00</b>	B
186-25D	25mm	\$36.36	<b>\$40.00</b>	B




25mm  
186-25D

## SUCTION HOSE

Ideal for fitting on the inlet suction side of pumps. Wire reinforced construction helps guard against the hose collapsing. (Available per metre).

HOSE I.D.	12MM	19MM	25MM	32MM	38MM	50MM
CODE	186-12F	186-19F	186-25A	186-32A	186-38S	186-50S
LIST EX	\$15.45	\$16.36	\$24.55	\$37.27	\$37.27	\$52.73
LIST INC	<b>\$17.00</b>	<b>\$18.00</b>	<b>\$27.00</b>	<b>\$41.00</b>	<b>\$41.00</b>	<b>\$58.00</b>
CAT	B	B	B	B	B	B



19mm  
186-19F

## SILVAN AG DELIVERY HOSE

- Flexible PVC reinforced spray hose
- Maximum working pressure 690 kPa (100psi) for 186-8D and 2067 kPa (300psi) for all others.

### 20 METRE COIL LENGTHS

HOSE I.D.	8MM	10MM	12MM
CODE	186-8D-20	186-10D-20	186-12C-20
LIST EX	\$100.00	\$100.00	\$131.82
LIST INC	<b>\$110.00</b>	<b>\$110.00</b>	<b>\$145.00</b>
CAT	B	B	B

### 100 METRE COIL LENGTHS

HOSE I.D.	10MM	12MM
CODE	186-10D-100	186-12C-100
LIST EX	\$470.91	\$545.45
LIST INC	<b>\$518.00</b>	<b>\$600.00</b>
CAT	B	B

## FIREFIGHTING HOSE

Designed to suit stationary or mobile reels on fire control units. Also popular in agricultural applications, manufactured to AS 1221. Lightweight PVC, resistant to UV light and the material has self extinguishing properties. Maximum pressure 900 kPa (131psi).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-19E	19mm	\$8.18	<b>\$9.00</b>	B
186-19E-30	19mm	\$213.64	<b>\$235.00</b>	B

## PROFESSIONAL DELIVERY HOSE

Flexible PVC reinforced spray hose ideally suited for high pressure applications. Maximum working pressure 4000kPa (568 psi).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-10M	10mm	\$13.64	<b>\$15.00</b>	B
186-12M	12mm	\$18.19	<b>\$20.00</b>	B
186-19M	19mm	\$31.82	<b>\$35.00</b>	B
186-25M	25mm	\$52.73	<b>\$58.00</b>	B

186-10M

186-12M

186-19M

186-25M



12MM -  
186-12C-20



10MM -  
186-10D-100



19MM -  
186-19E-30



25MM -  
186-25M

12MM - 186-12M




# Silvan Polytuff Tanks

**Built tough to last.**

Silvan polyethylene tanks also known as 'Polytuff Tanks' are rotomolded with a UV stabiliser additive to extend the life of the tank and meet harsh Australian weather conditions. Each tank has been designed with four main areas in mind, strength, reliability, functionality, practicality along with visual appeal. Many of Silvan's 'Polytuff Tanks' are manufactured with a state-of-the-art internal baffle to reduce surging when travelling.

Silvan's internal baffle system saves customers having to invest in additional baffle type products in the future. Silvan baffled tanks are commonly used on ATVs, UTV's (side-by-sides), utilities, carryalls, trailers and trucks for a variety of spraying applications including weed spraying, water transfer and fire fighting. The Silvan 'Polytuff Tank' range is available in sizes from 20L to 2200L.



AUSTRALIAN  
ROTO-MOULDING FACILITY



UV STABILISED POLYTUFF



QUALITY CONTROL

## SPOTPAK TANKS - 50L, 100L & 200L



430-50S



430-100S



430-200S

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-50S	50L SpotPak	175mm	700mm	420mm	300mm	5 kg	\$268.18	<b>\$295.00</b>	A
430-100S	100L SpotPak	175mm	800mm	475mm	395mm	9 kg	\$438.18	<b>\$482.00</b>	A
430-200S	200L SpotPak	175mm	1015mm	550mm	520mm	14 kg	\$618.18	<b>\$680.00</b>	A

## PEST CONTROL TANKS - 100L & 200L



430-0100AW



430-0200AW

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0100AW	100L UtePak White*	255mm	660mm	580mm	490mm	8 kg	\$554.55	<b>\$610.00</b>	A
430-0200AW	200L TrukPak White*	255mm	1030mm	580mm	535mm	13 kg	\$632.73	<b>\$696.00</b>	A

\*Supplied with 8mm brass insert mountings in base.

## UTEPAK/ TRUKPAK TANKS - 100L & 200L



430-0100A



430-0200A

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0100A	100L UtePak*	255mm	660mm	580mm	490mm	8 kg	\$554.55	<b>\$610.00</b>	A
430-0200A	200L TrukPak*	255mm	1030mm	580mm	535mm	13 kg	\$632.73	<b>\$696.00</b>	A

\*Supplied with 8mm brass insert mountings in base.

## BARREL TANKS - 300L & 600L



430-300R



430-0600R

INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-300R	300L Barrel Tank	255mm	945mm	600mm	820mm	16 kg	\$690.00	<b>\$759.00</b>	A
430-0600R	600L Barrel Tank	255mm	1300mm	800mm	850mm	32 kg	\$943.64	<b>\$1,038.00</b>	9

## SQUATPAK TANKS - 300L & 400L

430-0300E



430-0400E



INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0300E	300L SquatPakt	240mm	1060mm	940mm	530mm	23 kg	\$1,000.00	<b>\$1,100.00</b>	9
430-0400E	400L SquatPakt	240mm	1060mm	940mm	650mm	27 kg	\$1,068.18	<b>\$1,175.00</b>	9

† Baffled tank

## SQUATPAK TANKS - 600L & 800L

430-0600E

UNIQUE TWIN



430-0800E

UNIQUE TWIN



INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0600E	600L SquatPakt	240mm	1830mm	940mm	570mm	43 kg	\$1,191.82	<b>\$1,311.00</b>	9
430-0800E	800L SquatPakt	240mm	1800mm	940mm	760mm	46 kg	\$1,681.82	<b>\$1,850.00</b>	9

† Twin baffled tank

## FREESTANDING TANKS - 1100L & 2200L

430-1000U



430-2200



INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-1000U	1100L Freestanding Tank†	455mm	1500mm	1180mm	900mm	45 kg	\$1,877.27	<b>\$2,065.00</b>	9
430-114	Long Skid to suit 1100L	240mm	1860mm	1160mm	140mm	50 kg	\$1,204.55	<b>\$1,325.00</b>	A
430-2200	2200L Freestanding Tank	455mm	1900mm	1380mm	1150mm	81 kg	\$3,209.09	<b>\$3,530.00</b>	9

† Baffled tank

Selecta Polytuff Diesel Tanks are constructed for the toughest Australian conditions. Manufactured with a unique diesel-grade polyethylene that is UV stabilised and impact resistant. Each tank is a product of careful testing and manufacture to ensure a strong, durable and maintenance-free tank. A wide range of freestanding Polytuff Diesel Tanks are available from 800L to 2200L.

## DIESELPAK TANK - 800L



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0800F	800L DielePak	122mm	1800mm	940mm	760mm	46 kg	\$2,062.73	<b>\$2,269.00</b>	9

## LARGE VOLUME DIESEL TANKS - 1100L & 2200L



**430-2200V**



CODE	CAPACITY	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-1000V	1100L Diesel Tank	122mm	1500mm	1180mm	900mm	45 kg	\$2,163.64	<b>\$2,380.00</b>	9
430-114	Long Skid to suit 1100L Tank (area for mounting a pump and/or hose reel)		1860mm	1160mm	140mm	50 kg	\$1,204.55	<b>\$1,325.00</b>	A
430-2200V	2200L Diesel Tank	122mm	1900mm	1380mm	1150mm	81 kg	\$3,300.00	<b>\$3,630.00</b>	A

\*Kit of 4 mounting brackets without skid to suit 1100L (enquire using code 033-999-KIT).

# Plumbing, Filtration & Tank Accessories



**Silvan**  
GENUINE ACCESSORIES

**Silvan**

## FILTRATION


Efficient filtration is an important component of every sprayer and prevents blocked nozzles, reduce or inhibits pump wear and reduces down time and expense due to repairs. Silvan offers a choice of foot, suction, pressure line, nozzle and high volume irrigation filters to suit most applications.

### GRADUATED OR PROGRESSIVE FILTRATION?


Filtration is ideally applied in stages, starting with a coarse mesh progressing to finer mesh sizes as liquid moves towards the spray nozzle. Filter mesh is described in terms of the number of wires per linear inch, which relates to the size of the apertures through which liquid passes. The larger the mesh number the smaller the aperture and the finer the filtration.

*NOTE: images below are for illustrative purposes only.*


#### COARSE FILTRATION



20 Mesh/inch  
0.6mm Aperture




30 Mesh/inch  
0.4mm Aperture




50 Mesh/inch  
0.3mm Aperture

#### MEDIUM FILTRATION



80 Mesh/inch  
0.18mm Aperture

#### FINE FILTRATION



100 Mesh/inch  
0.14mm Aperture

## STAGES OF FILTRATION

### STAGE A – INTO THE TANK

**COARSE FILTRATION:** Liquid passing into the tank is filtered by the foot filter or the lid basket strainer.

### STAGE B – FROM TANK TO PUMP

**COARSE/MEDIUM FILTRATION:** Suction filters provide protection for the pump and screen out larger particles.


### STAGE C – FROM PUMP TO SPRAYLINES

**MEDIUM/FINE FILTRATION:** Pressure line filters are used to remove finer particles before nozzle holders.

- Large pressure line/flushing filter is ideally fitted between pump and pressure regulator.
- Small pressure line filters are usually fitted in each boom section spray line.

### STAGE D – SPRAY TIP FILTERS

**FINE FILTRATION:** Last stage of filtration before the spray tip, usually 50 mesh or finer.



## STAGE B SUCTION LINE FILTERS

Suction line filters provide filtration to remove larger particles of grit and are ideally mounted between the tank and pump. Featuring 8mm threaded brass inserts for easy adaptation to frames and chassis etc. Screw off bowl for easy cleaning.

SAR2/V and SAR3/V models feature auto shut-off action valve which closes off the supply line while removing element for cleaning.

Supplied with mesh elements and replacement elements are available.



G8072003



G8074007



G8081004



G8087001



G8082001



G8092004

CODE	FILTER TYPE	MESH SIZE	FLOW L/MIN	PORT SIZE BSP	MOUNT INSERTS	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
G8072003	SAR0	32	UP TO 60	1 1/4"	2	107mm	163mm	\$48.18	<b>\$53.00</b>	B
G8074007	SAR1	32	UP TO 100	1 1/4"	2	107mm	213mm	\$63.64	<b>\$70.00</b>	B
G8081004	SAR2	50	UP TO 160	1 1/2"	3	122mm	233mm	\$105.45	<b>\$116.00</b>	B
G8087001	SAR3	50	UP TO 180	1 1/2"	3	170mm	292mm	\$124.55	<b>\$137.00</b>	B
G8091004	SAR3	50	UP TO 220	2"	3	170mm	292mm	\$138.18	<b>\$152.00</b>	B
G8082001*	SAR2/V	50	UP TO 150	1 1/2"	3	140mm	260mm	\$138.18	<b>\$152.00</b>	B
G8082004	SAR2/V	50	UP TO 150	1 1/2"	3	122mm	278mm	\$163.64	<b>\$180.00</b>	B
G8092004*	SAR3/V	50	UP TO 220	2"	3	170mm	329mm	\$170.91	<b>\$188.00</b>	B

\*Include a shut off valve

## MESH ELEMENTS - SUCTION LINE FILTERS

Efficient filtration is an important component of every sprayer. Effective filtration through the use of the correct suction filter/element will screen out any larger particles and provide protection for the pump.



GC00100021



GC00100012



GC00100008

CODE	FILTER TYPE	MESH SIZE	NEW COLOUR	OLD COLOUR	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
GC00100021	SAR1	50	BLUE	BLUE	70	150	\$47.27	<b>\$52.00</b>	B
GC00100012	SAR2/SAR2/V	50	BLUE	BLUE	80	165	\$47.27	<b>\$52.00</b>	B
GC00100008	SAR3/SAR3/V	32	RED	WHITE	107	200	\$80.00	<b>\$88.00</b>	B
GC00100009	SAR3/SAR3/V	50	BLUE	BLUE	107	200	\$80.00	<b>\$88.00</b>	B

## HIGH VOLUME FILTER

Ideal for liquid storage tanks, irrigation or fertiliser systems. Filtering capacity up to 800L per minute. Built-in flow deflector helps prevent cartridge clogging in the outlet area with sediment depositing at the base of the filter bowl allowing for easy cleaning through the drain plug. Features 1/4" BSP gauge ports on the inlet and outlet side. Maximum pressure 7.8 Bar/114 psi



3352195

CODE	FILTER TYPE	MESH SIZE	FLOW L/MIN	PORT SIZE BSP	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
3352195	335	120 S/Steel	Up to 800	3" Male	415mm	358mm	2.9 g	\$520.91	<b>\$573.00</b>	B

## LINE STRAINERS

The Polypropylene AAB124ML line strainer features a compact size that is well suited for small agricultural sprayers. Available in 12.5mm or 3/4" with mounting facility and 50, 80 or 100 mesh elements. Maximum pressure rating is 10 Bar/150 psi



**TeeJet**  
TECHNOLOGIES

50

80

100

AAB122ML

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB122ML-1/2-PP-50	1 1/2" Filter Assembly with 50 mesh element	BLUE	45	\$55.45	<b>\$61.00</b>	B
AAB122ML-1/2-PP-80	1 1/2" Filter Assembly with 80 mesh element	YELLOW	45	\$55.45	<b>\$61.00</b>	B
AAB122ML-1/2-PP-100	1 1/2" Filter Assembly with 100 mesh element	GREEN	45	\$55.45	<b>\$61.00</b>	B
AAB122ML-3/4-PP-50	3/4" Filter Assembly with 50 mesh element	BLUE	60	\$55.45	<b>\$61.00</b>	B
AAB122ML-3/4-PP-80	3/4" Filter Assembly with 80 mesh element	YELLOW	60	\$55.45	<b>\$61.00</b>	B
AAB122ML-3/4-PP-100	3/4" Filter Assembly with 100 mesh element	GREEN	60	\$55.45	<b>\$61.00</b>	B

## FILTER ELEMENTS

### SUIT 122ML FILTER (1/2" or 3/4")

- Available in stainless steel (1) 16 mesh, (2) 30 mesh, or (7) or 200 mesh. To order: Replace the \* with the number required. For example: 30 mesh element is number 2 use CP23174-2-304SS
- Or Poly (3) 50 mesh Blue, (4) 80 mesh Yellow and (5) 100 mesh Green. To order: Replace the \* with the number required. For example: 50 mesh element is number 3 (Blue) use CP45102-3-SSPP



23174

28mm OD x 69mm L



45102

30mm OD x 70mm L

16

30

50

80

100

200

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP23174-*-304SS	Available in 16 mesh (1 Brown), 30 mesh (2 Red) - stainless steel	\$20.00	<b>\$22.00</b>	B
CP45102-*-SSPP	Available in 50 mesh (3 Blue), 80 mesh (4 Yellow), 100 mesh (5 Green) - poly	\$27.27	<b>\$30.00</b>	B
CP23174-7-304SS	Available in 200 mesh - stainless steel	\$34.54	<b>\$38.00</b>	B

## AA126ML FLUSH - OUT LINE STRAINERS

- Available in ¾" or 1"
- 14 Bar/210 psi maximum pressure rating
- BSPT female inlet/outlet, Polypropylene construction



AA126ML-3\*\*

30
50
80
100

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB126ML-3-30	¾" Filter Assembly with 30 mesh element	RED	87	\$78.18	<b>\$86.00</b>	B
AAB126ML-3-80	¾" Filter Assembly with 80 mesh element	YELLOW	87	\$78.18	<b>\$86.00</b>	B
AAB126ML-3-100	¾" Filter Assembly with 100 mesh	GREEN	87	\$78.18	<b>\$86.00</b>	B
AAB126ML-4-50	1" Filter Assembly with 50 mesh	BLUE	132	\$90.91	<b>\$100.00</b>	B
AAB126ML-4-80	1" Filter Assembly with 80 mesh	YELLOW	132	\$90.91	<b>\$100.00</b>	B

## FILTER ELEMENTS

### SUIT AAB126ML- ¾" or 1" FILTER ASSEMBLY

- ¾" Available in 30 mesh (3 Red), 80 mesh (5 Yellow), 100 mesh (6 Green)
- 1" Available in 50 mesh (4 Blue), 100 mesh (6 Green)
- To order: Replace the \* in the code below with the number required  
For example: 100 mesh element is number (6 Green) use CP16903-6-SSPP



16903

35mm OD x 146mm L

30
50
80
100

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP16903-*-SSPP	Elements are available in (3) 30, (4) 50, (5) 80, (6) 100 mesh	\$43.64	<b>\$48.00</b>	B

## AA126ML FLUSH - OUT LINE STRAINERS

- Available in 1 ¼" or 1 ½"
- 14 Bar/210 psi maximum pressure rating
- BSPT female inlet/outlet, Polypropylene construction



AA126ML-6\*\*

50
80
100

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB126ML-5-80	1 ¼" Filter Assembly with 80 mesh element	GREEN	223	\$199.09	<b>\$219.00</b>	B
AAB126ML-6-50	1 ½" Filter Assembly with 50 mesh element	BLUE	291	\$199.09	<b>\$219.00</b>	B
AAB126ML-6-80	1 ½" Filter Assembly with 80 mesh element	YELLOW	291	\$199.09	<b>\$219.00</b>	B
AAB126ML-6-100	1 ½" Filter Assembly with 100 mesh element	GREEN	291	\$199.09	<b>\$219.00</b>	B

## FILTER ELEMENTS

### SUIT AAB126ML - 1 ¼" or 1 ½" FILTER ASSEMBLY

- Available in 16 mesh (1 Brown Red), 30 mesh (2 Red), 50 mesh (3 Blue), 80 mesh (4 Yellow), 100 mesh (5 Green)
- To order: Replace the \* in the code below with the number required.  
For example: 50 mesh element is number 3 (Blue) use CP15941-3-SSPP



CP15941-\*-SSPP

57mm OD x 194mm L

16
30
50
80
100

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP15941-*-SSPP	Elements are available in (1) 16, (2) 30, (3) 50, (4) 80 & (5) 100 mesh	\$60.00	<b>\$66.00</b>	B

## STAGE C FILTRATION PRESSURE LINE STRAINERS

Pressure line strainers are ideal for placing in hose lines between pump and spray lines for finer filtration. They remove fine particles preventing spray tip blockage or excessive wear. Polypropylene or brass construction, mesh element standard, twist-off bowl for easy cleaning. Some models feature a self-clean flushing tap. Pressures range from 1000 kPa (145 psi) to 5000 kPa (725 psi) maximum, flow from 70 to 150 L/min.



BRA-M147



G8135002



3242024



3242023

CODE	MAX PRESS KPA/PSI	FLOW L/MIN	PORT SIZE BSP	MOUNT. INSERTS	WIDTH	HEIGHT	MAT	MESH SIZE	LIST EX	LIST INC	CAT
BRA-M147	5000/725	70L Max	1/2" F	-	90mm	155mm	BRASS	70	\$140.00	<b>\$154.00</b>	B
G8135002	5000/725	150L Max	3/4" F	2	100mm	240mm	POLY	80	\$182.73	<b>\$201.00</b>	B
3242024	1000/145	100L Max	1/2" F	2	97mm	134mm	POLY	100	\$47.27	<b>\$52.00</b>	B
3242034	1000/145	100L Max	3/4" F	2	97mm	134mm	POLY	100	\$47.27	<b>\$52.00</b>	B
3242023	1000/145	100L Max	1/2" F	2	97mm	134mm	POLY	50	\$47.27	<b>\$52.00</b>	B

## MESH ELEMENTS - PRESSURE LINE STRAINERS



REF: 2



REF: 3



REF: 4



REF: 5

CODE	REF	FILTER TYPE	MESH SIZE	NEW COLOUR	OLD COLOUR	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
GC00100001	2	324	50	BLUE	BLUE	40mm	90mm	\$37.27	<b>\$41.00</b>	B
GC00100003	2	324	100	GREEN	RED	40mm	90mm	\$37.27	<b>\$41.00</b>	B
GC00100033	3	326	50	BLUE	BLUE	58mm	210mm	\$70.00	<b>\$77.00</b>	B
GC00100035	3	326	100	GREEN	RED	58mm	210mm	\$70.00	<b>\$77.00</b>	B
GC00100005	4	3244	50	BLUE	BLUE	38mm	125mm	\$37.27	<b>\$41.00</b>	B
GC00100007	4	3244	100	GREEN	RED	38mm	125mm	\$37.27	<b>\$41.00</b>	B
GC00100015	5	G8135	50	BLUE	BLUE	50mm	150mm	\$46.36	<b>\$51.00</b>	B
GC00100016	5	G8135	80	YELLOW	GREY	50mm	150mm	\$46.36	<b>\$51.00</b>	B



## STAGE D FILTRATION

Nozzle or tip filters provide the final stage of filtration before the liquid is sprayed. They are available as standard or small cup type filters and fit most nozzle holders. Also available in anti-drip versions.

## CUP STRAINERS

- Stainless steel construction
- Choice of 50 and 100 mesh screens



50 Mesh



100 Mesh



G8139001

10 PACK

4067 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-4067-SS-50	50	Stainless Steel	CUP	Stainless Steel	\$51.82	<b>\$57.00</b>	B
PKT-4067-SS-100	100	Stainless Steel	CUP	Stainless Steel	\$51.82	<b>\$57.00</b>	B
G8139001	50	Stainless Steel	CUP	Nylon	\$3.64	<b>\$4.00</b>	B

## POLY TIP STRAINERS

Tip strainers protect the spray tip orifice from clogging and damage. Stainless steel screens available in 50 and 100 mesh individually



50 Mesh



100 Mesh

10 PACK

8079 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-8079-PP-50	50	Stainless Steel	Standard	Polypropylene	\$41.82	<b>\$46.00</b>	B
PKT-8079-PP-100	100	Stainless Steel	Standard	Polypropylene	\$41.82	<b>\$46.00</b>	B

## NON-DRIP TIP STRAINER WITH CHECK VALVE

Ideal for knapsacks and 12V sprayers by eliminating any excess drips. Fits all Silvan nozzle bodies.

- Check valve opens at 0.34 Bar
- Recommended for flow rates up to 3 L/min
- Available in 50 and 100 mesh screens

Note: Use of these check valves results in a pressure drop of 0.34 Bar



4193A SERIES

NOTE: CUT-AWAY PICTURE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
4193A-10-50SS	50	Stainless Steel	Standard With Check Valve	Brass	\$15.45	<b>\$17.00</b>	B
4193A-PP-10-100SS	100	Stainless Steel	Standard With Check Valve	Polypropylene	\$10.91	<b>\$12.00</b>	B
4193A-PP-10-50SS	50	Stainless Steel	Standard With Check Valve	Polypropylene	\$10.91	<b>\$12.00</b>	B



## BREATHER VALVES

1. Single breather valve with locking nut
2. Single labyrinth valve to suit Arag lids
3. Double one-way spring valve to suit Geoline lids



CODE	REF	TYPE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
			INSIDE	OUTSIDE				
G8208000	1	Single	35mm	55mm	80mm	\$20.91	<b>\$23.00</b>	B
3522000	2	Single	110mm	140mm	80mm	\$37.27	<b>\$41.00</b>	B
G8140002	3	Dual	120mm	140mm	75mm	\$37.27	<b>\$41.00</b>	B

## STAGE A TANK LIDS

Silvan "Smoothline" lid assemblies are used extensively throughout Australia. A wide range of sizes is available to suit many applications e.g. filling points, inspection hatches and man-holes used in agricultural water and chemical tanks.

Manufactured from high quality chemical resistant UV stabilised polypropylene for durability. Two start threads are convenient and larger screw type lids feature twist on/off centre cap, incorporating a double breather valve (single on smaller lids) for fast tank filling and quick emptying.

A. Male thread with breather

B. Male thread with breather

C. Female thread with breather

D. Female thread no breather



G8146002



G8158002



G8178001




354130

CODE	SIZE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT	
		INSIDE	OUTSIDE					
A	G8146002	255mm	210mm	250mm	31mm	\$45.45	<b>\$50.00</b>	B
B	G8152002	355mm	313mm	355mm	29mm	\$56.36	<b>\$62.00</b>	B
B	G8158002	455mm	408mm	450mm	23mm	\$70.00	<b>\$77.00</b>	B
C	G8178001	170mm	150mm	170mm	56mm	\$26.36	<b>\$29.00</b>	B
D	354130	122mm	106mm	122mm	32mm	\$22.73	<b>\$25.00</b>	B
E	354130B	122mm (with breather)	106mm	122mm	64mm	\$50.91	<b>\$56.00</b>	B

## LID RINGS

Two start threads for secure, positive fastening and sealing. Suits male threaded lids.



CODE	SIZE			HEIGHT	LIST EX	LIST INC	CAT
	A	B	C				
G8148000	255mm	218mm	192mm	38mm	\$23.64	<b>\$26.00</b>	B
G8154000	355mm	320mm	290mm	38mm	\$26.36	<b>\$29.00</b>	B
G8160000	455mm	415mm	382mm	35mm	\$30.00	<b>\$33.00</b>	B

## HINGE TYPE

Twin threaded lid with sealing gasket, breather valve and threaded ring.

- Ball valve type



G8170015

CODE	SUITS LID	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
		INSIDE	OUTSIDE				
G8170015	455mm	415mm	457mm	22.5mm	\$137.27	<b>\$151.00</b>	B

## LID STRAINERS

For prevention of large particles or debris entering tank



CODE	SUITS LID	MESH SIZE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
			INSIDE	OUTSIDE				
G8147002	255mm	20	188mm	200mm	240mm	\$56.36	<b>\$62.00</b>	B
G8153001	355mm	20	286mm	300mm	254mm	\$71.82	<b>\$79.00</b>	B
G8159000	455mm	20	378mm	398mm	160mm	\$89.09	<b>\$98.00</b>	B



## VALVES

Silvan offer a wide range of valves manufactured to high specifications with excellent resistance to agricultural chemicals with minimum flow restriction or pressure loss. They feature BSP connections and quick turn ON/OFF and are ideal for controlling boom lines, change of liquid directional flow, stop cocks or tank outlets.

### BUTTERFLY VALVE - HIGH PRESSURE

Teflon seals, durable brass coating, 90° ON/OFF with female BSP connections



472-28B

CODE	SIZE FEM BSPT	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
472-22B	1/4"	50 Bar/725 psi	52mm	25mm	55mm	\$41.82	<del>\$46.00</del>	B
472-28B	1/2"	50 Bar/725 psi	52mm	32mm	60mm	\$45.46	<del>\$50.00</del>	B

### INLINE TAP

Designed for low pressure applications.

- Ideal to adjust pressure and flow with a Smoothflo pump



320-TAP1

CODE	SUIT I.D. HOSETAIL	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
320-TAP1	1/2"	7 Bar/100 psi	74mm	28mm	49mm	\$10.00	<del>\$11.00</del>	B
320-TAP2	10mm	7 Bar/100 psi	82mm	27mm	39mm	\$14.55	<del>\$16.00</del>	B

## PRESSURE GAUGE

Both standard and dual pressure gauges for high and low pressure readings. Feature a nominal size 63mm gauge, clear lens, glycerine filled, 1/4" BSP male thread in either bottom or back entry models.



**1 BAR = 14.5 PSI**




CODE	ENTRY TYPE	PRESSURE LIMITS	OPTIMUM OPERATING PRESSURE	LIST EX	LIST INC	CAT
C99-247*	Back	0-60 Bar	30 Bar	\$303.64	<b>\$334.00</b>	B
C99-248-PK†	Bottom	0/5/25 Bar	1-5 Bar	\$80.91	<b>\$89.00</b>	B
C99-249-PK†	Back	0/5/25 Bar	1-5 Bar	\$93.64	<b>\$103.00</b>	B
C99-205/30B	Bottom	0-60 Bar	30 Bar	\$64.55	<b>\$71.00</b>	B
C99-204	Back	0-60 Bar	30 Bar	\$64.55	<b>\$71.00</b>	B
G8302058	Bottom	0-80 Bar	40 Bar	\$60.91	<b>\$67.00</b>	B
C99-210/50B	Bottom	0-100 Bar	50 Bar	\$64.55	<b>\$71.00</b>	B

\*100mm gauge face model with 1/2" BSP connection †Dual Stage gauge model PK = Packaged

## BRASS HOSE CONNECTORS

Manufactured from high quality brass and can be used in conjunction with any BSP fittings.



CODE (2 PACK)	NO.	HOSE SIZE	LIST EX	LIST INC	CAT	
NUT & TAIL	G8304004-PK	1	10mm	\$19.09	<b>\$21.00</b>	B
	G8304005-PK	2	12.5mm	\$36.36	<b>\$40.00</b>	B
NUT & ELBOW	G8304008	3	12.5mm	\$14.55	<b>\$16.00</b>	B

## HOSETAIL

CODE	THREAD SIZE BSP	TAIL SIZE	LIST EX	LIST INC	CAT
474-191	1/4" Male	10mm	\$8.18	<b>\$9.00</b>	B
474-200	1/4" Male	12.5mm	\$9.09	<b>\$10.00</b>	B
474-207	1/2" Male	12.5mm	\$10.91	<b>\$12.00</b>	B
474-209	1/2" Male	10mm	\$13.64	<b>\$15.00</b>	B

## HOSE SNAP COUPLINGS

Ideal for quick disconnection of spray guns from hose reels featuring liquid shut-off. Manufactured from corrosion resistant materials.

- Brass - maximum pressure 3000kPa (435psi)



CODE	REF	COUPLING TYPE	MAT	CONNECT. SIZE	LIST EX	LIST INC	CAT
406-02-PK	3, 4	Complete Set	Brass	1/2"BSPT (M)	\$148.18	<b>\$163.00</b>	B
406-02M	3	Male	Brass	1/2"BSPT (M)	\$28.18	<b>\$31.00</b>	B
406-02F	4	Female	Brass	1/2"BSPT (M)	\$113.64	<b>\$125.00</b>	B



Maintaining a leak free and smooth liquid flow by using quality components and fittings is essential for maximum performance in all installations. Silvan's range of fittings are manufactured from high quality polypropylene and are compatible with fungicides, herbicides, chemical fertilisers etc. and will withstand temperatures of up to 100°C.

Standard BSP male and female threads can be used in conjunction with each other to construct assorted types and sizes of inlets, outlets, suction fittings and hose unions or they can be used with standard brass, galvanised and other fittings.

## HOSETAIL MALE THREAD



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8001151	1/2"	13mm	\$8.18	<b>\$9.00</b>	B
G8001153	1/2"	19mm	\$8.18	<b>\$9.00</b>	B
G8001201	3/4"	13mm	\$9.09	<b>\$10.00</b>	B
G8001203	3/4"	19mm	\$9.09	<b>\$10.00</b>	B
G8001205	3/4"	25mm	\$9.09	<b>\$10.00</b>	B
G8001251	1"	19mm	\$9.09	<b>\$10.00</b>	B
G8001252	1"	25mm	\$9.09	<b>\$10.00</b>	B

## HOSETAIL ELBOW 90° MALE THREAD



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8011101	3/8"	13mm	\$9.09	<b>\$10.00</b>	B
G8011151	1/2"	13mm	\$9.09	<b>\$10.00</b>	B
G8011152	1/2"	15mm	\$9.09	<b>\$10.00</b>	B
G8011153	1/2"	20mm	\$10.00	<b>\$11.00</b>	B
1132320	3/4"	19mm	\$10.00	<b>\$11.00</b>	B
G8011203	3/4"	25mm	\$10.00	<b>\$11.00</b>	B
G8011252	1"	30mm	\$12.73	<b>\$14.00</b>	B

## HOSETAIL ELBOW 90° FEMALE THREAD



CODE	THREAD (BSP)	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
G8010201	3/4"	19mm	\$9.09	<b>\$10.00</b>	B
G8010203	3/4"	25mm	\$10.00	<b>\$11.00</b>	B

## SINGLE PIECE 90° ELBOW WITH BACK NUT



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8039151	1/2"	15mm	\$13.64	<b>\$15.00</b>	B
G8039201	3/4"	19mm	\$13.64	<b>\$15.00</b>	B
G8039251	1"	25mm	\$17.27	<b>\$19.00</b>	B

## REDUCING NIPPLE MALE/MALE



CODE	THREAD (BSP)	THREAD (BSP)	LIST EX	LIST INC	CAT
2402020	1/4"	1/2"	\$9.09	<b>\$10.00</b>	B
G8058151	1/2"	3/4"	\$10.00	<b>\$11.00</b>	B
G8058201	3/4"	1"	\$10.00	<b>\$11.00</b>	B

## REDUCING NIPPLE MALE/FEMALE



CODE	THREAD M (BSP)	THREAD F (BSP)	LIST EX	LIST INC	CAT
G8059203	3/4"	1"	\$10.00	<b>\$11.00</b>	B
G8059204	3/4"	1 1/4"	\$10.91	<b>\$12.00</b>	B
G8059401	2"	1 1/2"	\$12.73	<b>\$14.00</b>	B



## HOSE CLAMPS

Feature continuous rolled thread with hex head for screwdriver or spanner tightening.

TO FIT HOSE I.D. SIZE				
HOSE CLAMP	8MM	10MM	12MM	20MM
CODE	187-MH04	187-MH05	187-HS06	187-HS12
LIST EX	\$2.73	\$2.73	\$3.64	\$4.55
LIST INC	<b>\$3.00</b>	<b>\$3.00</b>	<b>\$4.00</b>	<b>\$5.00</b>
CAT	B	B	B	B

## TEE PIECE FEMALE



CODE	THREAD (BSP)	LIST EX	LIST INC	CAT
G8026151	1/2"	\$11.82	<b>\$13.00</b>	B
G8026201	3/4"	\$11.82	<b>\$13.00</b>	B

## MALE PLUG



CODE	THREAD (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8046151	1/2"	15mm	\$6.36	<b>\$7.00</b>	B
G8046201	3/4"	17mm	\$6.36	<b>\$7.00</b>	B

## BARBED TEE PIECES



CODE	SUIT I.D. HOSETAIL	LIST EX	LIST INC	CAT
320-T38	10mm	\$6.36	<b>\$7.00</b>	B
320-T12	13mm	\$7.27	<b>\$8.00</b>	B
320-T34	19mm	\$7.27	<b>\$8.00</b>	B

## TANK OUTLET



CODE	THREAD SIZE (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8050151	1/2"	43mm	\$9.09	<b>\$10.00</b>	B
G8050201	3/4"	43mm	\$9.09	<b>\$10.00</b>	B
G8050251	1"	50mm	\$9.09	<b>\$10.00</b>	B
G8050302	1 1/4"	48mm	\$9.09	<b>\$10.00</b>	B
G8050351	1 1/2"	48mm	\$9.09	<b>\$10.00</b>	B

## BLANKING CAPS FEMALE THREAD



CODE	THREAD (BSP)	THREAD LENGTH	LIST EX	LIST INC	CAT
G8044151	1/2"	15mm	\$5.45	<b>\$6.00</b>	B
2102030	3/4"	13mm	\$5.91	<b>\$6.50</b>	B
G8044251	1"	21mm	\$6.36	<b>\$7.00</b>	B
G8044301	1 1/4"	18mm	\$5.45	<b>\$6.00</b>	B
G8044351	1 1/2"	19mm	\$5.45	<b>\$6.00</b>	B

## BACK NUT FEMALE



CODE	THREAD (BSP)	THREAD LENGTH	LIST EX	LIST INC	CAT
G8042151	1/2"	13mm	\$5.45	<b>\$6.00</b>	B
G8042201	3/4"	13mm	\$5.45	<b>\$6.00</b>	B
G8042251	1"	13mm	\$7.27	<b>\$8.00</b>	B
G8042301	1 1/4"	15mm	\$8.18	<b>\$9.00</b>	B
G8042351	1 1/2"	15mm	\$13.64	<b>\$15.00</b>	B
G8042401	2"	17mm	\$15.45	<b>\$17.00</b>	B

## NIPPLES



CODE	SIZE (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8056151	1/2"	54mm	\$4.55	<b>\$5.00</b>	B
G8056152	1/2"	75mm	\$9.09	<b>\$10.00</b>	B
G8056201	3/4"	60mm	\$9.09	<b>\$10.00</b>	B
G8056251	1"	64mm	\$11.82	<b>\$13.00</b>	B
G8056252	1"	70mm	\$11.82	<b>\$13.00</b>	B
G8056301	1 1/4"	68mm	\$16.36	<b>\$18.00</b>	B
G8056351	1 1/2"	68mm	\$19.09	<b>\$21.00</b>	B

## FLAT GASKET



CODE	I.D.	O.D.	LIST EX	LIST INC	CAT
GG0002004	10mm	3/4"	\$4.55	<b>\$5.00</b>	B
GG0002012	1"	1 1/2"	\$1.82	<b>\$2.00</b>	B
GG0002010	3/4"	1 1/4"	\$4.55	<b>\$5.00</b>	B
GG0002006	1/2"	1"	\$4.55	<b>\$5.00</b>	B
GG0002014	1 1/4"	2"	\$5.45	<b>\$6.00</b>	B
GG0002016	1 1/2"		\$6.36	<b>\$7.00</b>	B
GG0002018	2"		\$7.27	<b>\$8.00</b>	B
GG0001014		1/2"	\$0.91	<b>\$1.00</b>	B

## O-RING



O-RING CODE	O.D.	LIST EX	LIST INC	CAT
GG00001002	1/2"	\$1.82	<b>\$2.00</b>	B
GG00001012	3/4"	\$1.82	<b>\$2.00</b>	B
GG00001018	1"	\$2.73	<b>\$3.00</b>	B
GG00001022	1 1/4"	\$3.64	<b>\$4.00</b>	B
C1210-173	1 1/2"	\$0.91	<b>\$1.00</b>	B
G10071V	2"	\$5.45	<b>\$6.00</b>	B

## ELBOWS



CODE	THREAD SIZE (BSP)	THREAD SIZE (BSP)	LIST EX	LIST INC	CAT
G8021151	1/2" M	1/2" F	\$5.45	<b>\$6.00</b>	B
G8019201	3/4" F	3/4" F	\$13.64	<b>\$15.00</b>	B

## ELBOWS



CODE	SIZE	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
116210	1/2"	10mm	\$8.18	<b>\$9.00</b>	B
G8012200	3/4"	13mm	\$8.18	<b>\$9.00</b>	B
G8012203	3/4"	19mm	\$9.09	<b>\$10.00</b>	B
G8012251	1"	19mm	\$10.91	<b>\$12.00</b>	B
G8012252	1"	25mm	\$10.91	<b>\$12.00</b>	B
G8012301	1 1/4"	25mm	\$10.91	<b>\$12.00</b>	B
G8012350	1 1/2"	25mm	\$10.91	<b>\$12.00</b>	B
G8012353	1 1/2"	35mm	\$10.91	<b>\$12.00</b>	B
G8012355	1 1/2"	40mm	\$10.91	<b>\$12.00</b>	B
G8012400	2"	40mm	\$13.64	<b>\$15.00</b>	B

## HOSETAILED



CODE	SIZE	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
G8002151	1/2"	13mm	\$6.36	<b>\$7.00</b>	B
G8002200	3/4"	13mm	\$7.27	<b>\$8.00</b>	B
G8002202	3/4"	19mm	\$7.27	<b>\$8.00</b>	B
G8002250	1"	13mm	\$7.27	<b>\$8.00</b>	B
G8002252	1"	19mm	\$7.27	<b>\$8.00</b>	B
G8002254	1"	25mm	\$7.27	<b>\$8.00</b>	B
G8002301	1 1/4"	25mm	\$13.64	<b>\$15.00</b>	B
G8002302	1 1/4"	30mm	\$13.64	<b>\$15.00</b>	B
G8002353	1 1/2"	35mm	\$15.45	<b>\$17.00</b>	B
G8002350	1 1/2"	25mm	\$15.45	<b>\$17.00</b>	B
G8002355	1 1/2"	40mm	\$15.45	<b>\$17.00</b>	B
G8002402	2"	50mm	\$16.36	<b>\$18.00</b>	B

## FLY NUT



CODE	THREAD SIZE (BSP) (F)	LIST EX	LIST INC	CAT
G8040151	1/2" Suit 10mm tails	\$5.45	<b>\$6.00</b>	B
G8040152	1/2" Suit 13mm tails	\$6.36	<b>\$7.00</b>	B
G8040202	3/4"	\$7.27	<b>\$8.00</b>	B
G8040251	1"	\$7.27	<b>\$8.00</b>	B
G8040301	1 1/4"	\$7.27	<b>\$8.00</b>	B
G8040351	1 1/2"	\$7.27	<b>\$8.00</b>	B
G8040401	2"	\$7.27	<b>\$8.00</b>	B

# Diesel Tanks & Accessories



***DIESELPAK***

***DIESELPRO***

***DIESELCUBE***

***DIESELPPOWER***



# Key Features



## **DIESEL CADDY - 100L**

Portable diesel caddy on wheels  
12V submersible pump, 15L/min open flow  
2m delivery hose – manual trigger



## **DIESEL ECO - 200L**

40L/min 12V Selecta Power pump  
3m power cord with alligator clips  
4m delivery hose – manual trigger



## **DIESELPOWER - 100L, 200L & 400L**

40L/min 12V Selecta Power pump  
Internal baffle to reduce surge when travelling (400L only)  
Lockable filling lid & filling cap, 4m delivery hose – auto trigger



## **DIESEL CUBE - 180L, 250L & 450L**

50L/min 12V Selecta Power pump  
Water filter & tank level indicator  
Lockable lid, 4m delivery hose – auto trigger



## **DIESELPRO - 200L, 400L & 600L**

50L/min 12V Italian Piusi pump  
Internal baffle to reduce surge when travelling (400L only)  
Lockable filling lid & filling cap, 4m delivery hose – auto trigger



## **DIESELPAK - 800L & 1100L**

50L/min 12V Italian Piusi pump  
Internal baffle to reduce surge when travelling  
5m delivery hose – auto trigger



## **DIESELPAK HI-FLOW - 1100L & 2200L**

85L/min 12V Italian Piusi pump  
Internal baffle to reduce surge when travelling (1100L only)  
5m delivery hose – auto trigger



Safe & reliable diesel transfer solutions for refueling on the go!



STRONG LOCKABLE LID & SHIELDED TANK BREATHER TO PREVENT THEFT

40 OR 50L/MIN PUMPS

IMPACT RESISTANT UV STABILISED DIESEL GRADE POLYTUFF TANKS



LOCKABLE FILLING CAP



3/4" DELIVERY HOSE & AUTO SHUT OFF TRIGGER



AUTO SHUT OFF NOZZLE WITH HOSE SWIVEL





TKD200-7

## 12V 200L ECO DIESEL TRANSFER UNIT

The Eco Diesel transfer unit are a simple solution to transfer diesel while including some premium features.

- Impact resistant, UV stabilised Polytuff tank
- 12V Diesel power pump, 40L/min open flow
- Manual aluminium trigger
- 4m x 19mm ID delivery hose
- 3m long power cord with alligator clips



TKD200-7

## 12V 100L DIESEL CADDY

The Diesel Caddy is a compact addition to the workshop for diesel top-ups to farm, construction equipment & transferring diesel to a watercraft.

- UV stabilised Polytuff tank with screw on lid and breather
- 12V submersible pump, 15L/min open flow
- Flat free wheels (245mm diameter)
- 2m delivery hose with manual aluminium trigger
- 2.2m power cord with alligator clips to connect to a battery



SQDT100-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TKD200-7	200L Diesel Eco Transfer unit	1030mm	580mm	535mm	21 kg	\$1,022.73	<b>\$1,125.00</b>	A
SQDT100-1	100L Diesel Caddy	400mm	540mm	1050mm	19 kg	\$581.82	<b>\$640.00</b>	A



SQDN200-7

## DIESELPower DIESEL TRANSFER UNITS

- 100L, 200L & 400L

The 12V DieselPower transfer units are available in 100L, 200L & 400L capacity. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised. Proven and reliable Selecta DieselPower pumps are the heart of this rugged product.

- 12V DieselPower pump, 40L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality auto shut off trigger
- 4m x 19mm ID delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- Baffled tank - 400L only
- Recesses in the tank for securing with ratchet straps



SQDN100-1



SQDN200-7



SQDN400-7

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDN100-1	100L DieselPower Unit	800mm	620mm	440mm	18 kg	\$1,068.18	<b>\$1,175.00</b>	A
SQDN200-7	200L DieselPower Unit	1100mm	640mm	610mm	24 kg	\$1,240.91	<b>\$1,365.00</b>	A
SQDN400-7	400L DieselPower Unit	1700mm	820mm	590mm	41 kg	\$1,653.64	<b>\$1,819.00</b>	A
D6792504	Lockable Filler Cap to suit DieselPower 100L, 200L and 400L					\$89.09	<b>\$98.00</b>	B
PF26-X3*	Digital Litre Counter (customer fitment)					\$363.64	<b>\$400.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

\*Note customer fitment.

**NEW**

**50L  
PER MIN  
PUMP**

**SQDN200L-Z1**



**OPTIONS:**



**PF26-X3**

## DIESELPRO DIESEL TRANSFER UNITS

- 200L, 400L & 600L

The 12V DieselPro range of transfer units are available in 200L, 400L & 600L capacities. Feature packed with world class components, including an Italian made Piusi pump. Longer hose and wiring harnesses than others on the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- 12V Italian Piusi pump, 50L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality auto shut off trigger
- 4m x 19mm ID delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Anti-static earth strap
- Low profile design for clear rear view from utility

### 400L & 600L DIESELPRO TRANSFER UNITS

- Baffled tanks to reduce surge when travelling
- 400L unit has Worksafe Victoria approval number 30315
- 600L tank bottom has 8mm brass inserts for bolt down mounting to a tray, skid or platform
- Recesses in the tank for securing with ratchet straps



**SQDN200L-Z1**



**SQDN400L-Z1**



**SQDN600L-X1**

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDN200L-Z1	200L DieselPro Unit	1100mm	640mm	610mm	27 kg	\$1,409.09	<b>\$1,550.00</b>	A
SQDN400L-Z1	400L DieselPro Unit	1700mm	820mm	590mm	41 kg	\$2,045.45	<b>\$2,250.00</b>	A
SQDN600L-X1	600L DieselPro Unit	1664mm	840mm	810mm	50 kg	\$2,545.45	<b>\$2,800.00</b>	A
06792504	Lockable Filler Cap to suit DieselPro 200L and 400L					\$89.09	<b>\$98.00</b>	B
G8178013	Lockable Filler Cap to suit DieselPro 600L					\$95.45	<b>\$105.00</b>	B
PF26-X3*	Digital Litre Counter (customer fitment)					\$363.64	<b>\$400.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

\*Note customer fitment.



## DIESEL CUBE DIESEL TRANSFER TANKS

– 180L, 250L, 450L

Selecta DieselCubes are the next generation in design and strength with tanks that are thicker, stronger & more robust. Not only are they visually appealing, all DieselCubes have a water filter connected to the pump to assist in reducing damage to your diesel engine. Specifically designed for well body vehicles such as the Ram, Ford Ranger, Toyota Hilux, BT-50, Triton, Nissan Navara, Isuzu D-Max, and VW Amarok. The height of the DieselCubes make diesel transfer effortless in these vehicles.

- Impact resistant, UV stabilised heavy duty Polytuff tank
- Strong double walled pump cover that protects the pump and any unwanted access (padlock included)
- 12V DieselPower pump, 50L/min open flow
- Water filter to assist in reducing damage to your engine
- Tank level indicator
- 4m x 3/4" delivery hose with crimped fittings and auto shut off trigger
- Forklift pockets (use when tank is empty)
- Recesses in the tank for securing with ratchet straps
- Moulded carry handles



OPTIONS:



PF26-X3



SQDC180-8



SQDC250-8



SQDC450-8

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDC180-8	180L Diesel Cube	820mm	620mm	670mm	29 kg	\$1,453.64	<b>\$1,599.00</b>	A
SQDC250-8	250L Diesel Cube	930mm	750mm	770mm	34 kg	\$1,590.91	<b>\$1,750.00</b>	A
SQDC450-8	450L Diesel Cube	1130mm	820mm	830mm	47 kg	\$2,263.64	<b>\$2,490.00</b>	A
382-177	Replacement Water Filter to suit DieselCubes					\$27.28	<b>\$30.00</b>	B
PF26-X3*	Digital Litre Counter (customer fitment)					\$363.64	<b>\$400.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.  
\*Note customer fitment.



SQD1000-X1



UNIQUE TWIN  
BAFFLED TANK  
SQD800-X1

24  
MINUTES  
TRANSFER  
TIME

BAFFLED TANK  
SQD1000-X1



## DIESELPAK UNITS - 800L & 1100L

The 12V DieselPak larger capacity transfer units are available in 800L & 1100L and have an internal baffle to reduce surge when traveling. Feature packed with world class components including an Italian made Piusi pump, longer hose and wiring harnesses than others on the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- Baffled tanks to reduce surge when travelling and no spill breathers
- 800L has twin baffle, 1100L has single baffle
- 12V Italian Piusi pump, 50L/min open flow
- 5m x 19mm delivery hose with swivel & crimped fittings
- High quality auto shut off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- Recesses in tank for securing with ratchet straps



OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD800-X1	800L DieselPak Unit	1800mm	940mm	760mm	30kg	\$2,453.64	<b>\$2,699.00</b>	A
SQD1000-X1	1100L DieselPak Unit	1500mm	1180mm	1090mm	56kg	\$2,722.73	<b>\$2,995.00</b>	9
354130B	Replacement lid with breather to suit 800 & 1100L Dieselpak					\$50.91	<b>\$56.00</b>	B
PF26-X3*	Digital Litre Counter (customer fitment)					\$363.64	<b>\$400.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.  
\*Note customer fitment.



## HI FLOW 85L/Min PUMP

Approximately half the transfer time compared to a standard 40L/min Diesepower unit, which halves the labour cost in refilling machines.

SQD2200-5

**13**  
MINUTES  
TRANSFER  
TIME



  
BAFFLED TANK  
SQD1000-5

**26**  
MINUTES  
TRANSFER  
TIME



SQD2200-5

Pictured with optional inline litre counter

## HI FLOW DIESELPak UNITS - 1100L & 2200L

The HI FLOW 12V DieselPak larger capacity transfer units are available in 1100L and 2200L. The 1100L has an internal baffle to reduce surge when traveling. Feature packed with world class components including an Italian made Piusi pump, longer hose and wiring harnesses than others on the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- 12V Italian Piusi pump, 85L/min open flow
- 4m x 25mm delivery hose with swivel & crimped fittings
- High quality auto shut off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- Baffled tank - 1100L only
- Recesses in tank for securing with ratchet straps



OPTIONS:



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD1000-5	1100L HI FLOW DieselPak Unit	1500mm	1180mm	1090mm	61 kg	\$3,450.00	<b>\$3,795.00</b>	9
SQD2200-5	2200L HI FLOW DieselPak Unit	1900mm	1380mm	1150mm	103 kg	\$4,544.55	<b>\$4,999.00</b>	9
PF26-X3*	Digital Litre Counter (customer fitment)					\$363.64	<b>\$400.00</b>	A

**WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.

\*Note customer fitment.

Selecta DieselPower pumps have a reputation for high quality, reliability and great value. They are an ideal replacement pump for many poly or steel diesel tanks. Used in agricultural, construction and the marine industry for transferring diesel to tractors, excavators, skid steers and boats.

### 12V DIESELPUMP PUMP - 40L/MIN

- 40L/min open flow capacity, 30min duty cycle
- 3/4" Female BSP ports
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor and acetal resin vanes
- Direct current brush motor with permanent stator
- Self priming with internal pressure bypass
- 4m battery cable with alligator clips
- Replacement pump for DieselPower diesel tanks
- 30 minute duty cycle



382-009

### 12V DIESELPUMP PUMP - 50L/MIN

- 50L/min open flow capacity, 30min duty cycle
- 1" Female BSP ports
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor and acetal resin vanes
- Direct current brush motor with permanent stator
- Self priming with internal pressure bypass
- 4m battery cable with alligator clips
- Replacement pump for the PF48 pump kit
- 30 minute duty cycle



382-074

### 12V INLINE BP3000 DIESEL PUMP - 50L/MIN

- 50 L/min open flow, 22 Amp max
- 3/4" female BSP inlet/outlet
- 4m battery cable with alligator clips
- Self priming with internal 3 minute pressure bypass
- 30 minute duty cycle
- Made in Italy by Piusi



382-059

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
382-009	DieselPower Pump	40L/min	\$290.00	<b>\$319.00</b>	A
382-074	DieselPower Pump to suit PF48 kit	50L/min	\$280.91	<b>\$309.00</b>	A
382-059	12V BP3000 Inline Diesel Pump	50L/min	\$644.55	<b>\$709.00</b>	A

## 12V BP3000 DIESEL PUMP - 50L/MIN

- 50 L/min open flow, 22 Amp max
- Comes with 2 x 19mm hose tails
- 4m battery cable with alligator clips
- Self priming with internal 3 minute pressure bypass
- 30 minute duty cycle
- Made in Italy by Piusi



F0022325A

## 12/24V PANTHER DIESEL PUMP

- 12 volt: 35 L/min open flow, 16 Amp max
- 24 volt: 75 L/min open flow, 25 Amp max
- Self priming with internal 3 minute pressure bypass
- 4m battery cable with alligator clips
- Internal screen filter
- 1" BSP female ports
- Made in Italy by Piusi



F00341160

## 12V HI FLOW DIESEL PUMP - 85L/MIN

- 85 L/min open flow, 35 Amp
- 1" BSP female ports
- 4m battery cable with alligator clips
- Made in Italy by Piusi



F0036302A

## 240V (AC) DIESEL TRANSFER PUMP - 56L/MIN

- 56 L/min open flow, 3 Amp max
- 1" BSP female ports
- 2m power lead
- Self-priming vane pump
- Internal screen filter
- Made in Italy by Piusi



F0073022A

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
F0022325A	12V BP3000 Diesel Pump	50L/min	\$604.55	<b>\$665.00</b>	A
F00341160	12V/24V Panther Diesel Pump	12V - 35L/min, 24V - 75L/min	\$900.00	<b>\$990.00</b>	A
F0036302A	12V Hi Flow Diesel Pump	85L/min	\$1,100.00	<b>\$1,210.00</b>	A
F0073022A	240V AC Diesel Pump	56L/min	\$681.82	<b>\$750.00</b>	A

## 12V DIESELPUMP PUMP KIT- 50L/MIN

- 50L/min open flow
- 1" BSP female ports
- 4m of 19mm I.D. hose
- Auto shut-off gun & swivel
- 4m battery cable



PF48

## 12V BP3000 DIESEL PUMP KIT WITH AUTOMATIC GUN - 50L/MIN

- 50L/min open flow, 22 Amp max
- Suction foot screen filter with hosedetails & clamps
- Automatic shut-off nozzle with hose swivel
- 4m battery cable with alligator clips
- 4m of 19mm I.D. delivery hose
- Made in Italy by PIUSI



F0022511C

## 12V HI FLOW DIESEL PUMP KIT - 85L/MIN

- 85L/min open flow, 35 Amp max
- Automatic shut-off nozzle with hose swivel
- Suction foot screen filter with hosedetails & clamps
- 4m battery cable with alligator clips
- 4m of 25mm I.D. diesel delivery hose
- Made in Italy by PIUSI



PF363260

## 12/24V PANTHER DIESEL PUMP KIT

- 12V: 35L/min open flow, 16 Amp max
- 24V: 75L/min open flow, 25 Amp max
- Suction foot screen filter with hosedetails & clamps
- Automatic shut-off nozzle with hose swivel
- 4m of 3/4" I.D. diesel delivery hose
- 4m battery cable with alligator clips
- Made in Italy by PIUSI



PF341090

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF48	12V DieselPower Pump kit	50L/min	\$518.18	<b>\$570.00</b>	A
F0022511C	12V BP3000 Diesel Pump kit	50L/min	\$904.55	<b>\$995.00</b>	A
PF363260	12V Hi Flow Diesel Pump kit	85L/min	\$1,474.55	<b>\$1,622.00</b>	A
PF341090	12/24V Panther Diesel Pump kit	12V 35L/min/24V 75L/min	\$1,340.91	<b>\$1,475.00</b>	A



PF49

## WATER FILTER FUNNEL

Easily filters water and debris from fuel. Ideal for home lawn mowers, motor cycles, chainsaws, go-karts, generators, marine craft, small commercial equipment and all domestic purposes.

- Portable and lightweight
- Removes water (50 micron)
- Removes debris
- No replacement parts (built-in filter)



PF57

## 12V SUBMERSIBLE DIESEL AND WATER TRANSFER PUMP

- 18 L/min open flow, 15psi max pressure
- Durable ABS plastic with stainless steel motor shell
- 2.8 metre cable with alligator clips
- Integral inlet strainer
- 2m delivery hose
- 50mm diameter



PF49

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF57	Water filter funnel		\$24.55	<b>\$27.00</b>	B
PF49	12V Submersible Diesel & Water Transfer Pump	18L/min	\$88.18	<b>\$97.00</b>	B

## WATER & DIESEL HEAVY DUTY HOSE REEL

Capable of handling water or diesel, this versatile hose reel is a great addition to diesel units or fire fighters where extra hose is required.

- Inlet 3/4" BSP/outlet tapered hose tail
- Maximum pressure 1700 Kpa / 247psi
- 30m of 19mm I.D. hose
- Manual rewind reel with hose guide rollers and stopper



JA-1402021

## PIUSI 10m RETRACTABLE DIESEL HOSE REEL

Heavy duty spring rewind reel with simple hose guide.

- Supplied with 10 metres of 25mm delivery hose
- Adjustable arms for easy positioning as required
- Reduced pressure loss through the hydraulic system
- Latch mechanism prevents accidental contact with hands
- Complete with inlet hose swivel
- 1" BSP inlet and outlet



F00750030

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
JA-1402021	30m Water & Diesel Heavy Duty Hose Reel	\$926.36	<b>\$1,019.00</b>	A
F00750030	PIUSI 10m Retractable Hose Reel	\$1,318.18	<b>\$1,450.00</b>	A

## DIESEL WATER FILTER

An easy to install and maintain filter for protecting your equipment. The filter catches water and additional material that can contaminate a diesel tank and prevents these materials from passing on to the tank of your vehicle or machine.

- Each filter includes housing bowl & element
- Inline diesel moisture filter
- 1" BSP Female ports
- Clear filter bowl with drain tap



PF21



PF21-1

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
PF21	Diesel Water Filter 10 micro meters	\$182.73	<b>\$201.00</b>	B
PF21-1	Replacement PF21 Diesel Water Filter	\$57.27	<b>\$63.00</b>	B
PF0225-39	Hose tail (to suit PF21) 19mm Tail (O.D) x 1" BSP Male Thread	\$10.91	<b>\$12.00</b>	B
PF0225-65	Hose tail (to suit PF21) 25mm Tail (O.D) x 1" BSP Male Thread	\$34.55	<b>\$38.00</b>	B

## PIUSI OIL & DIESEL METER K400

- Flow rate 1-25 L/min
- Operating pressure 70 Bar /1015 psi (max)
- Batch readout (maximum) – 99999L
- Total Readout (max) 999999L (plus x10/x100)
- 1/2" BSP Female ports



F0047500A

## SELECTA 4 DIGIT MECHANICAL DIESEL METER

- Flow rate 20-120 L/min
- Batch readout (maximum): 999L
- Total readout (max.): 9999999L
- 1" BSP Female ports
- Subtotal can be set to zero, total readouts cannot



PF12

## PIUSI K24 DIGITAL DIESEL METER

- Easy to mount inline fuel meter
- Able to be calibrated and provides information as to the individual litre count or the total of litres counted
- Flow rate of 10 - 120L/min
- Compact and sturdy design H:55mm x W:75mm x D:100mm
- Max. pressure 10 Bar or 145psi
- 1" BSP male inlet and male outlet



PF11



## SELECTA DIGITAL DIESEL METER KIT

- This kit is supplied with additional fittings to allow the 1" BSP meter to be fitted to 3/4" BSP, or adapt a 1" hose to a 3/4" nozzle and meter



PF26-X3

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
F0047500A	PIUSI Oil & Diesel Meter K400	\$544.55	<b>\$599.00</b>	A
PF12	Selecta 4 Digit Mechanical Diesel Meter	\$335.45	<b>\$369.00</b>	A
PF11	PIUSI K24 Digital Diesel Meter	\$418.18	<b>\$460.00</b>	A
PF26-X3	Selecta Digital Diesel Meter Kit	\$363.64	<b>\$400.00</b>	A

**NEW**

## SELECTA AUTO SHUT OFF GUN WITH ELECTRONIC METER

- Capacity to 60L/min
- Requires 50 kPa (7.5 psi) to open
- 24mm spout & 3/4" Female inlet
- Power supply 2 x AAA batteries
- Tigger lock
- Total & continual digital reading display
- Not suitable for gravity fed applications



PF61

## PIUSI MANUAL SHUT-OFF GUN


- Aluminium construction
- Capacity up to 120 L/min
- 1" BSP Female inlet



PF0225-02

## SELECTA AUTO SHUT-OFF GUN

- Capacity to 58 L/min
- Requires 50 kPa (7.5 psi) to open
- 3/4" BSP Female inlet
- Not suitable for gravity fed applications
- Optional swivels to suit (see below)



PF01

## PIUSI AUTO SHUT-OFF GUN

- Capacity to 120 L/min
- Requires 30 kPa (4.4 psi) to open
- 1" BSP Female swivel inlet
- Not suitable for gravity fed applications



PF13

## SELECTA HI FLOW AUTO SHUT OFF GUN

- High quality auto shut-off dispensing nozzle
- 120 L/min max capacity
- 29mm dispensing spout
- Trigger lock
- 1" BSP Female port
- Weight 1.8 kg
- Not suitable for gravity fed applications
- Optional swivel to suit (PF01-SW3)



PF17

## DIESEL SWIVEL ADAPTOR

- BSPT thread Male/Female adaptor
- Made from stainless steel/aluminium



CODE	DESCRIPTION	LIST EX	LIST INC	CAT
PF61	Selecta Auto Shut Off Gun with Electronic Meter	\$344.55	<b>\$379.00</b>	B
PF01	Selecta Auto Shut Off Gun	\$180.91	<b>\$199.00</b>	B
PF17	Selecta Hi Flow Auto Shut off Gun	\$226.36	<b>\$249.00</b>	B
PF0225-02	Manual Shut Off Gun	\$77.27	<b>\$85.00</b>	B
PF13	Hi Flow Auto Shut Off Gun	\$281.82	<b>\$310.00</b>	B
PF01-SW	3/4" M x 3/4" F Swivel	\$38.18	<b>\$42.00</b>	B
PF01-SW2	3/4" M x 1" F Swivel	\$38.18	<b>\$42.00</b>	B
PF01-SW3	1" M x 1" F Swivel	\$77.27	<b>\$85.00</b>	B

Selecta Blue products are designed to meet the requirements for storage and transfer of Diesel exhaust fluid (DEF)/AUS32 urea solution, commonly referred to by the trade names of Adblue®, NoNox® and Air1®.

# Selecta Blue





TKA200-7

## 12V 200 LITRE SELECTA BLUE TRANSFER UNIT

- Designed for the storage and transfer of AUS32 solution
- UV stabilised Polytuff tank
- 35L/min open flow self priming pump
- 4m of 3/4" delivery hose with manual nozzle
- 3m long power cord with alligator clips



TKA200-7

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TKA200-7	200L Selecta Blue Transfer Unit	1030mm	580mm	530mm	21kg	\$990.91	<b>\$1,090.00</b>	A

## 12V SELECTA BLUE REPLACEMENT PUMP

- 35L/min open flow self priming pump
- 19mm hose tails supplied
- 2m long power cord with alligator clips
- 20 minute duty cycle - 20 min on/20 min off



382-103

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
382-103	Selecta Blue Transfer Pump	270mm	140mm	180mm	4kg	\$326.36	<b>\$359.00</b>	A

## K24 METER

- Display can rotate to four positions
- 1" BSP M/M with 1" socket for M/F or M/M installation
- Working flow rate 6-100L/min
- Accuracy to +/- 1%
- Adjustable calibration
- Resolution to 0.1L
- Batch total to 99999L
- Complete total to 999999L
- View flow rate L/min
- Suitable for urea, water, windscreen washing liquid, basic ag chemicals



F00407090

CODE	DESCRIPTION	WEIGHT	LIST EX	LIST INC	CAT
F00407090	K24 Meter	0.4 kg	\$540.91	<b>\$595.00</b>	A

# Lights

terrabright



**SELECTA**

**Silvan**

**NEW**

**1000  
LUMENS**

**terrabright**

LIGHT-46

Terrabright is a new range of high-quality lighting products, manufactured with the latest Lithium-Ion technology batteries, light weight and super bright, they have a metal case with excellent grip. Charging is simple with the USB magnetic cable. They are ideal for illuminating dark areas, short or long distances. Making them a critical tool for adventurers, farmers, inspecting livestock, fence lines, gates, storage sheds, machinery and more.

### TERRABRIGHT RECHARGEABLE UTILITY LED FLASHLIGHT

A compact powerhouse. Featuring versatile modes, and USB charging with a hassle-free magnetic connection. Designed for effortless portability, this flashlight is never far from reach and always ready to perform.

- 1000 Lumens
- Lithium-Ion battery
- Cree XP-L LED
- Run Time: High 1.5hrs, Low 5.5hrs, Strobe 2hrs
- 800mm USB charging cable with magnetic connection



LIGHT-46

### TERRABRIGHT RECHARGEABLE HIGH POWERED FLASHLIGHT

The perfect blend of durability and versatility. This high powered flashlight is the ideal companion for outdoor enthusiasts, emergency preparedness, or just simple tasks around the home.

- 2000 Lumens
- Lithium-Ion battery
- XHP50 Super bright LED
- Run Time: High 2.5hrs, Medium 4hrs, Low 6hrs
- 800mm USB charging cable with magnetic connection

**2000  
LUMENS**



LIGHT-47

CODE	DESCRIPTION	LENGTH	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
LIGHT-46	Terrabright Rechargeable Utility Led Flashlight - 1000 Lumens	140mm	31mm	155g	\$53.64	\$59.00	B
LIGHT-47	Terrabright Rechargeable High Powered Flashlight - 2000 Lumens	165mm	40mm	216g	\$68.18	\$75.00	B

**NEW**



LIGHT-48

### TERRABRIGHT RECHARGEABLE SPOTLIGHT

The ultimate companion for your outdoor adventures. Engineered to illuminate your path with unparalleled brightness and reliability, this powerful spotlight ensures you will never miss a detail even in the darkest of environments.

- 1100 Lumens, cree high powered 30W LED
- Strong light beam up to 200m
- 7200mAh Lithium Ion battery Pack
- Push button high/low beam + strobe
- Running time: 5 hours on High, 8 hours on Low
- Charging time 5 to 7 Hours & USB-C charging cable
- 4 Bar charge level indicator

**1100**  
LUMENS



LIGHT-48

CODE	DESCRIPTION	LENGTH	WEIGHT	HEIGHT	HEIGHT	LIST EX	LIST INC	CAT
LIGHT-48	Terrabright Rechargeable Spotlight	230mm	120mm	140mm	680g	\$44.55	<b>\$49.00</b>	B



YouTube



**DETACHABLE  
MAGNETIC  
WORK LIGHT**

**LIGHT-42**

## RECHARGEABLE HEADLAMP WITH 1200MAH POLYMER BATTERY

- Hands free on/off hand sensor function
- USB charging cable supplied with battery life indicator
- Comfortable adjustable head strap
- IPX7 rated - ideal for any outdoor environment
- Mini worklight that can be disconnected and attached to a metal surface by rear magnet
- 5 powerful COB LED's and 1 COB LED Lightbar
- 2 mode settings, 90 degrees adjustable headlamp
- Run time approx 2.5hrs, charge time approx 1hr



## RECHARGEABLE MOTION SENSOR LIGHT

- 2 settings: permanent or motion sensing at night
- USB charging & magnetic attachment
- Aluminium body
- 2 hours continuous run time
- Remains on for 25 seconds after triggered



**LIGHT-42**

**LIGHT-44**

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
LIGHT-42	Rechargeable LED Sensor Headlight	\$45.45	<b>\$50.00</b>	B
LIGHT-44	Rechargeable Motion Sensor Light	\$26.36	<b>\$29.00</b>	B



GF25011

## MAGNETIC BASE FLASHING BEACON 12V

- 55 Watt heligon bulb
- Compliant for road use (ECE R65)
- Rotation speed 160 +/- 20RPM
- Transmission via a silicon strap
- Mounting via the soft magnetic base
- IP66 rated & 3m power lead with cigarette light connection

MADE IN EUROPE



GF25011

## ROD BASE FLASHING BEACON 12V

- 55 Watt heligon bulb
- Compliant for road use (ECE R65)
- Rotation speed 160 +/- 20RPM
- Transmission via a silicon strap
- Mounting via the soft magnetic base
- IP66 rated & 3m power lead with cigarette light connection

MADE IN EUROPE



GF35011

## LED MAGNETIC BASE FLASHING BEACON 12V/24V

- 32 LED's with high optics lense arranged into 8 sectors
- 16W max. and outdoor colour amber
- Multiple flash pattern - rotating & circular
- 8 flash patterns, strobe, rotating, 50/50 left and right flash, half on/half off, some patterns have different speeds available
- No moving parts & 2.3m power lead with cigarette light connection



GF16

CODE	DESCRIPTION	FIXING	LIST EX	LIST INC	CAT
GF25011	12V Magnetic Base Flashing Beacon	Temp	\$186.36	<b>\$205.00</b>	B
GF35011	12V Rod Base Flashing Beacon	Magnetic Base	\$168.18	<b>\$185.00</b>	B
GF16	12V Magnetic Base LED Beacon	Magnetic Base	\$145.45	<b>\$160.00</b>	B

# Asset Protection & Security Cameras



196 CALL: **1300 745 826** or visit [silvan.com.au](http://silvan.com.au) for more information

**NEW**



SECURE08

## SOLAR POWERED REMOTE 4G SECURITY CAMERA

Selecta's new 4G security camera is suitable for indoor or outdoor use, machinery sheds, diesel storage, property gates, driveways, water troughs, monitoring animals, stables, farms, mines, construction sites and other environments that are inconvenient to connect to electricity and wiring.

- Powered by a 20W solar panel that is mounted separately to the 4G camera by a 2.5m cable
- 24 hours full-time recording
- Built-in high-fidelity speaker and high-definition microphone, supports two-way voice intercom, with echo cancellation function
- Equipped with high-power 850nm infrared lamp and white light lamp, the effective distance of night vision can reach 20 meters
- Built-in 2 MP, 3.6mm high-definition lens with a maximum viewing angle of 100 degrees
- Built-in six 18650 high-capacity lithium batteries
- Supplied with Micro SD card slot with SD card supplied, supports up to 64GB memory card
- No need for wire, solar power generation and built-in lithium battery power supply
- It can be used easily without network environment, built-in full Netcom 4G module to keep the device online at any time
- Built-in PIR detector, which can automatically turn on white light illumination according to human body induction at night
- Supports device online push, PIR detection push and manage push notifications
- Supports cloud recording, cloud on-demand, device sharing (unlimited friends)




SECURE08

SUPPLIED  
WITH SOLAR  
PANEL



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SECURE08	Solar Powered Remote 4G Security Camera	Carton 325mm	Carton 280mm	Carton 190mm	Carton 2.75 kg	\$450.00	<b>\$495.00</b>	B



**SECURE120**

### MOTION ACTIVATED WIDE ANGLE SECURITY CAMERA

These popular cameras operate independently to covertly monitor indoor & outdoor areas. Ideal for securing surveillance of farm gates & driveways, fuel supplies, sheds, garages, workshops, livestock, foxes, wild dogs, machinery and tools.

- 12MP camera
- Records pictures and videos with date stamp
- Day and night use with No-Glow night vision
- Internal screen for image review and setup
- IP54 water and dust resistant for outdoor use
- Includes mounting strap
- Wide angle view 120° lens, ideal for close range targets in and around buildings
- Response time 0.85 seconds
- Operates with 6 or 12AA batteries
- 16GB SD card included can store up to 11300 images



**SECURE120**

### SECURE SOLAR PANEL AND BATTERY FOR 3G MOTION ACTIVATED CAMERAS

- Large 1500mAh battery
- 2W panel can charge by sun or use the wall adaptor to fast charge the internal battery
- Includes mounting bracket and strap
- Replaces the need for AA batteries
- Can operate the camera day & night
- 10V output suited to SECURE120 and SECURE06



**SEC-SOLAR2**

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
SECURE120	Wide Angle Security Camera	130mm	75mm	145mm	\$408.18	<b>\$449.00</b>	B
SEC-SOLAR2	Secure Solar Panel And Battery	140mm	30mm	155mm	\$159.10	<b>\$175.00</b>	B



**SECURE06**

## V60 MOTION ACTIVATED SECURITY CAMERA

Compact and self contained surveillance device for covertly monitoring indoor & outdoor areas. Ideal for securing of farm gates & driveways, fuel supplies, sheds, garages, workshops, livestock, foxes, wild dogs, machinery and tools.

- High clarity 12MP camera
- Records pictures and videos with date stamp
- Day and night use with No-Glow night vision
- Internal screen for image review and setup
- IP54 for outdoor use
- Includes mounting strap

### ADDITIONAL FEATURES:

- 60° lens
- Fast response time down to 0.6 seconds
- Operates with 4 or 8AA batteries
- 8GB SD card included can store up to 3400 images  
Note: not suitable for WiFi SD cards

### CAMERA MOUNTING BRACKET

- Adjustable wall mounting bracket to suit cameras
- Mounting screws included



SD cards used should not exceed 32GB. Anything above 32GB the camera will not be able to recognize it or store images on to it.

**SECURE02**

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
SECURE06	Motion Activated Security Camera	90mm	75mm	145mm	\$259.09	<b>\$285.00</b>	B
SECURE02	Security Camera Mounting Bracket				\$10.00	<b>\$11.00</b>	B



# Workshop & Maintenance



YouTube



JS021

**NEW**



LED FLASHLIGHT



REVERSE POLARITY PROTECTION



RECHARGE VIA 240V OR  
CIGARETTE CHARGER



ROBUST CARRY CASE



MULTI CONNECTION  
ADAPTER

## MULTI-PURPOSE JUMPSTART

Selecta introduces a new multi-purpose powerful & compact 12V jump start with the additional features of a powerbank and a wireless charging pad for smart phones. The jumpstart is ideal for side-by-sides, small compact tractors, ATVs, cars, boats and more.

- 10,000mAh Lithium-ion battery
- 600 Amps peak current jumpstart
- Supports wireless charging
- Power bank, 2 USB ports (USB1: 9V/2A, USB2: 5V/2.1A)
- Energy efficient LED flex-light with SOS strobe
- Boosting below 5.0L petrol engines and 3.0L diesel vehicles
- Convenient carry case

### SMART JUMP CLAMPS

- The inline microprocessor offers modern protection by enabling and disabling power for the following: overload protection, reverse polarity protection, short circuit protection

- Time limited jump starting and under voltage protection protects the jump start from excessive drain to maintain battery condition for enhanced life of the battery

### CONNECTIONS

- 12V output with rubber covered EC5 connector for connect to jump start
- EC5 is a one-way type of plug preventing the clamps from being connected to battery pack with wrong polarity
- Multi-purpose charging cable for various phone and electronic devices
- 240V wall and 12V cigarette lighter chargers

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
JS021	Multi-purpose Jumpstart	70mm	45mm	180mm	1.06kg	\$180.91	<b>\$199.00</b>	B

**NEW**



118-TY9W

### MULTI-PURPOSE TYRE INFLATOR

Rechargeable cordless tyre inflator with power bank & LED light. Suitable for inflating tyres on cars, side-by-sides, ATVs, scooters, ride-on mowers, bicycles, sporting balls and more.

- 1500mAh Lithium-Ion battery, 90W power
- USB type C charging port 5V/1A
- LED light with RED light safety strobe
- Settable pressure with automatic stop
- 5 pressure operating modes: car, motorcycle, bicycle, balls, max
- Adjustable pressure settings, stops automatically
- Cordless and corded 12V dual use
- Maximum pressure 150psi
- Inflation time approximately 6min for 195/55R15 tyre, number of inflations per charge approximately 2.5
- Charging via USB cable supplied
- 12V operating cable with cigarette plug
- A range of connectors for various applications



118-TY9W

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
118-TY9W	Multi-Purpose Tyre Inflator	180mm	45mm	70mm	550g	\$90.00	<b>\$99.00</b>	B



PF27

## 12V OIL CHANGE PUMP KIT

Ideal for quick and easy oil changes on lawn mowers, ATVs, cars, tractors and small engines.

- Supplied with pump & suction hoses
- 1.5 L/min maximum transfer rate

## MANUAL PISTOL GRIP GREASE GUN

- Built tough with robust barrel 0.049" (1.2 mm) thick, heavy duty follower spring, CNC machined grease gun head, large rolled threads for fast & easy re-loading
- Heavy duty aluminium die cast head & super strong pistol grip handle
- Pistol handle designed to prevent fingers from "pinching"
- Bulk fill plunger & 5000psi maximum pressure rating
- 450gm cartridges suits AU and NZ
- 300mm flexible extension & 4 jaw grease coupler with ball check
- Course threads on barrel to minimise cross threading
- Ideal to use in confined spaces, where access to the grease nipple is restricted



PF27



PF59

## 5W SOLAR TRICKLE CHARGER

- Ideal to keep batteries charged on tractors, ATVs, side-by-sides, ride-on mowers & more
- Suitable to trickle charge >20 Amp batteries
- 2.5 power cable including alligator battery clamp and cigarette connection
- Poly case with suction cups to mount the panel to a flat surface



SOLAR-5W

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
PF27	12V Oil Change Pump Kit					\$63.64	<b>\$70.00</b>	B
PF59	Manual Pistol Grip Grease Gun	550mm	75mm	150mm	1.25kg	\$54.55	<b>\$60.00</b>	A
SOLAR-5W	5W Solar Trickle Charger	350mm	15mm	140mm	-	\$86.36	<b>\$95.00</b>	B

**NEW**

**TWIN  
PACK**



RPS1

## SNAKE BLOCK SOLAR SNAKE REPELLER

Snake Block Solar Snake Repeller drives snakes away from your property safely and effectively. By transmitting sonic and vibration every 40 seconds or so, the solar snake repeller is effective for up to 30m. One day of sun powers up to 5 days.

- Supplied in a Twin Pack
- Materials: ABS Plastic
- Waterproof: IPX4
- Power Supply: Solar powered and with 1\*AA rechargeable battery (included)
- Solar Panel Power: 4.5V/45MA
- Solar Panel Dimension: 90X70MM
- Function: Sonic + Vibration, Frequency: 400-1000HZ
- Coverage: 30 metres (each)



RPS1

## WEATHER STATION WITH BAROMETER

Multi-function weather station with full colour screen.

- Weather forecast with barometric data
- Minimum/maximum display for air humidity and temperature
- Real barometer sensor & reading/weather forecast/ moon phase/comfort indicator
- Clock/alarm/calendar/day of the week
- 12/24hr clock format with moon phase display
- Daily alarm function with automatic snooze
- Indoor/outdoor thermometer function and humidity



118-484

Requires 4x AA batteries (not included),  
2 for the sensor and 2 for the display.

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
RPS1	Snake Block Solar Snake Repeller (Twin Pack)	\$80.91	<b>\$89.00</b>	B
118-484	Weather Station with Humidity	\$86.36	<b>\$95.00</b>	B



TC8009-5

## HEAVY DUTY LOCKABLE CARRYALL CAGE

2 door steel cage for secure transport of equipment and animals.

- Powder-coated finish
- Mounting points for ute trays
- Supplied flat packed

CHECKER PLATE ALUMINIUM ROOF AND WALLS

TC8009-5



DUAL COMPARTMENTS

TUBULAR STEEL CONSTRUCTION

QUICK  
EASY  
LOCK



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TC8009-5	Heavy Duty Lockable Carryall Cage	1400mm	700mm	840mm	39.75kg	\$504.55	<b>\$555.00</b>	A

Enclosure can be installed in various shapes and sizes  
(eg: 2400mm x 800mm rectangle and 1600mm x 1600mm square)



TC8009-4

Robust powder-coated steel with Hammertone finish

## MULTI-PURPOSE PET ENCLOSURE

Easily stored and transported, ideal for a variety of animals including dogs, cats, chickens and more.

- Various shapes and sizes  
(eg: 2400mm x 800mm rectangle  
and 1600mm x 1600mm square)
- Robust powder-coated steel  
with Hammertone finish

## ANIMAL ENCLOSURE

Designed for small pets, the fully galvanised steel and chain link mesh construction is sturdy & reliable with some assembly required.

- Large size (m): 3.9 L x 2.2 W x 1.82 H (TC8009-2)
- Flat packed for easy delivery



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TC8009-4	Multi-Purpose Pet Enclosure	Various sizes			24.5 kg	\$180.91	<b>\$199.00</b>	A
TC8009-2	Animal Enclosure	3900mm	2200mm	1820mm	72 kg	\$496.36	<b>\$546.00</b>	A



FC440

## SELECTA EVAPORATIVE AIR COOLER - 440W

Ideal for farm sheds, workshops, work garages, patios, stables, outdoor events and marquees.

- 440W, 230V electric motor
- Max air flow 12,000m<sup>3</sup>/hr
- Effective area 70-100m<sup>2</sup>



FC440

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT (DRY)	LIST EX	LIST INC	CAT
FC440	Evaporative Cooler	925mm	580mm	1440mm	43 kg	\$1,600.00	<b>\$1,760.00</b>	A



ATV-11

## HEAVY DUTY RAMPS

- 1800 kg capacity
- Ideal for mini dingo's, excavators and skid steers
- Compact design made from tough lightweight aluminium
- Single piece design with carry handle



ATV-11

ATV-03

## QUAD BIKE RAMPS

- 450 kg capacity
- Tough, lightweight and compact design
- Folds in half for easy storage
- Safety strap and lip to avoid slippage
- Maximum height limit to ground 85cm

## HILLSIDE FOLDING KNIFE

- Compact 3 blade folding pocket knife
- 33mm, 35mm & 55mm blades
- German stainless steel



CODE	DESCRIPTION	LENGTH	WIDTH	WT (EACH)	LIST EX	LIST INC	CAT
ATV-11	Heavy Duty Ramps (Pair)	2450mm	370mm	32 kg	\$1,038.18	<b>\$1,142.00</b>	A
ATV-03	Quad Bike Ramps (Pair)	2260mm	280mm	16 kg	\$280.00	<b>\$308.00</b>	A
JS-0001B	Hillside Folding Knife				\$22.73	<b>\$25.00</b>	B

# Garden Care



**NEW**



## CRESCO PUSH ALONG SPREADER

Silvan has introduced a new precision spreader from Cresco to the range. Cresco are a world class manufacturer and have developed a superior quality product which is ideal for landscapers and small to medium acreage property owners. The Cresco spreader can spread different size seed or fertiliser evenly. Another feature is border control, which is achieved by pushing the border control slider across, you can shut off one side of the spreader. This helps save patio paths and flower borders from the spread of material where it's not required.

- 30kg (maximum) capacity, poly UV stabilised hopper
- Pneumatic wheels that provide improved grip and superior handling and balance all year round
- Enhanced ground driven gearbox
- Cushioned T on/off handle with solid rod linkage
- Powder coated frame with parking stand
- Spreads products from seed or micro granular to pelleted materials
- Spreading width up to 4.5m depending on product
- 20 adjustable settings to assist with accurate application rates & border control
- Assembly & calibration instructions supplied
- Optional rain cover product code CS-20SW-CR1050

**OPTIONAL  
RAIN  
COVER**



**CS-20SW-CR1050**  
Pictured with CS-20SW



**CS-20SW**

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CS-20SW	Cresco Push Along Spreader	900mm	510mm	850mm	7.5 kg	\$450.00	<b>\$495.00</b>	A
CS-20SW-CR1050	Optional Rain Cover					\$63.64	<b>\$70.00</b>	A



GS10-1

### 10L GRANULAR SPREADER

Control the flow of granules by turning the volume adjuster from 0 -10.

- Approximately up to 5m spreading width
- Adjustable volume per rotation
- Suitable for granular fertilizer
- Variable direction control
- Suitable for a wide range of granule sizes
- Adjustable strap included



GS10-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
GS10-1	10L Granular Spreader	480mm	325mm	255mm	2 kg	\$118.18	<b>\$130.00</b>	A

### 60L FERTILIZER SPREADER

Ideal for sporting grounds and environments where a tractor is unavailable. Suitable to tow behind a ride on mower.

- On/off power switch to motor; metering disc controls discharge rate from hopper and gate lever, switches flow from hopper on and off
- 12m maximum spreading width
- Pressed tubular steel
- UV stabilised polyethylene
- 12V DC, 3 Amp
- Pneumatic tyres



SP60-10

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP60-10	Atv Fertilizer Spreader	995mm	690mm	750mm	18 kg	\$562.73	<b>\$619.00</b>	A

## 107L TRAILED SPREADER

The R150 trailed ATV spreader is ground driven and designed for spreading fertiliser on sporting fields, lawn and pasture. It is ideal for towing behind compact tractors and ATV motorbikes.

- 3 - 8m throw
- Manufactured from a single piece of spun seamless steel
- The support frame is constructed of pressed and tubular steel
- Stainless steel spreading vanes
- Adjustable draw bar with 5 different height positions
- Two piece cast gearbox with constant drive, one driven wheel, one free wheel
- 13 x 5-6 pneumatic tyres
- One single lever for rate control with mechanical agitator



**BMC-R150**


## 345L POLY HOPPER LINKAGE SPREADER

Multi functional spreader with corrosion resistant poly hopper suited to a variety of product such as granular fertiliser and seed.

- 6 - 18m throw
- Stainless steel metering and spreading discs
- Grease packed single speed gearbox with cast aluminium housing
- P.T.O. drive shaft with approved safety cover
- One manual control lever is calibrated for quantity of application and a second control lever offers three settings for spreading pattern, left, right and full.
- Optional accessories include one or two sided conveyor, agitator and hopper cover



**PL-500**



CODE	DESCRIPTION	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
BMC-R150	107L R150 Spreader	860mm	950mm	61 kg	\$2,250.00	<b>\$2,475.00</b>	SF
PL-500	345L Poly Hopper Spreader	1130mm	1000mm	63 kg	\$1,450.00	<b>\$1,595.00</b>	SF
OPTIONAL ACCESSORIES (PL-500 ONLY)					LIST EX	LIST INC	CAT
619012	Agitator				\$60.00	<b>\$66.00</b>	SF
902003	Hopper Cover				\$220.00	<b>\$242.00</b>	SF
620102	One Sided Conveyor				\$550.00	<b>\$605.00</b>	SF
620106	Two Sided Conveyor				\$750.00	<b>\$825.00</b>	SF

**GREASE  
PACKED  
GEARBOX**



**SX500GALHOP**

### 338L GALVANISED LINKAGE SPREADER

- 338L capacity galvanised hopper
- 6 - 12m throw
- Spreading disc with 4 rotor blades able to be set in 5 positions
- CAT1 pins for tractor linkage
- Directional product spread: centre, left or right

#### OPTIONAL ACCESSORIES



**Side throw conveyor  
(PAX26)**




**Articulated agitator  
(PAX20)**

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SX-500GALHOP	338L Galvanised Spreader	1180mm	1180mm	1180mm	67 kg	\$1,450.00	<b>\$1,595.00</b>	SF
CODE	OPTIONS TO SUIT SX-SERIES SPREADER					LIST EX	LIST INC	CAT
PAX26	Side Throw Conveyor					\$1,050.00	<b>\$1,155.00</b>	SF
PAX20	Articulated Agitator					\$120.00	<b>\$132.00</b>	SF

### ALL-STEEL GALVANISED CARRYALL

- 4' size CAT 1 linkage
- Steel checker plate deck
- Replaceable bolt-on checker plate floor
- All round farm use for carrying various items such as fertiliser, fencing equipment, firewood, tools and spot sprayers etc.
- Maximum weight capacity: 400kg



**155SF1G**

CODE	DESCRIPTION	DECK	WEIGHT	LIST EX	LIST INC	CAT
155SF1G	4 Foot All-Steel Carryall - Galvanised	4' x 3'	62 kg	\$660.00	<b>\$726.00</b>	SF

\*Capacity will vary according to the type of fertiliser used. \*\* Variable according to speed and type of fertiliser.



TA02

### LAWN AERATOR - 900mm (36 INCH)

A heavy-duty steel tow behind lawn aerator, easy to set up and use, aerate your soil and grass quickly and effortlessly ensuring nutrients get down to the roots. Use with a range of vehicles from side-by-sides, ride-on mowers to ATVs, attaching easily with a pin-hitch arrangement.

- Working width 900mm (36inch)
- Helps nutrients get into the soil and down to the roots to a depth of 6.35cm
- Heavy duty puncture proof steel roller with durable powder coated finish
- Drum can be filled with water for additional weight
- DIY assembly required
- Maximum operating speed 8km



TA02

CODE	DESCRIPTION	DRUM LENGTH	DRUM WIDTH	DRUM HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TA02	Lawn Aerator	900mm	350mm	350mm	49 kg	\$499.09	<b>\$549.00</b>	A

### LAWN SWEEPER - 1200mm (48 INCH)

For larger lawns and areas, the Selecta tow behind lawn sweeper effortlessly clears lawn debris in a short amount of time. Boasting a 120cm clearing width and a large hopper capacity, it attaches quickly and easily to any side-by-side, ride-on mower or ATV and includes adjustable 25cm brushes for varying applications.

- 120cm sweep width
- Large hopper capacity - ideal for picking up leaves, grass clippings, twigs and more
- Rust resistant powder coated finish
- Adjustable 25cm brushes to accommodate different types of debris
- Steel frame, nylon mesh & rubber tyres
- DIY Assembly required



TA03

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TA03	Lawn Sweeper	1580mm	1410mm	600mm	40 kg	\$571.82	<b>\$629.00</b>	A

\*Due to seasonality this item may not be stocked at all times - please check availability.



RP5

### 60L WATER ROLLER

- Maintain a smooth and level lawn with complete ease
- Galvanised tube handles with steel bearings to ensure a long life
- 60 Litre water filled plastic garden roller
- Light and easy to handle
- UV treated barrel
- Easy assembly



RP5

### SELECTA WHEELBARROWS STANDARD OR WIDE BIGFOOT WHEEL

Heavy duty trade quality wheelbarrow.

- U.V. treated polyethylene tray for strength & durability
- 100L capacity
- Heavy duty timber handles
- Fully welded solid steel legs and front stays
- Heavy duty 18mm poly base board
- Standard (BB68) or wide bigfoot (BB68BF) 16" pneumatic wheel on steel rim with sealed bearings
- Supplied fully assembled



BB68

BB68BF

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP5	60L Water Roller	10km	-	775mm	370mm (Roller)	6kg (dry)	\$162.73	<b>\$179.00</b>	B
BB68	Selecta Wheelbarrow (Standard Wheel)						\$253.64	<b>\$279.00</b>	B
BB68BF	Selecta Bigfoot Wheelbarrow (Wide Wheel)						\$271.82	<b>\$299.00</b>	B

**NEW**



**load**

GCP75

## LOAD 67L POLY CART

A versatile cart ideal for use around the home or anywhere on your property, it will easily move mulch, feed and waste making light work of many tasks.

- Durable 67L (liquid capacity) poly tray, load capacity 150kg
- Standard 10" x 3.5" pneumatic wheels on steel rims
- Powder coated Hammertone steel handle with soft grip, push/pull pivot arrangement for easy steer/turn and a high clearance design
- Robust powder coated Hammertone steel frame with easy-tip configuration
- Easy to assemble



GCP75

## LOAD 105L MESH GARDEN CART

This cart is suitable for multiple applications including moving awkward or large objects. The Hammertone steel mesh sides can be used to contain loads of loose materials or remove the inner liner and side panels to form a platform arrangement for large items.

- 105L (liquid capacity), load capacity 200kg Hammertone steel mesh tray
- Standard 10" x 3" pneumatic wheels on steel rims
- Powder coated Hammertone steel handle with soft grip, push/pull pivot arrangement for easy steer/turn
- Robust powder coated Hammertone steel frame
- Easy to assemble



GCP200S

## LARGE STEEL MESH CART

- Durable 200kg load steel mesh tray
- Large 13" x 4" pneumatic tyres on steel rims
- Easy convert powder coated steel handle for push or tow arrangement
- Robust powder coated Hammertone steel frame
- Easy to remove sides for platform arrangement
- Tray: L 1150mm x W 590mm x H 260mm
- Easy to assemble



BBGC1010

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
GCP75	LOAD 67L Poly Cart	15km	920mm	510mm	1020mm	16 kg	\$117.27	<b>\$129.00</b>	A
GCP200S	LOAD 105L Mesh Garden Cart	15km	1120mm	520mm	970mm	22 kg	\$153.64	<b>\$169.00</b>	A
BBGC1010	Large Steel Mesh Cart	20km	1180mm	590mm	650mm	28 kg	\$244.55	<b>\$269.00</b>	B



DCS13368

Selecta dump carts are designed to be towed behind most ride-on mowers, ATVs and side-by-sides. They are ideal to make your property maintenance effortless where garden mulch, sand, feed and garden tools need to be transported around the property.

## STEEL DUMP CART

- Large capacity tray with maximum load capacity of 300kg
- Powder coated steel frame with mesh base
- Solid steel 19mm axle & steel powder coated rims
- Wide track pneumatic floatation 4 ply tyres (16x6.5-8) that can assist in suspension
- Quick release tipper latch with 2" ball tongue hitch
- Easy assembly



DCS13368

## POLY TRAY CART

- Draw-bar & universal hitch pin for ride-on mower attachment
- Tray tilts for easy loading or unloading of contents
- Pneumatic wheels with steel rims
- Hammertone powder coated steel frame
- 235L tray capacity
- Easy assembly



TC3080PL


## POLY DUMP CART

- Durable 350L Poly tray, max load capacity of 450kg
- All steel tubular frame with powder coated finish
- Quick release tipper latch to lift and unload
- Steel painted 8" diameter rims with sealed bearings
- Tyre diameter 400mm x width 170mm
- Easy assembly



DCP01

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
DCS13368	Steel Dump Cart	20km	2200mm	1100mm	890mm	62kg	\$526.36	<b>\$579.00</b>	A
TC3080PL	Poly Tray Cart	25km	1170mm	940mm	740mm	42kg	\$359.09	<b>\$395.00</b>	B
DCP01	Poly Dump Cart	25km	2100mm	1280mm	700mm	48kg	\$744.55	<b>\$819.00</b>	A



## STORE-IN-STORE DISPLAYS

Silvan's Store-in-Store concept has proven to increase sales in store by showcasing fast moving merchandise and spare parts in easily identifiable and neatly arranged displays.

These Store-in-Store displays consist of black gloss shelving in configurations to fit your store layout, with header cards, reorder cards, and matched with Silvan's well packaged products becomes a spraying and accessories store within your store.

### TO QUALIFY FOR A FREE STORE-IN-STORE SHELVING DISPLAY:

A minimum stock order (value dependant on display size) is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on **1300 745 826**.

## ORDER 5 SPRAYERS TO RECEIVE A FREE DISPLAY STAND

Your whole order fits neatly onto one pallet saving you freight costs



ADJUSTABLE SHELVES

SPLIT IN HALF TO SAVE ON FREIGHT

ADJUSTABLE FEET



SPOTPAK STAND CODE: 070-PAK1

### SILVAN 25, 50, 55, 100 AND 200 LITRE SPOTPAK STAND

The Silvan SpotPak stands are an extremely popular 'silent salesman'. Designed to display a 25L, 55L and 100L Redline sprayers and 50L, 100L and 200L Smoothflo SpotPak units on a tiered stand, the SpotPak display is ideal for any retail outlet.

To qualify for a FREE SpotPak stand:

A minimum stock order of 5 Spotpak or 5 Redline units is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on 1300 745 826.



## ORDER 3 DIESEL TANKS TO RECEIVE A FREE DISPLAY STAND

Your whole order fits neatly onto one pallet saving you freight costs



ADJUSTABLE SHELVES

SPLIT IN HALF TO SAVE ON FREIGHT

ADJUSTABLE FEET



DIESEL STAND CODE: 070-DIESELMK3

### SELECTA DIESEL STAND

The diesel stand is ideal for showcasing various size diesel tanks in your showroom, without taking up a lot of space.

To qualify for a FREE Diesel stand:

A minimum stock order of 3 Diesel Transfer Units is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on 1300 745 826.



<b>A</b>	
Accessory Fitment Chart - 12V Sprayers.....	54
Air Conditioning (Evaporative Cooler).....	207
All Steel Galvanised Carryall.....	213
Aquatec Pumps.....	137-138
ATV Ramps.....	208
<b>B</b>	
Backpack Mister 14L.....	11
Beacons - Rotating.....	195
Blowmist 14L.....	11
Boomless Nozzle 3 Point Linkage.....	64
Boomless Nozzle suit Redline Trolley Sprayer 25L.....	21
Boomless Nozzles - ATV.....	56
Boomless Nozzles High Flow - ATV.....	58
Brass Connectors & Fittings.....	169
Breather Valves.....	166
Butterfly Valves.....	168
<b>C</b>	
Carryall.....	213
Carts.....	216-217
Chemical Gloves.....	88
Chemical Jugs & Buckets.....	88
Chemical Transfer Pump - Ag Runner.....	89
Chemical Mixer.....	89
Control Boxes.....	145
Comet Pumps, Control Valves, Motorised Units.....	148-151
Compressors - Foam Marker.....	75
Coveralls.....	87
Cresco Push-Along Spreader.....	210
Cresco Push-Along Spreader optional rain cover.....	210
Cross Fold Booms 3m & 4m.....	61
<b>D</b>	
Delta T & Wind Meter.....	88
Diesel - Filter.....	186
Diesel Gun - Electronic Litre Counter.....	188
Diesel Guns.....	188
Diesel Hose Reels.....	186
Diesel Meters.....	187
Diesel Pump - Submersible.....	185
Diesel Pump Kits.....	184
Diesel Pumps.....	182
Diesel Swivels.....	188
Diesel Tank - 100L Transfer Caddy.....	176
Diesel Tank - 200L Eco Diesel Transfer Unit.....	176
Diesel Tanks - Diesel Cube 180L,250L & 450L.....	179
Diesel Tanks - Diesel Pak 800L & 1100L.....	180
Diesel Tanks - Diesel Power 100L,200L & 400L.....	177
Diesel Tanks - Diesel Pro 200L,400L & 600L.....	178
Diesel Tanks - High Flow Diesel Pak 1100L & 2200L.....	181
Diesel Water Filter Funnel.....	185
Double Sided Under Vine Shielded Boom.....	62
<b>E</b>	
EasyRoll 12V Remote Control Hose Reel.....	70
EasyRoll Remote Control 200L Motorised Sprayer.....	49
Eco & Economy Hose Reels.....	67,68
Electric Solenoid Kit - 3 Section.....	145
Electric Solenoids.....	146
Essential Portable Sprayers 1.5L & 8L.....	9
Essentials Spot Sprayer 40L.....	25
Essentials Backpack Sprayer 15L.....	10
Essentials Rechargeable Backpack Sprayer 12L.....	19
Evaporative Cooler.....	207
<b>F</b>	
Fenceline Spraying Kits.....	60
Ferroni Nylon Roller Pump.....	149
Field Booms 6m & 8m.....	62
Filter - Respirator.....	87
Filters - Flush Out Line Strainers & Elements.....	163
Filters - High Volume.....	162
Filters - Line Strainers & Elements.....	162
Filters - Pressure Line & Elements.....	164
Filters - Suction & Elements.....	161
Fire Fighters - 1100L & 2200L Honda Davey.....	130
Fire Fighters - 400L & 800L Fast Filler.....	124
Fire Fighters - 400L Honda Davey.....	127
Fire Fighters - 400L Selecta Power.....	126
Fire Fighters - 600L Honda Davey.....	128
Fire Fighters - 600L Honda Davey Fast Filler.....	125
Fire Fighters - 800L Honda Davey.....	129
Fire Fighters - DIY Tanks.....	132
Fire Fighters - Trailed 1100L Honda Davey.....	131
Firefighting - Hose Reels.....	134
Firefighting - Nozzle.....	132
Firefighting Pump.....	133
Flashlights.....	192
Flashing Beacons.....	195
Flow Meters - Diesel.....	187

Flow Meters- Adblue Aus32 .....	190
Foam Markers .....	74

## G

Galvanised Linkage Spreader 338L .....	213
Garden Wick Stick .....	63
GPS Guidance System (Matrix).....	73
Granular Spreader 10L .....	211
Grease Gun .....	203

## H

Half Mask Respirator Kit .....	87
Heavy Duty Lockable Carryall Cage.....	205
Heavy Duty Ramps .....	208
High Flow Squatpak Sprayers 300L & 400L.....	37
High Flow Towbar Boom.....	57
High Pressure Brass Nozzle Bodies .....	121
High Pressure Motorised Squatpak Sprayers 400L.....	40
Hillside Folding Knife.....	208
Hose - AG Delivery, Fire Fighting, High Pressure .....	154
Hose - Smoothline, Bypass, Diesel, Suction .....	153
Hose Clamps .....	142-171
Hose Reels.....	66 - 71, 134, 186

## J

Jump start .....	201
------------------	-----

## K

Kasco Helmet.....	88
Knapsack Sprayers .....	10, 11, 13, 17, 19

## L

Large Steel Mesh Cart .....	216
Lawn Aerator.....	214
Lawn Sweeper.....	214
Lawn Roller .....	215
Lights.....	192-194, 201-202
Lightfoot Trailed Sprayer 200L.....	41
Lightfoot Trailed Sprayer 300L 4m Boom .....	43
Lightfoot Trailed Sprayer 300L Boomless Nozzle.....	42
Lightfoot Trailed Sprayer 300L Vine Boom.....	46
Lightfoot Sprayer - 300L High Pressure 4m Boom.....	44
Lightfoot Sprayer - 300L High Pressure 6m Boom.....	45
Load Mesh Garden Cart 105L.....	216
Load Poly Cart 67L .....	216
Loading Ramps .....	208
Lockable Carryall Cage.....	205

## M

Measuring Jugs .....	88
Motorised Comet Pumps .....	151
Motorised Squatpak Sprayers 300L & 400L.....	39
Multi-Purpose Jump Start.....	201
Multi-Purpose Pet Enclosure.....	206
Multi-Purpose Tyre Inflator .....	202

## N

Nozzle Air Assist - Ceramic Airblast.....	107
Nozzle Bodies (Dry Boom).....	118
Nozzle Bodies AR.....	109
Nozzle Bodies Teejet .....	109
Nozzle Bodies Teejet - 3 Position .....	109
Nozzle Caps .....	109
Nozzle Caps - Suit Teejet Nozzles .....	110
Nozzle Identification.....	92
Nozzle Strainers .....	112
Nozzles - 3 Point Linkage Boomless Nozzle.....	116
Nozzles - AI Air Induction .....	101
Nozzles - AIC Air Induction.....	101
Nozzles - Air Induction Off Centre AOC .....	104
Nozzles - AITTJ60 Turbo Twinjet.....	102
Nozzles - AIXR Air Induction.....	100
Nozzles - Application Rates.....	96
Nozzles - Boomless Brass Suit ATV.....	114
Nozzles - Boomless Brass Suit ATV High Flow.....	115
Nozzles - Boomless Teejet Extra Wide Flat .....	117
Nozzles - Brass Off Centre OC .....	104
Nozzles - CFA Induction.....	103
Nozzles - DG Teejet Drift Guard.....	99
Nozzles - Fertiliser .....	102
Nozzles - HCC & HCl .....	105
Nozzles - Hypro Boomless .....	113
Nozzles - IDK Air Injected.....	103
Nozzles - Lurmark LC DeflecTip .....	113
Nozzles - TP Teejet Flat fan.....	98
Nozzles - TT Twin Turbo.....	99
Nozzles - TTI 2,4-D Compliant Nozzles.....	100
Nozzles - TTI Turbo Teejet Induction .....	100
Nozzles - TT160 Twinjet Nozzle With Cap.....	102
Nozzles - TTJ60 Turbo Twinjet.....	99
Nozzles - Turbomiser D & DVP.....	108
Nozzles - TX Hollow Cone.....	106
Nozzles - XR Teejet Flat Fan Extended.....	98

Nozzles - XRC Extended .....	98	Rechargeable Spotlight .....	193
<b>O</b>		Rechargeable Trolley Sprayer 13L.....	18
Oil Change Pump .....	203	Rechargeable Upright Trolley Sprayer 20L.....	22
Ontrack Foam Concentrate.....	75	Redline Sprayer 100L & Accessories.....	28
<b>P</b>		Redline Sprayer 25L.....	26
Pak Booms .....	58	Redline Sprayer 55L & Accessories.....	27
Pak Pumps.....	203	Reel Tuff 12V Remote Control Hose Reel.....	71
Plastic Fittings .....	171-172	Reel Tuff Remote Control Motorised Sprayer 300L.....	50
Poly & Brass Swivel Nozzle Holders .....	119-120	Reel Tuff Remote Control Motorised Sprayer 400L.....	51
Poly Dump Cart .....	217	Reel Tuff Remote Control Motorised Sprayer 600L.....	52
Poly Hopper Linkage Spreader 345L.....	212	Regulators Suit 12V Pumps.....	141
Poly Tray Cart .....	217	Regulators Suit Comet PTO Pumps .....	150
Powerbank.....	201-201	Remote Control Sprayers.....	49-52
Pressure Gauges .....	169	Retractable Hose Reels 10m & 15m .....	66
Pressure Regulators & Kits .....	141	<b>S</b>	
Prograde - Backpack Sprayer 15L .....	13	Safety Clothing.....	87
Prograde - Hand Sprayers 5L & 8L.....	12	Security Camera - Motion Activated V60 .....	198
Prograde - Rechargeable Backpack Sprayer 15L.....	17	Security Camera - Motion Activated Wide Angle .....	198
Prograde - Rechargeable Pump ZERO Sprayer 8L.....	16	Security Camera - Solar Powered Remote 4G .....	197
Prograde - Service Kits .....	14	Selecta Blue - 200L Transfer Unit .....	190
PTO Pump Control Valves.....	150	Selecta Blue Replacement Pump.....	190
Pump Fittings - 12V.....	142	Selecta Rechargeable Spotlight .....	193
Pumps - Comet BP20/15, BP75/20, CAPS41, BP110/20.....	149	Selecta Wheelbarrows.....	215
Pumps - Comet BP60/20, BP130/20 .....	148	Service kits - Comet PTO Pumps .....	152
Pumps 12V - Aquatec High Capacity .....	138	Shurflo 12V & 24V Pumps.....	140
Pumps 12V - Aquatec High Pressure .....	137	Silmix.....	89
Pumps 12V - Aquatec Medium Capacity .....	138	Silvomatic Electric Spray Control Kit.....	145
Pumps 12V - Pak Pumps.....	139	Smoothflo Spotak Sprayers & Accessories .....	29
Pumps 12V - Smoothflo.....	137	Smoothflo Squatpak Sprayers 300L & 400L.....	36
Pumps 12V Parts Kits.....	143,144	Snake Block Snake Repeller .....	204
Push-Along Spreader.....	210	Snap Couplings.....	84, 169
<b>Q</b>		Solar Trickle Charger.....	203
Quad Bike Ramps.....	208	Solar Powered Security Camera .....	197
Quad Bike Sprayers 50L & 70L .....	30	Solenoids .....	146
<b>R</b>		Spotlight.....	193
Rakpak Plus Sprayers 70L.....	31	Spray gun - Teejet Gunjet AA43 .....	83
Ramps - Side by Side, Quad Bike, Mower, Motorcycle .....	208	Spray Shield .....	85
Rechargeable Flashlights.....	192	Sprayer Calibration .....	93
Rechargeable Head Lamp .....	194	Spray Gun - Adjustable Nozzles .....	83
Rechargeable Motion Sensor Light.....	194	Spray Gun - Atomiser.....	82
Rechargeable Redline Sprayer 25L .....	20	Spray Gun - Extendable .....	77
Rechargeable Redline Trolley Sprayer 25L .....	21	Spray Gun - GE057 .....	79
		Spray Gun - Hosetails .....	84
		Spray Gun - Jetpro .....	80

Spray Gun - Lances, Straight/Curved .....	84
Spray Gun - PA .....	79
Spray Gun - Redline 55L.....	77
Spray Gun - Spotjet (Jolly).....	78
Spray Gun - Teejet Gunjet AA31 & AAB30 .....	83
Spray Gun - Triam .....	81
Spray Gun - Trigjet .....	78
Spray Gun - Turbo 400 .....	82
Spray Gun - Varijet .....	81
Spreaders .....	210-213
Steel Dump Cart .....	217
Strainers - Nozzle.....	165
Submersible Pump .....	185
Sundstrom Respirator .....	87
<b>T</b>	
T Boom .....	85
Tank Hinged Lid .....	167
Tank Lid Rings.....	167
Tank Lid Strainers .....	167
Tank Lids.....	166
Tanks - Diesel 800L, 1100L, 2200L .....	158
Tanks - Poly 300L, 400L,600L,800L,1100L & 2200L .....	157
Tanks - Poly 50L,100L,200L,300L & 600L .....	156
Taps - In Line.....	168
Teejet Nozzle Caps .....	120
Terrabright - Rechargeable LED Flashlights .....	192
Terrabright - Rechargeable LED Spotlight.....	193
Torches.....	192
Towbar Boom - 2m Pak Boom.....	59
Towbar Boom - 4m Cross Fold .....	61
Towbar Boom - 4m General Purpose.....	59
Towbar Booms .....	55
Trailed Fertiliser Spreader 107L.....	212
Trailed Fertiliser Spreader 60L .....	211
Trailers.....	216-217
Traylink 200L Sprayer.....	47
Trickle Charger, Solar .....	203
Trolley Sprayers .....	18, 21-22
Trukpak Professional High Flow Sprayers 200L.....	34
Trukpak Professional High Pressure Sprayers 200L.....	35
Trukpak Professional Smoothflo Sprayers 200L.....	33
Tyre Inflator .....	202

## U

Utepak Sprayer & Accessories.....	32
UTV - Ramps .....	208

## V

Valves - Bypass Regulator .....	141
Vari Spacing Clamps .....	119
Versatile Motorised 200L Sled Sprayer & Accessories.....	38

## W

Water Filter Funnel .....	185
Water Roller 60L.....	215
Watering/Fire Fighting Hose Reels .....	69
Weather Station.....	204
Wheelbarrows.....	215
Wick Stick .....	63
Wind Meter .....	88



Fax or post Form to:  
 Silvan Warranty Department  
 P.O. Box 4453, Dandenong Sth  
 Victoria, 3164, Australia  
 Phone: 1300 745 826

## REQUEST FOR WARRANTY CLAIM



Please complete the following form or complete  
 an online claim through Red Connect (refer pg 3)

Aust. Fax: 1800 745 826

E-Mail: [support@silvanaust.com](mailto:support@silvanaust.com)

A.B.N. 48-099-851-144

<b>Dealer:</b>	
<b>Address:</b>	
Phone OR Email	

<b>Customer:</b>	
<b>Address:</b>	
Phone OR Email	

<b>Dealer Claim No:</b>	
<b>Silvan Invoice No:</b> <small>(From purchase of Item)</small>	<b>Customer Invoice No:</b>
<b>Date of Sale:</b> <small>(Provide Proof of Purchase)</small>	
<b>Date of Failure:</b>	
<b>Claim Value:</b>	\$
<small>(GST Exclusive)</small>	

<b>Product:</b>	<b>Quantity:</b>
<b>Part/s Required:</b>	

<b>Detailed Nature of Fault &amp; Cause:</b>  LOREM IPSUM	Labour at \$50.00	Number of Hours:
	Total Cost: \$	
<b>Action taken to rectify problem - <i>Eg. Repaired or Replaced:</i></b>	<b>Sublet Cost</b>	
	\$	

INCLUDE COPY OF SUBLET

<b>Action Requested?</b>	<b>Additional Information</b>
Issue a Credit Note <input type="checkbox"/>	
OR	
FOC Replacement <input type="checkbox"/>	

**R.C.T.I. Authorisation:** In line with current GST legislation warranty claims must be processed as tax invoices from the Dealer to Silvan.

I hereby authorise Silvan Australia Pty. Ltd. to raise a recipient created tax invoice on my behalf for the assessed value of this claim.

Claimant's Name: \_\_\_\_\_ Dated: \_\_\_\_\_  
(PLEASE PRINT)

Signature: \_\_\_\_\_

\*\*\*\*\* Silvan Internal Use Only \*\*\*\*\*

<b>DATE:</b>		<b>ACTIONED BY:</b>	
<b>PTS:</b>		<b>RA:</b>	
<b>SUB:</b>		<b>INVOICE/CREDIT:</b>	
<b>LAB:</b>			
<b>PWA No:</b>			

## AVAILABILITY

Products in the Silvan Spraying Equipment Product Guide are available through authorised Silvan dealers.

## TERMS

The Silvan terms and conditions are set out in your individual trading terms and at [www.silvan.com.au/terms](http://www.silvan.com.au/terms).

## PRICE

All Prices are suggested list Price in AU dollars. Price are subject to change without prior notice. For stocking incentive programmes refer to your individual trading terms, or contact customer services staff on 1300 745 826.

## GST

All Price are shown both inclusive of GST and exclusive of GST. All invoices will include GST.

## FREIGHT CHARGES

Freight and handling charges apply and will be added to the invoice amount. Check with Silvan Customer Service for freight charges into your area.

## TITLE AND RISK

Silvan retains title to all goods until paid for in full in clear funds. Risk in respect of goods passes to you as soon as the goods leave the Silvan Distribution Centre.

## PPSA

Silvan may register a security interest over the goods as security for any payment. You will need to provide Silvan with all information, documents and consents as Silvan requires to register and maintain this security interest.

## MINIMUM ORDER VALUE

A \$75 Minimum Order Value (Excl. GST) applies to all standard orders. Orders under the required minimum value will attract a \$25 handling charge (Excl. GST). A \$250 Minimum Order Value (Excl. GST) applies to hardware range orders. Urgent/breakdown orders don't have a required Minimum Order Value, and attract a \$25 priority fee (Excl. GST).

## WARRANTY

The only warranty provided by Silvan is set out on the forms accompanying the goods (for a copy please contact the Silvan Customer Service Centre). No other warranty or representation is made by Silvan. The terms of Silvan's warranties are subject to the operation of any law including the Australian Consumer Law.

## CANCELLATIONS

1. Cancellations made on the day the order was placed:
  - a. If stock isn't dispatched, no handling fee applies
  - b. If stock has been dispatched a restocking fee applies
2. Cancellations made after the day the order was placed, a restocking fee will apply.

## RETURNS POLICY

1. Before returning any product to Silvan, a Return Authorisation (RA) Number and approval form must be obtained from Silvan Customer Service. Goods WILL NOT be accepted without an RA number and form.
2. All returns must be requested within 14 days of the invoice date.
3. Goods will only be accepted for credit if they are stock items (i.e. excludes obsolete and indent only items), returned undamaged and in a saleable condition.
4. Return freight will be paid by the Customer if the goods are returned at the Customer's volition, unless authorised by the Company in writing prior to return of the goods.
5. Written claims must reference Silvan invoice numbers, and must be dated and state the reason for the claim.
6. A restocking fee will be applied if the goods have been dispatched according to the order.
7. Return of products valued under \$75 (Excl. GST) won't be accepted if dispatched according to the order.

## CLAIMS

Pricing & Freight Claims need to be made within 14 days of the invoice date. Any claims after this for pricing discrepancies will not be accepted. Claims for Freight Damage need to be made within 14 days of the invoice date by notifying Silvan Customer Service. Claims received after this will not be accepted.

## DISCOUNT CODES

Refer to individual Trading Terms for specific discounts.

FOR A FULL LIST OF TERMS & CONDITIONS, PLEASE VISIT [WWW.SILVAN.COM.AU/TERMS](http://WWW.SILVAN.COM.AU/TERMS)









## CUSTOMER SERVICE

We are ready to take your call.

Your phone call to **1300 SILVAN (1300 745 826)** will direct you to our highly experienced Silvan Customer Service staff who will assist you with:

- Price and availability
- Return Authorisation
- Product enquiries
- Credit processing
- Back order advices
- Freight enquiries

If your enquiry is of a technical nature, our Customer Service team will transfer you to our National Spare Parts team for parts interpretation and parts sourcing, or our technical services team for after sales service issues.

Call: **1300 SILVAN (1300 745 826)**

Fax: **1800 SILVAN (1800 745 826)**

General Customer Service & Sales - **Press 1**

Products & Part Availability - **Press 2**

Technical Support, Warranty & Parts Interpretation - **Press 3**



# 2024-25

# Rural Lifestyle Guide

PRICES EFFECTIVE FROM 1st SEPTEMBER 2024



## SILVAN AUSTRALIA Pty. Ltd.

ABN 48 099 851 144

Head Office: 68 Atlantic Drive,  
Keysborough, VIC, Australia 3173

QLD. Office: Warehouse 2, 30 Gow Street,  
Moorooka, QLD 4105

W.A. Office: 12 Cressall Road, Balcatta, WA 6021

Freecall: 1300 745 826

Fax: 1800 745 826

Email: [info@silvanaust.com](mailto:info@silvanaust.com)

Web: [silvan.com.au](http://silvan.com.au)

All prices are recommended prices and exclude any dealer installation and/or freight charges. Prices may vary between individual Silvan dealers. Recommended prices are effective from 1st September 2024.

The company reserves the right to change recommended prices and specifications without notice. All items in this Price List have been included in good faith on the basis that the goods described were available at the time this book was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners. Copyright © Silvan Australia Pty. Ltd. 2024



For more information call **1300 745 826** or visit: [silvan.com.au](http://silvan.com.au)